



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## 3M

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

| Product  | Description                   |
|--|-------------------------------|
| <a href="#">003-00-58PEU</a>                       | Battery charger               |
| <a href="#">09628</a>                              | Polishing backing pad         |
| <a href="#">10126-3000PE</a>                       | Connector                     |
| <a href="#">10150-3000PE</a>                       | Connector                     |
| <a href="#">10326-52A0-008</a>                     | Connector housing             |
| <a href="#">10350-52A0-008</a>                     | connector                     |
| <a href="#">14736U</a>                             | FINISHING DISC PAD            |
| <a href="#">16000</a>                              | paint preparation system      |
| <a href="#">16001</a>                              | paint preparation system      |
| <a href="#">16033</a>                              | Type 3 PPS Adaptor            |
| <a href="#">E16114</a>                             | paint preparation system      |
| <a href="#">1838 B/A   10000801</a>                | epoxy adhesive                |
| <a href="#">461-00-02P24</a>                       | Pre-Filters Pads              |
| <a href="#">6057 (box 1x8 pcs)</a>                 | Filter                        |
| <a href="#">6800</a>                               | Gas mask                      |
| <a href="#">3M 92-EB 63-3 QTII (76322)</a>         | 3X70-3X185                    |
| <a href="#">92-NBB 2</a>                           | cast resin branch set         |
| <a href="#">ES-01-001</a>                          | Gehörschutzstöpsel            |
| <a href="#">Fastener adhesive 2353 blue 18.9l</a>  |                               |
| <a href="#">P59</a>                                | Cable, constant force spring, |
| <a href="#">P60</a>                                | Cable, constant force spring  |
| <a href="#">31-2"X6FT</a>                          | Tape                          |
| <a href="#">ZM-PRIMER -94XX</a>                    | Haftvermittler                |
| <a href="#">ZR SURFACECLEANERXX</a>                | Surface Cleaner               |
| <a href="#">7100200416 / 3150A</a>                 |                               |
| <a href="#">FC-770 GEBINDE 5Kg ZF-0002-1623-2</a>  |                               |
| <a href="#">FC-770 Gebinde 20kg ZF-0002-1624-0</a> |                               |
| <a href="#">4001895846052</a>                      |                               |
| <a href="#">6059 / ABEK1</a>                       | gas filter                    |
| <a href="#">7502</a>                               | Medium half mask              |
| <a href="#">5400710844</a>                         | Tape                          |
| <a href="#">A1 HgP3R 609611139999</a>              | Mask filter                   |
| <a href="#">UHM-S110B3-5AP1-TG30</a>               | CONN SOCKET 110POS UHM TYPE B |
| <a href="#">80011181031</a>                        | 3M Shielding Tape             |

| Product                                       | Description                      |
|---|----------------------------------|
| <a href="#">80610872618</a>                   | 3M anti-static Utility Tape      |
| <a href="#">7448</a>                          | Handpad                          |
| <a href="#">4255</a>                          | Farbspritzmaske 3M               |
| <a href="#">EAR soft yellow neons</a>         |                                  |
| <a href="#">3M FD000072385 (59909999005)</a>  | CARTRIDGE POST + STOP RING       |
| <a href="#">59909999005 3M Petrifilm 6477</a> | Rapid Yeast & Mold Count Plate   |
| <a href="#">9915 (50000001000)</a>            | Smogmaske; FFP1 NR D             |
| <a href="#">9310 (76510406000)</a>            | 9310+ Atemschutzmaske FFP1       |
| <a href="#">MR 1</a>                          | pinch roller                     |
| <a href="#">TE100034863</a>                   |                                  |
| <a href="#">70006279338</a>                   |                                  |
| <a href="#">70006281714</a>                   |                                  |
| <a href="#">70006281706</a>                   |                                  |
| <a href="#">70006281771</a>                   |                                  |
| <a href="#">70006281805</a>                   |                                  |
| <a href="#">70006281789</a>                   |                                  |
| <a href="#">70006281813</a>                   | General purpose vinyl tape       |
| <a href="#">CFS-.80/1.50</a>                  | CONSTANT FORCE SPRING            |
| <a href="#">92-EB 62-1</a>                    | Innenraum Endverschluss 10 KV    |
| <a href="#">93-EB 63-1</a>                    | Outdoor end cap 10 kV            |
| <a href="#">60070015726</a>                   |                                  |
| <a href="#">60070015700</a>                   |                                  |
| <a href="#">60070015718</a>                   | WETORDRY PAPER SHEET 431Q,       |
| <a href="#">60070015734</a>                   |                                  |
| <a href="#">60070015759</a>                   |                                  |
| <a href="#">60440142796</a>                   |                                  |
| <a href="#">60070015668</a>                   |                                  |
| <a href="#">60070015684</a>                   |                                  |
| <a href="#">60070015742</a>                   |                                  |
| <a href="#">3M SJ352D</a>                     |                                  |
| <a href="#">70070969152</a>                   |                                  |
| <a href="#">70070697198</a>                   |                                  |
| <a href="#">70070971190</a>                   | DUAL LOCK RECLOSABLE FASTENER    |
| <a href="#">4945 33X25</a>                    |                                  |
| <a href="#">VE 3M (1x3)</a>                   | Verbindungsstück                 |
| <a href="#">V100E</a>                         | Kühlgürtel                       |
| <a href="#">WWG11V991</a>                     |                                  |
| <a href="#">S-433L</a>                        | Einweg-Leichthaube               |
| <a href="#">BT30</a>                          |                                  |
| <a href="#">23 19MMX9M Self fusing TP</a>     |                                  |
| <a href="#">3M 77 38MM</a>                    |                                  |
| <a href="#">05752</a>                         | Quick Connect Adaptor            |
| <a href="#">33279</a>                         | Low Linting Wool Compounding Pad |

| Product  | Description                               |
|--|---|
| <a href="#">33288</a>                          |   |
| <a href="#">05706</a>                          |   |
| <a href="#">33284</a>                          |   |
| <a href="#">05707</a>                          |   |
| <a href="#">33285</a>                          |   |
| <a href="#">05726</a>                          |   |
| <a href="#">05708</a>                          |   |
| <a href="#">33286</a>                          |   |
| <a href="#">33271</a>                          | Quick Connect Adaptor                     |
| <a href="#">50499, ID 7000032139</a>           | Foam Compounding Pad                      |
| <a href="#">50457</a>                          | SOFT FINISHING POLISHING PAD              |
| <a href="#">MDTA38/12 - 1 m</a>                | Wärmeschrumpfschlauch                     |
| <a href="#">DP025C02DA01</a>                   | filter                                    |
| <a href="#">HTB79A-02</a>                      | Headphone                                 |
| <a href="#">3M235U 03658 (pack 1x50)</a>       | Schleifblatt                              |
| <a href="#">62903 (pack 1x25)</a>              | Schleifblatt                              |
| <a href="#">3M235U 03654 (pack 1x50)</a>       | Schleifblatt                              |
| <a href="#">62899 (pack 1x25)</a>              | Sanding sheet                             |
| <a href="#">05774</a>                          | Trägerscheibe                             |
| <a href="#">ITCSN-2000-48"-BLACK-20 PCS</a>    | Heat Shrink Heavy-Wall Cable Sleeve       |
| <a href="#">ITCSN-2000-48"-BLACK-5 PCS</a>     |   |
| <a href="#">054007-10836</a>                   |   |
| <a href="#">054007-10885</a>                   |   |
| <a href="#">054007-00072</a>                   |   |
| <a href="#">054007-10851</a>                   |   |
| <a href="#">054007-10828</a>                   |   |
| <a href="#">054007-06132</a>                   |   |
| <a href="#">CT4NT18-C</a>                      |   |
| <a href="#">6502</a>                           | Half Mask Respirator                      |
| <a href="#">7000001557 / Tape 610</a>          | Clear Heat Resistant Tape                 |
| <a href="#">6502, 7100020697</a>               | Halfmask                                  |
| <a href="#">6486</a>                           | Pipettor II tips                          |
| <a href="#">7100086951</a>                     |   |
| <a href="#">Black/Yellow Vinyl Hazard Tape</a> |   |
| <a href="#">27-3/4"X66"</a>                    |   |
| <a href="#">C MAG P40</a>                      |   |
| <a href="#">10336-3210-006</a>                 | Backshell                                 |
| <a href="#">10136-3000PE</a>                   | Connector, Straight Plug, 36 pin contacts |
| <a href="#">70147 / 60980105864</a>            | Sanding Disc Backing Pad                  |
| <a href="#">35-White-3/4x66FT</a>              |   |
| <a href="#">7000031642   8300</a>              | 3M hot melt connector, singlemode SC      |
| <a href="#">8427-12</a>                        |   |
| <a href="#">6349 (pack x6)</a>                 |   |

| Product   | Description                                     |
|---|---|
| <a href="#">14736V</a>                          | FINISHING DISC PAD                              |
| <a href="#">DMA 50-3M-10-A</a>                  | EPX manuel applicator                           |
| <a href="#">09652</a>                           | Buffing pad                                     |
| <a href="#">5423 19mm x 16.5M</a>               | Adhesive tape transparent                       |
| <a href="#">5423 25mmx 16.5M</a>                | Adhesive tape transparent                       |
| <a href="#">5423 50mm x 16.5M</a>               | transparent sliding tape                        |
| <a href="#">36852</a>                           | DIRT TRAP PROTECTION MATERIAL                   |
| <a href="#">Model 501</a>                       | Filter cover                                    |
| <a href="#">1-5-1218</a>                        | TAPE INSULATING AMBER 1"X 5YDS                  |
| <a href="#">5419 GOLD, 3/8 IN X 36 YD</a>       | TAPE FILM GOLD 3/8"X 36YDS                      |
| <a href="#">3770/20-100 (roll x100 feet)</a>    | Flat cable                                      |
| <a href="#">8000096</a>                         | Ground sleeve HC stainless steel                |
| <a href="#">8000100</a>                         | Platform sleeve HC                              |
| <a href="#">8000092</a>                         | Core sleeve HC                                  |
| <a href="#">8000113</a>                         | Davit mast extensions                           |
| <a href="#">8000108</a>                         | Davitarm HC long                                |
| <a href="#">3400881</a>                         | Emergency Retrieval Sealed-Blok                 |
| <a href="#">1112949</a>                         | harness   |
| <a href="#">DBI Sala Exo Fit Nex Traverse</a>   | Traverse for rescue harness                     |
| <a href="#">AG810</a>                           | Rescue stretcher made of fiberglass material    |
| <a href="#">2000112</a>                         | Twist-lock steel carabiner                      |
| <a href="#">5559</a>                            | Water leak detection tape                       |
| <a href="#">3/4-5-467MP</a>                     | TAPE ADHSV TRNSFR CLR 3/4"X 5YDS                |
| <a href="#">SJ3871 ( 0608387125)</a>            | Dual Lock                                       |
| <a href="#">09973</a>                           | Soft Edge Masking Foam Tape                     |
| <a href="#">Novec 72DA</a>                      | 10 lbs (4,536 kg) Gebinde                       |
| <a href="#">5952F</a>                           | Klebeband                                       |
| <a href="#">8805 ( 6.35 mm x 33 m, 125 µm)</a>  | Klebstoff                                       |
| <a href="#">8805 (350 mm x 33 m, 125 µm)</a>    | Klebstoff                                       |
| <a href="#">1183</a>                            | Kupferfolie                                     |
| <a href="#">8812</a>                            | Mask  |
| <a href="#">10320-3210-000</a>                  |   |
| <a href="#">10120-6000EC</a>                    | Connector male                                  |
| <a href="#">10320-52F0-008</a>                  | MDR KODOR CONNECTOR CONTAINER SOLDERED          |
| <a href="#">6200L</a>                           | Low Maint Half Mask Resp Large                  |
| <a href="#">6057 ABE1, 7100006000</a>           | filter for half mask                            |
| <a href="#">50016</a>                           | Buffing pad                                     |
| <a href="#">8810</a>                            | Dust mask                                       |
| <a href="#">11048</a>                           | Application device for hot melt adhesives PG II |
| <a href="#">TR-490</a>                          | Hand Crimper                                    |
| <a href="#">927762-9277-9930-4 / 7000121596</a> | FOOT SWITCH                                     |
| <a href="#">62-9963-9950-7</a>                  | SPEEDLOADER MAGAZINE FEED FOR HOT MELT          |
| <a href="#">62-9945-9930-6 / 700012161</a>      | TABLE STAND                                     |

| Product  | Description                                |
|--|--|
| <a href="#">DP190</a>                              | Epoxy Structural Adhesive                  |
| <a href="#">SCOTCH 23 9.15X19</a>                  | Self-welding insulation tape               |
| <a href="#">22399</a>                              | grinding wheel                             |
| <a href="#">2228-1X10FT</a>                        | Tape                                       |
| <a href="#">2228-2X10FT</a>                        | Tape                                       |
| <a href="#">1271 (pack x50)</a>                    | Headset                                    |
| <a href="#">2820</a>                               | Classic line safety goggles                |
| <a href="#">425</a>                                | Aluminum tape width 50 mm length 55 meters |
| <a href="#">8000102</a>                            |  |
| <a href="#">92-NBA 6</a>                           |  |
| <a href="#">3101215</a>                            |  |
| <a href="#">MRX21A3WS6</a>                         | Ear Protection Headset                     |
| <a href="#">CIA2369645 Mfr #8025-16</a>            |  |
| <a href="#">80805</a>                              | Thick Walled Heat Shrink Tubing with Glue  |
| <a href="#">80812</a>                              | Thick Walled Heat Shrink Tubing with Glue  |
| <a href="#">3M MR 1</a>                            | Pressure Roller MR1                        |
| <a href="#">11067</a>                              | 3M Scotch-Weld valve system kit            |
| <a href="#">7000035445</a>                         | Carpet Tape                                |
| <a href="#">Product ID: 481Q</a>                   | Polishing Paper                            |
| <a href="#">p/n C3901-HT002000327 19mm x 4.5 m</a> |  |
| <a href="#">33178 / 61500190576</a>                | Radial Bristle Brush                       |
| <a href="#">5620406</a>                            | filter element                             |
| <a href="#">P/N: 75662 , Type: 78-8070-1531-4</a>  | Belt                                       |
| <a href="#">78-8017-9173-8</a>                     | Blade                                      |
| <a href="#">Model: 05519</a>                       | RUBBING BLOCK                              |
| <a href="#">2138</a>                               |  |
| <a href="#">3759/16 (100FT)</a>                    | cable                                      |
| <a href="#">SKE-4/10</a>                           | Heat Shrink Cable Boot & End Cap           |
| <a href="#">SKE-8/20</a>                           | Heat Shrink Cable Boots & End Caps         |
| <a href="#">SKE-15/40</a>                          | Heat Shrink Cable Boots & End Caps         |
| <a href="#">468MP (1/2 IN x 60YD)</a>              | Tape                                       |
| <a href="#">468MP-3/4"x60yd</a>                    | Adhesive Transfer Tape                     |
| <a href="#">468MP-2"x60yd</a>                      | Adhesive Transfer Tape                     |
| <a href="#">06-0100-30SW</a>                       |  |
| <a href="#">FS 200 AW-C</a>                        | Cable Ties                                 |
| <a href="#">FS 280 CW-C</a>                        | Cable Ties                                 |
| <a href="#">48</a>                                 | Thread Sealant                             |
| <a href="#">165OR4A</a>                            |  |
| <a href="#">165BR4A</a>                            |  |
| <a href="#">165WH4A</a>                            |  |
| <a href="#">50488</a>                              | polishing pad                              |
| <a href="#">50388</a>                              | Polishing Disc                             |
| <a href="#">50487</a>                              | Polishing disc                             |

| Product  | Description  |
|--|--|
| <a href="#">80349</a>                            | Polishing paste with yellow cap                        |
| <a href="#">50383</a>                            | Polishing paste with dark blue cap                     |
| <a href="#">09375</a>                            | Polishing paste  |
| <a href="#">p/n: 7000006089; Type: Scotchfil</a> |  |
| <a href="#">SUPER88-38X33</a>                    |  |
| <a href="#">10226-2210PE</a>                     | D-Sub Micro-D Connector                                |
| <a href="#">6051</a>                             | Combination filter A1 against organic gases and vapors |
| <a href="#">6055</a>                             | Filter   |
| <a href="#">6099, 7100104327</a>                 | Gase/ vapors & particles combi filter                  |
| <a href="#">5911</a>                             | P1R Particle Prefilter (Pair)                          |
| <a href="#">5925</a>                             | P2R Particle Prefilter (Pair)                          |
| <a href="#">5935</a>                             | P3R Particle Prefilter (Pair)                          |
| <a href="#">6200M</a>                            | Respirator Half Mask without Filter Size: M            |
| <a href="#">H540A</a>                            | earmuffs   |
| <a href="#">MT13H220A</a>                        | pulse earmuffs 26 dB                                   |
| <a href="#">G30NUW</a>                           | safety helmet  |
| <a href="#">1110</a>                             | Orange Corded Foam Earplugs                            |
| <a href="#">SCOTCH 1625 400ML</a>                |  |
| <a href="#">Z12DD60SP</a>                        | Zeta Plus Depth Filter                                 |
| <a href="#">CN 3190 X 1"</a>                     | Tape   |
| <a href="#">20317</a>                            | ORBITL SANDER NON-VACUUM                               |
| <a href="#">NT30T100SONG</a>                     | 3M Betapure NT-T Series Filter Candle                  |
| <a href="#">8000115</a>                          |  |
| <a href="#">8000117</a>                          | DBI-SALA® Digital Winches                              |
| <a href="#">3401025</a>                          | mountings for Winch and HSG For Sealed-Blok HSG        |
| <a href="#">MW311LE</a>                          | Mouse pad with wrist support                           |
| <a href="#">WR310GY</a>                          | Keyboard wrist support                                 |
| <a href="#">8426-11</a>                          |  |
| <a href="#">7686-S-8</a>                         |  |
| <a href="#">7100114079-31180</a>                 |  |
| <a href="#">7692-S-4-3-RJS</a>                   |  |
| <a href="#">7692-S-4-3G</a>                      |  |
| <a href="#">31137 (package of 10 pcs)</a>        | Terminal Scotchlok Copper                              |
| <a href="#">31141</a>                            | Terminal Copper One-Hole Long-Barrel Lug               |
| <a href="#">3M 92-EB 633-3 QTII (76478)</a>      |  |
| <a href="#">GG-1525</a>                          |  |
| <a href="#">LRSM</a>                             | Fat Test Strips  |
| <a href="#">MR1 (Art. No. 12544)</a>             | pressure roller  |
| <a href="#">2216 B/A GRAY</a>                    | Epoxy kit  |
| <a href="#">TE100042072</a>                      | Black Heat Shrink Tubing                               |
| <a href="#">T/R+BOX</a>                          | Twist On Wire Connector                                |
| <a href="#">FP301-1/2-48"-Clear</a>              | heat shrink tubing                                     |
| <a href="#">FP301-1/4-48"-Clear</a>              | heat shrink tubing                                     |

| Product   | Description  |
|---|--|
| <a href="#">FP301-3/8-48"-Clear</a>               | Heat Shrink Tubes & Sleeves                        |
| <a href="#">M3000K (7100051328)</a>               |  |
| <a href="#">FB12 (7100091214)</a>                 | Film Blade   |
| <a href="#">N10214-52B2PC</a>                     | 14 pin connector with gold plated contactors       |
| <a href="#">EPS300-1-48"-Red / 7010398853</a>     |  |
| <a href="#">FP-301 1 BLACK 100" / 7100026209</a>  |  |
| <a href="#">FP-301 1/2" BLK 100" / 7000021421</a> |  |
| <a href="#">10350-52F0-008</a>                    |  |
| <a href="#">4315055, Type: 431</a>                |  |
| <a href="#">Mixing nozzles / PN: 10956</a>        | Mixer nozzle                                       |
| <a href="#">Hand applicator / PN: 12665</a>       | Hand applicator                                    |
| <a href="#">7260 B/A FC NS / PN: 73366</a>        | Construction adhesive                              |
| <a href="#">7695-T-150</a>                        | Termination Kit                                    |
| <a href="#">61957010</a>                          | Tetraboric dressing tool                           |
| <a href="#">1676073/ 23 25.4 mm x 9.14 m</a>      | tape   |
| <a href="#">054007-10810</a>                      | Scotch   |
| <a href="#">1300E / WHITE</a>                     |  |
| <a href="#">1300E / RED</a>                       |  |
| <a href="#">9485PC</a>                            | Double-sided adhesive tape                         |
| <a href="#">3490-3</a>                            | Cable labels and markers SOCKET PULL TAB           |
| <a href="#">3414-6634</a>                         | Socket & Cable Housing 34P IDC SOCKET              |
| <a href="#">3448-3010</a>                         | Socket & cable housing STRAIN RELIEF FOR 10P CNCTR |
| <a href="#">3414-6600</a>                         | Socket & Cable Housing 34P IDC SOCKET              |
| <a href="#">EMFLEX 1300 15X10 CZARNA</a>          | Tape: electro insulating                           |
| <a href="#">76Z</a>                               | Vinyl Marking Tape                                 |
| <a href="#">8KH2-0723-0250</a>                    |  |
| <a href="#">80018003600</a>                       | Electrical tape pressure sensitive adhesive        |
| <a href="#">7100185797</a>                        | CABLE  |
| <a href="#">7100205939</a>                        |  |
| <a href="#">12600-S-12</a>                        | Jack Socket Screw                                  |
| <a href="#">7100142644</a>                        |  |
| <a href="#">0380490014L</a>                       | knife  |
| <a href="#">12226-1100-00 FR</a>                  |  |
| <a href="#">ET11819X16.5</a>                      | Shielding Tape                                     |
| <a href="#">ET118112X16.5</a>                     | Shielding Tape                                     |
| <a href="#">7000119323</a>                        |  |
| <a href="#">62917099327</a>                       | Scotch-Weld  |
| <a href="#">D2526-6002-AR</a>                     | Connector Header                                   |
| <a href="#">3302/40-100</a>                       |  |
| <a href="#">3365/40-300</a>                       |  |
| <a href="#">PADRB3</a>                            | scour pad  |
| <a href="#">GN030087805</a>                       | scour pad  |
| <a href="#">5644</a>                              | Termination Kit                                    |



| Product                                      | Description   |
|--|---|
| <a href="#">5643</a>                         | Termination Kit                                       |
| <a href="#">92-NBA 5</a>                     | Cast resin connection set                             |
| <a href="#">BT-30 / 0101BT30</a>             | air hose  |
| <a href="#">Jupiter battery / 0101BAT4EX</a> | battery   |
| <a href="#">CHG-02EU / 0101LGJT</a>          | smart charger   |
| <a href="#">Turbo blower unit / 0101JT</a>   | Turbo blower unit                                     |
| <a href="#">46-100-02P / 01014610002P</a>    | prefilter   |
| <a href="#">7100108747 / SJ3550/25</a>       | Ribbon, 25 mm x 46 m, black                           |
| <a href="#">7000044772</a>                   |   |
| <a href="#">AU19W11NG</a>                    |   |
| <a href="#">00048011037660</a>               |   |
| <a href="#">7000000821 / 2353</a>            | Fastener Adhesive                                     |
| <a href="#">2108109010</a>                   | filter cartridge                                      |
| <a href="#">5545A</a>                        | 3M 5545A QSIII Splice Kit                             |
| <a href="#">07903</a>                        | sandpaper   |
| <a href="#">EC2216</a>                       | epoxy adhesive  |
| <a href="#">TE100042031</a>                  | Heat Shrink Tubing                                    |
| <a href="#">TE100042049</a>                  | Heat Shrink Tubing                                    |
| <a href="#">TE100042056</a>                  | Heat Shrink Tubing                                    |
| <a href="#">TE100042064</a>                  | Heat Shrink Tubing                                    |
| <a href="#">TE100042080</a>                  | Heat Shrink Tubing                                    |
| <a href="#">3M7000029441</a>                 |   |
| <a href="#">RP-ZF 9/16"X1 1/4"</a>           | Peen Flap   |
| <a href="#">94-AP631-1 / GPH 95-300 mm2</a>  | connection set  |
| <a href="#">62-9274-9930-1</a>               | Reparaturbausatz                                      |
| <a href="#">7000001301 / 398FR</a>           |   |
| <a href="#">DFG005PP2C</a>                   | flat cable  |
| <a href="#">2228</a>                         | adhesive tapes  |
| <a href="#">Scotch 361</a>                   | adhesive tapes  |
| <a href="#">501826</a>                       | Speedglas welding mask 9100                           |
| <a href="#">7903</a>                         | fleece roll   |
| <a href="#">FR530CB / 0021200521751</a>      | footrest  |
| <a href="#">6007</a>                         | Mercury Vapor/Organic Vapor/Acid Gas Cartridge        |
| <a href="#">89116-0101</a>                   | IDC Connector, IDC Receptacle                         |
| <a href="#">89116-0103</a>                   | Connector   |
| <a href="#">1MD26-3560-00C-A00</a>           | Cable   |
| <a href="#">9100XXi</a>                      | Speedglas automatic helmet in a set with front lenses |
| <a href="#">64066</a>                        | O2 Sensor   |
| <a href="#">66750</a>                        | LEL Low Power Sensor                                  |
| <a href="#">99146</a>                        |   |
| <a href="#">64067</a>                        | Dual Toxic H2S/CO Sensor                              |
| <a href="#">64254</a>                        | Hydrophobic Filter                                    |
| <a href="#">64084</a>                        | Sample Inlet Filter                                   |

| Product                                     | Description                         |
|---|-------------------------------------|
| <a href="#">SLW-R</a>                       | refill rolls                        |
| <a href="#">64136</a>                       | 3 metres tubing c/w quick connect   |
| <a href="#">SCOTCH1601</a>                  | Insulating paint                    |
| <a href="#">82-A2</a>                       | Inline Resin Power Cable Splice Kit |
| <a href="#">7100046327</a>                  | Velcro grinding wheel               |
| <a href="#">G3001NUV-VI</a>                 | Safety helmet, white, non-vented    |
| <a href="#">HDCW-55/15-1200</a>             |                                     |
| <a href="#">HDCW-80/25-1200</a>             |                                     |
| <a href="#">5635K</a>                       | Tape                                |
| <a href="#">7010317790</a>                  | Electrical Sign                     |
| <a href="#">78-8015-6718-7</a>              | Corrugated Blade                    |
| <a href="#">AF 163-2K WT.06</a>             | Structural adhesive film            |
| <a href="#">AF 191K WT.080</a>              | Structural adhesive film            |
| <a href="#">051135-35730</a>                |                                     |
| <a href="#">8898</a>                        | tape                                |
| <a href="#">WS03601292</a>                  | Manual pressure roller              |
| <a href="#">82-F1</a>                       | Connecting coupling                 |
| <a href="#">3759/20 (100FT)</a>             | cable                               |
| <a href="#">3759/40 (100FT)</a>             | cable                               |
| <a href="#">3659/34 (100FT)</a>             | cable                               |
| <a href="#">3759/34 (100FT)</a>             | cable                               |
| <a href="#">H-701SFV-UV</a>                 | Hard Hat                            |
| <a href="#">3303021</a>                     | Descender - Sloped/Auto Retract     |
| <a href="#">7FWK1-10/G50-A2</a>             |                                     |
| <a href="#">7100198708 / 60927</a>          | Combination Cartridge               |
| <a href="#">983-71S</a>                     | reflective tape                     |
| <a href="#">5911 P1</a>                     | Particulate filter                  |
| <a href="#">25004</a>                       |                                     |
| <a href="#">25041</a>                       |                                     |
| <a href="#">085-00-10P</a>                  | Powered Air Turbo Unit              |
| <a href="#">BT-20L</a>                      | Breathing Tube                      |
| <a href="#">EPX NOZ 9178</a>                | Nozzle                              |
| <a href="#">EPX Mix Nozzle Square Green</a> | Nozzle                              |
| <a href="#">EPX PLNGR 2:1</a>               | plunger                             |
| <a href="#">F400 (41811)</a>                | GRAIN POLISHING PASTE               |
| <a href="#">F800 14 – 2 µm</a>              | GRAIN POLISHING PASTE               |
| <a href="#">3365/20 300SF</a>               | Flat Cable                          |
| <a href="#">051135-35736</a>                | Heat Shrink Tubing                  |
| <a href="#">7100197733</a>                  |                                     |
| <a href="#">80610833867</a>                 | Tape                                |
| <a href="#">FC-770 0.75 gal</a>             | Fluorinert Electronic Liquid, clear |
| <a href="#">PF140W9B</a>                    | Privacy filter                      |
| <a href="#">80610833966</a>                 |                                     |

| Product   | Description                        |
|---|------------------------------------|
| <a href="#">80610833925</a>                                   |                                    |
| <a href="#">80610833909</a>                                   |                                    |
| <a href="#">1PYH3</a>   | Quick-Change Sanding Disc          |
| <a href="#">1PYG4</a>   | Quick-Change Sanding Disc          |
| <a href="#">T7950</a>   | fabric tape                        |
| <a href="#">SCOTCH 23 7X25</a>                                | insulating tape                    |
| <a href="#">530-12-52P3</a>                                   | Coupling                           |
| <a href="#">89595050</a>                                      | Scotch                             |
| <a href="#">F60 (41803)</a>                                   | Lapping Compound                   |
| <a href="#">F100 (41805)</a>                                  | Lapping Compound                   |
| <a href="#">F220 (41808)</a>                                  | Lapping Compound                   |
| <a href="#">F320 (41810)</a>                                  | Lapping Compound                   |
| <a href="#">F600 (41813)</a>                                  | Lapping Compound                   |
| <a href="#">7100037093 / B195H-CLS</a>                        | percolator                         |
| <a href="#">Standard Solar Safety &amp; Security Film S80</a> | foil                               |
| <a href="#">7860</a>  |                                    |
| <a href="#">6240801 BH3 JG 3/8 (7100075200)</a>               |                                    |
| <a href="#">HF25-MS (7000001677)</a>                          |                                    |
| <a href="#">VH3 3/8 JG (7000001815)</a>                       |                                    |
| <a href="#">RT29Q16G20NN</a>                                  |                                    |
| <a href="#">603928 / Scotch 550 12.0 mm x 33.0 m</a>          |                                    |
| <a href="#">8955UV</a>  |                                    |
| <a href="#">8972UV</a>  |                                    |
| <a href="#">8964UV</a>  |                                    |
| <a href="#">6000 series</a>                                   | Half Facepiece Reusable Respirator |
| <a href="#">2091/07000(AAD)</a>                               |                                    |
| <a href="#">30638</a>   | Knurled Steel Pulley-Rubber        |
| <a href="#">7000004925</a>                                    |                                    |
| <a href="#">7000004874</a>                                    |                                    |
| <a href="#">7000004891</a>                                    |                                    |
| <a href="#">54511933</a>                                      | glass fabric adhesive tape         |
| <a href="#">CF-HP 7447</a>                                    | Scotch-Brite Hand Pads             |
| <a href="#">7000042673</a>                                    | Coupling plug set type Cejn        |
| <a href="#">CSCAK/1 12-18MM</a>                               |                                    |
| <a href="#">CSCAK/3 25-42MM</a>                               |                                    |
| <a href="#">CSCAK/2 18-25MM</a>                               |                                    |
| <a href="#">3659/50-100</a>                                   | flat cable                         |
| <a href="#">7000122498</a>                                    | Packaging Tape                     |
| <a href="#">PN: 64392</a>                                     | electric polisher                  |
| <a href="#">3539/60-100</a>                                   | reels                              |
| <a href="#">MT73H7F4D10EU-50</a>                              |                                    |
| <a href="#">MT73H7P3E4D10EU-50</a>                            |                                    |
| <a href="#">MT73H7B4D10EU-50</a>                              |                                    |

| Product                                | Description                               |
|--|---|
| <a href="#">9330+</a>                  | Particulate matter mask                   |
| <a href="#">9332</a>                   | respirator                                |
| <a href="#">1863</a>                   | respirator                                |
| <a href="#">1862+</a>                  | respirator                                |
| <a href="#">8833</a>                   | respirator                                |
| <a href="#">7503</a>                   | Half mask                                 |
| <a href="#">6300</a>                   | Respiratory mask                          |
| <a href="#">8407NS</a>                 | Scotch-Weld DP 8407 NS grey DK 45 ml      |
| <a href="#">6033A2</a>                 | FILTEK SUPREME FLOW A2                    |
| <a href="#">6033A3</a>                 | FILTEK SUPREME FLOW A3                    |
| <a href="#">41258</a>                  | SCOTCHBOND UNIVERSAL ADHESIVE             |
| <a href="#">8US4-AA119-00-0.50</a>     |   |
| <a href="#">HP-RED2-W-C</a>            | High Pressure Reducer                     |
| <a href="#">7000127449</a>             | 3M™ Advanced Particulate Filter 2291      |
| <a href="#">4411N</a>                  | Single Side Acrylic Sealing Tape          |
| <a href="#">4411B</a>                  | Single Side Acrylic Sealing Tape          |
| <a href="#">983-72</a>                 | Reflective tape Red                       |
| <a href="#">31166</a>                  | Scotchlok Copper Two Hole Long Barrel Lug |
| <a href="#">9353</a>                   | tape                                      |
| <a href="#">310-6X60</a>               | Anti-Slip Tape                            |
| <a href="#">7100230151</a>             | Cartridge gun                             |
| <a href="#">7696-T-150</a>             | Cold Shrink Qt-iii Termination Kit        |
| <a href="#">5526A</a>                  | Cold Shrink Qs-iii Splice Kit             |
| <a href="#">6518</a>                   | Scotch Steel Gray Masking Paper           |
| <a href="#">051111-55764-8</a>         | POLISH MACHINE DISC 80mm                  |
| <a href="#">M-207</a>                  |   |
| <a href="#">HP76</a>                   |   |
| <a href="#">HP86</a>                   |   |
| <a href="#">51880 / XT-DB</a>          | coarse cleaning disc                      |
| <a href="#">096-3459-03</a>            |   |
| <a href="#">Scotch 8898 Blue</a>       | Scotch Strapping Tape                     |
| <a href="#">7000148285 (EPX-400ML)</a> | EPX APPLICATOR-400ML                      |
| <a href="#">P61</a>                    | Contact roll spring                       |
| <a href="#">P62</a>                    | Contact roll spring                       |
| <a href="#">P63</a>                    | Contact roll spring                       |
| <a href="#">75 11 20 / 52000192972</a> | Speedglas welding helmet                  |
| <a href="#">6503QL</a>                 | Large half mask, blue, grey               |
| <a href="#">09678</a>                  | Soft Tape                                 |
| <a href="#">DP810</a>                  |   |
| <a href="#">T2719</a>                  |   |
| <a href="#">Temflex 1300E</a>          | Electric Adhesive Tape                    |
| <a href="#">UR-1-CROCUS</a>            |   |
| <a href="#">N2540-6003RB</a>           | Base & cable housing                      |

| Product   | Description   |
|---|---|
| <a href="#">VOL-6UP-L10</a>                     |   |
| <a href="#">2125</a>                            | Dust Pad  |
| <a href="#">1500AV20</a>                        | General purpose electrical tape   |
| <a href="#">RT40B16G20NN</a>                    |   |
| <a href="#">7000000389</a>                      | 3M™ Roloc™ Disc 361F, P120 XF-weight, TR, 3 in, Die R300V, 50/Case, 200 ea/Case |
| <a href="#">7000000385</a>                      | 3M™ Roloc™ Disc 361F, P100 YF-weight, TR, 2 in, Die R200P, 50/Case, 200 ea/Case |
| <a href="#">7000077961</a>                      | 3M™ Roloc™+ Holder 3, 2 in x 1/4 in, 5/Pac, 50 ea/Case                          |
| <a href="#">09988</a>                           |   |
| <a href="#">3M Scotch-Brite Vliesband SC-BS</a> |   |
| <a href="#">92-NBA-7</a>                        |   |
| <a href="#">FL-0003-HP-5000</a>                 |   |
| <a href="#">FL-0004-HP-5000</a>                 |   |
| <a href="#">638060-29035</a>                    | Scotch  |
| <a href="#">2216-GRAY-2OZ</a>                   |   |
| <a href="#">RT30C16G20NN</a>                    | Filter  |
| <a href="#">DP760 50ML</a>                      | Glue  |
| <a href="#">8562</a>                            | COLD SHRINK 3/C CABLE BREAKOUT  |
| <a href="#">853</a>                             | TAPE MASKING CLEAR 1 1/2"X72YDS   |
| <a href="#">471-IW-BLACK-1/2"X36YD</a>          | TAPE CONF VINYL BLK 1/2"X36YDS  |
| <a href="#">05112855089</a>                     |   |
| <a href="#">7000032946</a>                      |   |
| <a href="#">06.832CT101</a>                     | metal case  |
| <a href="#">22406</a>                           |   |
| <a href="#">22402</a>                           |   |
| <a href="#">09987</a>                           |   |
| <a href="#">52 60 00</a>                        |   |
| <a href="#">07447</a>                           | Hand Pad  |
| <a href="#">3M254X</a>                          |   |
| <a href="#">61 78 39</a>                        | Speedglas welding filter Incl consumable starter kit                            |
| <a href="#">MT74H52P3E-110</a>                  | CH-3 Headset  |
| <a href="#">FLX2-200</a>                        | plug for connection   |
| <a href="#">FL5063</a>                          | PTT Adaptor   |
| <a href="#">30213</a>                           |   |
| <a href="#">30293</a>                           |   |
| <a href="#">AF163-2K .060</a>                   | Red Structural Adhesive Film  |
| <a href="#">7000000792</a>                      | Industrial Sealant  |
| <a href="#">Tetrabor F220</a>                   | Schuurpasta   |
| <a href="#">HF60PP005D01</a>                    | High flow series filter cartridge   |
| <a href="#">XL30PP050B2A</a>                    | XL series filter candle   |
| <a href="#">06.832740B40PP025</a>               |   |
| <a href="#">SCOTCH 35- brown</a>                | Scotch  |
| <a href="#">SCOTCH 35- orange</a>               | Scotch  |

| Product                                   | Description  |
|---|--|
| <a href="#">SCOTCH 35 - yellow</a>        | Scotch   |
| <a href="#">05791</a>                     | hand sanding pad                                   |
| <a href="#">60150</a>                     | Glass Polishing Compound                           |
| <a href="#">28271</a>                     | Elastic strap for tools                            |
| <a href="#">18764</a>                     | Deburring compact disc                             |
| <a href="#">Scotch 2822</a>               | gummed paper tape for painting                     |
| <a href="#">TE100048616</a>               | shrink tubing                                      |
| <a href="#">DP270</a>                     |  |
| <a href="#">272L, 200 mm x 50 m, 40 μ</a> | Imperial Microfinishing Film                       |
| <a href="#">80610138986</a>               | tape   |
| <a href="#">82-F2</a>                     | Wire taps power cable splicing kit                 |
| <a href="#">MB2002</a>                    | industrial cotton fleece                           |
| <a href="#">HF60PP005B01</a>              | High Flow Series Filter Cartridge                  |
| <a href="#">82-A3</a>                     | Inline Resin Splice Kit                            |
| <a href="#">B0B42CLFX9</a>                | Self Adhesive Cable Tie Mounts                     |
| <a href="#">428000</a>                    | Speedglas™ inner lens                              |
| <a href="#">776000</a>                    | Outer lens (standard)                              |
| <a href="#">82-A1N</a>                    | Power Cable Splice Kit                             |
| <a href="#">82-A2N</a>                    | Inline Resin Power Cable Splice Kit                |
| <a href="#">G533S</a>                     | 3M LIQUI-CEL EXTRA-FLOW MEMBRANE CONTACTOR, 14X28, |
| <a href="#">HDCW 140/40-1000</a>          |  |
| <a href="#">SCOTCH 70</a>                 | Self-Fusing Silicone Rubber Electrical Tape        |
| <a href="#">3327350</a>                   | Rescue and Descent Device System with Rescue Wheel |
| <a href="#">MT73/1</a>                    | Water tight microphone                             |
| <a href="#">FLX2-210 / 7100219827</a>     | Cable  |
| <a href="#">MT74H52A-110</a>              | Headset  |
| <a href="#">82-BF1</a>                    |  |
| <a href="#">06521</a>                     | 6.35mm masking tape                                |
| <a href="#">80610938187</a>               | All Weather Telephone Vinyl Plastic Tape           |
| <a href="#">MT7H79P3E-50</a>              |  |
| <a href="#">PDA020J01AAS1</a>             |  |
| <a href="#">TE100048624</a>               | shrink tubing                                      |
| <a href="#">8561 24in x 36Yd Roll</a>     | Polyurethane Protective Tape                       |
| <a href="#">RT09C16G20NN</a>              | Filter Cartridge                                   |
| <a href="#">3399-6626</a>                 | Socket & Cable Housing 26P IDC SOCKET              |
| <a href="#">93-EE 705-6/240</a>           | Separable Connector kit                            |
| <a href="#">TE100048673</a>               |  |
| <a href="#">2845</a>                      | goggles  |
| <a href="#">3625/50SF 100M</a>            | Flat Ribbon Cable                                  |
| <a href="#">5423 25X16.5X0.28</a>         |  |
| <a href="#">929975-01-10-RK</a>           | Headers & Wire Housings                            |
| <a href="#">D2520-5002-AR</a>             | Headers & Wire Housings                            |
| <a href="#">3M-80610833917-WS</a>         | Scotch Vinyl Color Coding Electrical Tape          |

| <b>Product</b>                                      | <b>Description</b>                        |
|---|---|
| <a href="#">92-NBB1</a>                             | cast resin branch set                     |
| <a href="#">PF238W9EM</a>                           | Privacy films for smartphones             |
| <a href="#">3MI7000092265 / QSG 94-AP 621-1 E/C</a> |   |
| <a href="#">Scotch Super 88</a>                     |   |
| <a href="#">7100262488</a>                          | Mixing Nozzles * square green, 1:1 2:1    |
| <a href="#">3327275</a>                             | Rescue And Descent Kit With Rescue Wheel  |
| <a href="#">HDCW 80/25 -1000</a>                    | Cable Repair Sleeve For Cable             |
| <a href="#">3M-80610833867-WS</a>                   | Vinyl Electrical Tape                     |
| <a href="#">3M-80610833958-WS</a>                   | Scotch Vinyl Color Coding Electrical Tape |
| <a href="#">7000082092</a>                          | paper sanding sheet                       |
| <a href="#">7000032606</a>                          | Contact roll spring                       |
| <a href="#">7000032605</a>                          | Contact roll spring                       |