



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Airtec

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

Product	Description
<a href="#">1321-11</a>	Oszillationsventil
<a href="#">23-M-09-17-412-R</a>	magnets
<a href="#">23-M-09-17-442-R</a>	Solenoid Coil
<a href="#">23-M-09-19-432-R</a>	Solenoid Coil
<a href="#">23-M-09-19-462-R</a>	magnet
<a href="#">23-SP-011-412</a>	magnetic coil
<a href="#">23-SP-016-712</a>	Standard solenoid coil
<a href="#">28-ST-01</a>	Appliance plug
<a href="#">KM-10-510-HN-500</a>	solenoid valve
<a href="#">ER 25-310</a>	seat valve
<a href="#">KF-10-520-HNR-442</a>	Valve terminals
<a href="#">KN-05-510-HN-442</a>	5/2-way solenoid valve
<a href="#">KN-05-511-HN-432</a>	5/2-way solenoid valve
<a href="#">ME-05-511-HN-442</a>	5/2-way solenoid valve
<a href="#">T-30-310</a>	3/2-way base body for M5 stylus valve
<a href="#">ZS-5700</a>	Sensor
<a href="#">ZX-25-SR-1500-02</a>	Kolbenstangenloser Pneumatikzylinder
<a href="#">MN-06-511-HN-442</a>	Solenoid valve
<a href="#">HF-14-510</a>	Hand Lever Valve
<a href="#">BM-02-510-HNR-156</a>	Electrically Operated Spool Valve
<a href="#">MO-07-310-HN-442</a>	Magnetventil
<a href="#">XL-125-0300-050</a>	Pn-Zylinder
<a href="#">XLB-125-02</a>	Flanschbefestigung
<a href="#">BM-01-510-HNR-462</a>	Electrically Operated Spool Valve
<a href="#">M-22-530-HN-412</a>	5/3-Wege Magnetventil
<a href="#">M-22-510-HN-427</a>	electrically operated piston valve
<a href="#">23-SP-016-727</a>	Standard solenoid coil
<a href="#">EL-18-510</a>	Electrically Operated Spool Valve
<a href="#">XG-160-0320-050</a>	Original Spare Part
<a href="#">LCD-TYPE 1</a>	LCD Display Module
<a href="#">96.1024</a>	Pressure Gauge
<a href="#">96.1038</a>	Pressure Gauge
<a href="#">45.1050</a>	Silencer
<a href="#">86-MV-5-12-530-M42</a>	5/2-Wege Magnetventil
<a href="#">KF-46-210/2-HN-S12</a>	ELECTRO VALVE

Product	Description
<a href="#">XLVK-100-01-0250</a>	Cylinder-Valve Combination
<a href="#">ER-18-310</a>	limit switch
<a href="#">RB-3160</a>	Hydraulic controller
<a href="#">KN-05-530-HN-442</a>	5/3-Way Solenoid Valve
<a href="#">86-MV-5-12-511-M57</a>	5/2-Wege Magnetventil
<a href="#">ME-07-511-HN-442</a>	mechanical spring
<a href="#">KM-10-510-HN-442</a>	solenoid valve
<a href="#">NYD-080-125-210</a>	Kompaktzylinder
<a href="#">KN-05-520-HN-442</a>	5/2-way magnetic pulse valve
<a href="#">86-MV-3-18-311-M42</a>	solenoid valve
<a href="#">KN-05-511-HN-442</a>	Magnetventil
<a href="#">E-25-310</a>	3/2-way (NC) limit switch with cam, M 5
<a href="#">E-18-510</a>	Pneumatic Limit Switch with Roller
<a href="#">L-25-520</a>	pneumatic pulse valve
<a href="#">MS-20-310-HN-111 12V</a>	valve
<a href="#">23-M-20-412</a>	Magnet
<a href="#">23-SP-011-411</a>	Electrically operated valve accessories
<a href="#">23-SP-011-422</a>	Zubehör für elektrisch betätigte Ventile
<a href="#">23-SP-011-426</a>	Solenoid Coil
<a href="#">23-SP-012-431</a>	magnetic coil
<a href="#">23-SP-012-432</a>	Magnetspule
<a href="#">23-SP-011-1-712</a>	Solenoid
<a href="#">23-SP-011-1-727</a>	Solenoid Coil
<a href="#">23-SP-011-5-O12</a>	Solenoid Coil with Integrated LED
<a href="#">23-SP-012-5-O32</a>	Zubehör für elektrisch betätigte Ventile
<a href="#">28-ST-04-112</a>	VALVE SOCKET
<a href="#">28-ST-06-112</a>	Silencer
<a href="#">28-ST-06-K3-112</a>	Accessories for electrically operated valves
<a href="#">VZ-25-310</a>	3/2-Way Time Control Valve
<a href="#">KND-05-530-HN-142</a>	valve
<a href="#">M-20-510-HN-412</a>	Air Distributor
<a href="#">M-07-310-HN-442</a>	Electrically Operated Spool Valve
<a href="#">23-M-09-17-442-T</a>	magnetic system
<a href="#">DC-1211-25B</a>	Pneumatic Cylinder
<a href="#">DC-1211-25N</a>	Pneumatic Cylinder
<a href="#">KN-05-311-HN</a>	solenoid valve,
<a href="#">86-MV-5-38-511-M42</a>	5/2-way solenoid valve
<a href="#">ER-18-510</a>	5/2-way limit switch with roll
<a href="#">MN-06-520-HN-457</a>	Valve
<a href="#">86-MV-5-38-511-M57</a>	5/2 way solenoid valve
<a href="#">MO-07-310-HN-xxx</a>	3/2-way air spring
<a href="#">MN-06-530-HN-457</a>	Electrically Operated Spool Valve
<a href="#">P-05-522</a>	5/2 way pneumatic pulse valve

Product	Description
<a href="#">KM-10-510-HN-457</a>	SOLENOID VALVE
<a href="#">VZ-18-310</a>	3/2-Way Time Control Valve
<a href="#">M-07-510-HN-442</a>	Magnetic valve
<a href="#">M-05-510-HN-442</a>	Magnetic valve
<a href="#">MO-05-310-HN-442</a>	Magnetic valve
<a href="#">ME-05-311-HN-442</a>	Magnetic valve
<a href="#">KF-46-510-HN-E</a>	Solenoid Valve
<a href="#">KF-46-210/2-HN-E</a>	Solenoid Valve
<a href="#">M-04-520-HN-442</a>	Magnetic pulse valve
<a href="#">KF-26-510-HN-E</a>	5/2-Way Solenoid Valve
<a href="#">KF-26-210/2-HN-E</a>	3/2-Way Solenoid Valve
<a href="#">M-22-510-HN-426</a>	magnetic valve
<a href="#">23-M-09-17-412-T</a>	15 mm magnetic system
<a href="#">MN 06310-HN-442</a>	SOLENOID VALVE 3/2
<a href="#">MN-06-510-HN-462</a>	5/2-way, air spring
<a href="#">MN-06-510-HN-842</a>	Solenoid valve
<a href="#">Y 112 ES (Y112ES)</a>	air soft distributor
<a href="#">23-M-09-19-457-R</a>	Magnet system
<a href="#">HM-40-100</a>	PISTON
<a href="#">KF-46-310/2-HN-S12</a>	Valve for RE46
<a href="#">KN-05-310-HN-442</a>	solenoid valve
<a href="#">MN-06-310-HN-142</a>	3/2-way solenoid valve
<a href="#">KF-46-510-HN-S12</a>	Solenoid valve for RE46, 5/2-way with air spring return (monostable)
<a href="#">M-22-520-HN-412</a>	5/2-Way Solenoid Valve
<a href="#">KF-09-511-HNR-442</a>	Valve terminals
<a href="#">NYD-080-100-210</a>	compact cylinders
<a href="#">Namur-VS2-24-Vac</a>	valve
<a href="#">PA00</a>	solenoid
<a href="#">MN-06-510-HN-457</a>	5/2-Solenoid Valve, NW 6, G1/4
<a href="#">23-SP-011-427</a>	Coil
<a href="#">28-ST-06-127</a>	Plug 230 V / 50-60 Hz normal
<a href="#">4F210-08F</a>	Foot Pedal Air Valve
<a href="#">MP-3224-20B1</a>	
<a href="#">P-07-312</a>	Pneumatically operated piston valve
<a href="#">MN-06-520-HN-xxx</a>	solenoid valve
<a href="#">ZX-50-S-0600-02</a>	Piston rodless cylinder series ZX-S
<a href="#">MF-04-520-HN</a>	electric valve
<a href="#">XL-100-0600-050</a>	Double-acting profile cylinder
<a href="#">KM-09-530-HN</a>	Solenoid valve
<a href="#">MC-07-510-HN-712</a>	Control Valve
<a href="#">VK 14 MSV</a>	Closing cap G 1/4"
<a href="#">KNE-05-511-HN-012</a>	Electrically Operated NAMUR Valve
<a href="#">XL-100-0250-050</a>	cylinders

Product	Description
<a href="#">MXA-50-10-14</a>	pressure gauge
<a href="#">MO-07-311-HN-142</a>	SELENOID VALF
<a href="#">M-22-510-HN-412</a>	SELENOID VALF
<a href="#">P-07-311</a>	3/2-way pneumatic valve, G 1/4", spring (NC/NO), standard
<a href="#">P-05-311</a>	SELENOID VALF
<a href="#">RT37003</a>	Fan
<a href="#">DR 18</a>	Block Throttle Check Valve
<a href="#">MN-06-510-HN-442</a>	solenoid
<a href="#">MF-04-510-HN-412</a>	valve
<a href="#">KN-05-510-HN 24 V DC</a>	Solenoid valve, NAMUR connection diagram
<a href="#">MF-24-520-HN-412</a>	Electrically Operated Spool Valve
<a href="#">M-07-510-HN</a>	solenoid valve
<a href="#">Mod. 520</a>	Angle Grinder
<a href="#">KF-10-510-HNx-442</a>	5/2-way air spring
<a href="#">KF-09-510-HNx-442</a>	5/2-way air spring
<a href="#">59560</a>	5/2-way NAMUR solenoid valve
<a href="#">ZS 3211</a>	Sensor
<a href="#">KM-09-510-HN-442</a>	Electrically Operated Spool Valve
<a href="#">KM-09-520-HN-O42</a>	Electrically Operated Spool Valve
<a href="#">NXD-050-040-10</a>	NXD series compact cylinder
<a href="#">HR 14 520</a>	5/2-way hand lever valve
<a href="#">HR 18-520</a>	5/2-way hand lever valve
<a href="#">HM-25-025</a>	Pneumatic cylinder with magnetic piston
<a href="#">M-05-520-HN</a>	valve
<a href="#">M-05-511-HN-442</a>	valve
<a href="#">M-07-311-HN-XXX</a>	3/2-way, mechanical spring, closed position
<a href="#">PN-05-311</a>	3/2-way, mechanical spring, spring chamber ventilation
<a href="#">PN-05-511</a>	pneumatically operated piston valve
<a href="#">BP-02-310</a>	3/2-way, air spring, closed position
<a href="#">KN-05-310-HN-XXX</a>	Valve
<a href="#">E-18-310</a>	3/2-way, G1/8
<a href="#">M-07-311-HN</a>	valve
<a href="#">KN-05-510-HN-xxx</a>	5/2-way air spring
<a href="#">BN-2435-45-B12</a>	5/3-Way NAMUR Valve
<a href="#">97.5058</a>	clip-on valve disassembly tool
<a href="#">KN-05-511-HN-142</a>	electrically operated piston valve
<a href="#">KN-05-311-HN-142</a>	electrically operated piston valve
<a href="#">P-05-511</a>	valve
<a href="#">ZS-5700-10</a>	Magnetic Field Sensor
<a href="#">MS-18-310-HN-412</a>	electrically operated seat valve
<a href="#">28-ST-10-1-112</a>	outlet
<a href="#">KN-05-511-HN-162</a>	5/2 WAY VALVE-NAMUR WITH 24VDC COIL 2.2 WATT WITH CONNECTOR
<a href="#">MI03 510-HN</a>	5/2-way spring return

Product	Description
<a href="#">MF 04510HN 24V</a>	way solenoid valve
<a href="#">KM 10510HN 24VAC</a>	solenoid
<a href="#">M-22-530-HN-XXX</a>	electrically operated piston valve
<a href="#">ZS-5600</a>	wires
<a href="#">KN-05-310-HN-142</a>	
<a href="#">44-XPC-128-G</a>	Screw-in connector
<a href="#">44-XPB-188-G</a>	Screw-in connector
<a href="#">44-XPL-128-G</a>	Screw-in connector
<a href="#">44-XPB-148-G</a>	Screw-in connector
<a href="#">44-XPL-1210-G</a>	Screw-in connector
<a href="#">44-XPL-146-G</a>	Screw-in connector
<a href="#">44-XPL-186-G</a>	Screw-in connector
<a href="#">44-XPB-186-G</a>	Screw-in connector
<a href="#">44-XPT-186-G</a>	Screw-in connector
<a href="#">44-XPT-1410-G</a>	Screw-in connector
<a href="#">44-XPB-146-G</a>	Screw-in connector
<a href="#">44-XPUC-60</a>	connectors
<a href="#">44-APT-146-G</a>	Screw Connector
<a href="#">44-APT-188-G</a>	Screw Connector
<a href="#">44-APL-386-G</a>	Elbow screw connection
<a href="#">MN-06-511-HN-XXX</a>	valve
<a href="#">KF-26-510-HN</a>	Solenoid valve
<a href="#">KM-09-520-HN-412</a>	solenoid valve
<a href="#">M-05-310-HN-442</a>	3/2-way, air spring, rest position closed
<a href="#">ME-07-511-HN-456</a>	mechanical spring
<a href="#">SZ 18 310 B</a>	Two-hand safety block
<a href="#">P-12-511</a>	Pneumatically Operated Spool Valve
<a href="#">XL-040-0100-050</a>	pneumatic cylinder
<a href="#">KN-05-510-HN-457</a>	Solenoid valve
<a href="#">MC-20-520-HN-XXX</a>	5/2-way valve
<a href="#">KM-09-520-HN-XXX</a>	5/2-way valve
<a href="#">HMP-40-160</a>	Pneumatic cylinder
<a href="#">SE-18</a>	Quick exhaust valve
<a href="#">SE-14</a>	Quick exhaust valve
<a href="#">M-04-510-HN-412</a>	electrically operated piston valve
<a href="#">M-04-510-HN-432</a>	5/2-way solenoid valve
<a href="#">M-07-510-HN-412</a>	Plunger valve
<a href="#">M-07-510-HN-xxx</a>	valve
<a href="#">86-MV-5-38-311-M42</a>	Electrically operated spool valve
<a href="#">KN-05-510-HN-O62</a>	electrically operated piston valve
<a href="#">KN-05-511-HN-570</a>	solenoid valve
<a href="#">KF-46-520-HN-S12</a>	valve
<a href="#">MF-24-533-HN-412</a>	Valve

<b>Product</b>	<b>Description</b>
<a href="#">ZS-5701</a>	cylinder switch
<a href="#">L-03-520</a>	Pulse valve
<a href="#">KM-10-511-HN-442</a>	solenoid valve
<a href="#">M-04-310-HN</a>	solenoid valve
<a href="#">KN-05-310-HN (without electromagnet)</a>	valve
<a href="#">ME-07-511-HN-570</a>	electrically operated piston gate valve
<a href="#">88-XSI-063-0160-050</a>	piston
<a href="#">BM-01-310-HNR-162</a>	Electrically Operated Spool Valve
<a href="#">MN-06-311-HN</a>	solenoid valve,
<a href="#">HD-16-025-01</a>	Pneumatic Cylinder
<a href="#">TK-28-311</a>	valve
<a href="#">MS-18-310-HN</a>	3/2-way, single valve
<a href="#">M-04-510-HN</a>	solenoid valve
<a href="#">KM-10-510-HN-142</a>	5/2-way solenoid valve
<a href="#">M-07-310-HN</a>	solenoid valve
<a href="#">*DB 143334</a>	cylinder
<a href="#">L-28-311</a>	3/2-way pneumatic valve
<a href="#">TPC-2212/2312-15DB</a>	2/2-Way and 3/2-Way Valve
<a href="#">TPC-2222-15DB</a>	2/2-Way Valve
<a href="#">TPC-2313-15DB</a>	3/2-Way Valve
<a href="#">KN 05510HN 24V</a>	solenoid valve
<a href="#">KN-05-310-HN-144</a>	Electrically Operated NAMUR Valve
<a href="#">BM-01-511-HNx-462</a>	Valve
<a href="#">MC-20-520-HN-442</a>	Electrically operated valve
<a href="#">SZ-18-310</a>	3/2-way valve
<a href="#">HMP-16-010</a>	Pneumatic Cylinder
<a href="#">40-101-060-M5</a>	Metal Connector
<a href="#">M-05-310-HN-XXX</a>	Valve
<a href="#">FX-12-00-5-1201</a>	Semi-automatic condensate drain filter
<a href="#">OX-12-00-0-1001</a>	oilier
<a href="#">KF-46-533-HN-S12</a>	Solenoid Valve
<a href="#">44-XPP-80</a>	Plug connector with plug
<a href="#">DC-1211-20N</a>	control valve
<a href="#">DC-1211-15N</a>	control valve
<a href="#">MN-06-310-HN</a>	3/2-way, air spring
<a href="#">23-SP-011-xxx</a>	Solenoid coil
<a href="#">M-04-311-HN</a>	3/2 ways
<a href="#">KN 05310HN 24V</a>	NAMUR solenoid valve
<a href="#">ZX-25-SR-2150-01</a>	RODLESS CYLINDER WITH ROLLER GUIDE.
<a href="#">PDC-1214-15B</a>	Pneumatic Tubing
<a href="#">MS-20-310/6-HN-24</a>	magnetic seat valve
<a href="#">MC-20-510-HN</a>	solenoid valve
<a href="#">P/N: 28-ST-02-01</a>	standard power outlet



Product	Description
<a href="#">PP-15</a>	Pneumatic Throttle Plate
<a href="#">KN-05-310-HN-457</a>	NAMUR solenoid valve
<a href="#">23-SP-012-5-032</a>	magnetic coil
<a href="#">HV-133</a>	Classic ejectors
<a href="#">HM-16-025</a>	round cylinder
<a href="#">KN-05-511-HN-161</a>	Electrically Operated NAMUR Valve
<a href="#">ZXV-32-1000-01</a>	Repair kit
<a href="#">LX-025-150-000</a>	Piston rod cylinder
<a href="#">82-EPV-2-3-0-3-S-F3</a>	Proportional regulator
<a href="#">KF-10-520-HNx-442</a>	Valve
<a href="#">KN-05-520-HNX-XXX</a>	solenoid valve
<a href="#">406851</a>	TYRE.CYLINDER
<a href="#">MF-07-530-HN-442</a>	Electrically Operated Spool Valve
<a href="#">KM-09-510-HN-570</a>	5/2-way valve
<a href="#">MP-3214-20B</a>	piston valve
<a href="#">KM-10-520-HN</a>	solenoid valve
<a href="#">NT-1216</a>	Pneumatic Tubing
<a href="#">M-07-511-HN-142</a>	5/2-way mechanical spring
<a href="#">88-XSI-100-0320-050</a>	pneumatic cylinder
<a href="#">XL-050-0700-050</a>	profile tube cylinder
<a href="#">XL-080-0600-050</a>	profile tube cylinder
<a href="#">VS-XL-080-01</a>	Seal kit
<a href="#">T30-310, 3/2 way</a>	valve
<a href="#">18-T-23-013</a>	position switch
<a href="#">23-SP-011-412-1</a>	magnetic coil
<a href="#">MF-04-510-HN-411</a>	Electrically Operated Spool Valve
<a href="#">ER-28-310</a>	roller lever operated valve
<a href="#">KF-26-310/2-HN</a>	Pneumatic Valve
<a href="#">P-12-311</a>	3/2-way pneumatic valve
<a href="#">23-M-09-16-412-R</a>	VALVE
<a href="#">LF-10-510-HN</a>	solenoid valve
<a href="#">FRK-14-10-5-1221</a>	filter regulator
<a href="#">ME-07-511-HN-XXX</a>	5/2-way, mechanical spring, auxiliary control air
<a href="#">CDH-20-025-ATEX</a>	Mini cylinder
<a href="#">M - 05 - 520 - HNX - XXX</a>	
<a href="#">T 30 511 GRUN</a>	5/2-way push button valve, green (30.5mm), M5
<a href="#">T 30 312 SCHWAR</a>	3/2-way mushroom probe valve, black (30.5mm), M5
<a href="#">HR 14 320</a>	3/2-way hand lever valve, snap, G 1/4", standard
<a href="#">PE 25</a>	M5 PE converter
<a href="#">82-EPV-1-3-0-4-F1-0C</a>	
<a href="#">XL-050-0015-000-ATEX</a>	
<a href="#">MS-20-310/4-HN-411</a>	Valve
<a href="#">M-04-310-HN-412</a>	SOLENOID VALVE



<b>Product</b>	<b>Description</b>
<a href="#">LX-050-075-100</a>	LX SERIES GUIDED CYLINDER. 50 MM BORE X 75 MM STROKE WITH RECIRCULATING BALL BEARINGS
<a href="#">VS-LX-50-01</a>	SEALING SET FOR LX-50 GUIDED CYLINDERS
<a href="#">NYD-100-125-210</a>	