



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Aprimatic

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

Product	Description
<a href="#">43571/001</a>	ACTUATOR
<a href="#">41024/002</a>	ROCKER-RAIDER ONE SMART
<a href="#">41120/021</a>	Gearmotor AT80 Y Z16
<a href="#">41126/030</a>	MOTORID.ONDA500 Z16
<a href="#">41134/002</a>	Three-Phase gear motor
<a href="#">41605/005</a>	(CONTROL T1-E, customs tariff 84879090)
<a href="#">41800/002 / CT4</a>	(COMBINATORE KEYBOARD CT4, Zolltarif 85365080)
<a href="#">41811/001</a>	Pair of modulated photocells
<a href="#">41841/001</a>	Flashing light
<a href="#">43503/005</a>	
<a href="#">43503/055</a>	
<a href="#">43503/056</a>	
<a href="#">43515/009</a>	(DRIVE DUO 23 230V H.230, tariff 84798997)
<a href="#">43515/010</a>	DRIVE DUO 35 230V H.350
<a href="#">43545/009</a>	Motor
<a href="#">OPERATOR APRI 17 230V C.170 (43510/006)</a>	Rack drive operator for windows
<a href="#">APRI55 24V C.550 OXAR</a>	Original Spare Part
<a href="#">APRICOLOR VARIA 230V NR +ACCES</a>	
<a href="#">86202503</a>	Kettentrieböffner E-Motor "Varia"
<a href="#">43660/006</a>	
<a href="#">43660/101</a>	BATTERIES FOR 10 MOTORS
<a href="#">42300/007</a>	sliding door controller
<a href="#">ATT.ST450-N C.300/SP 230V OXAR</a>	
<a href="#">43510/006</a>	
<a href="#">ST450 ST450 230 V Hub 300mm</a>	linear drive
<a href="#">ZT 40 7M B RF</a>	Actuator
<a href="#">ZT40 4M SF DS (RF) (41007/020)</a>	Operator
<a href="#">ST450 Linearantrieb ST 450 230 V Hub 180mm</a>	Linearantrieb
<a href="#">43545/012</a>	Window opening and closing motor
<a href="#">ZT40 7M B (RF) (OPERATOR 41007/018 Cust.Code 84798997)</a>	Operator
<a href="#">ZT44 4M B (RF) (85269200 OPERATOR)</a>	Operator
<a href="#">ZT7 (41056/002)</a>	UNDERGROUND CONTROL SYSTEM
<a href="#">ST450-N C.300/SP 230V</a>	
<a href="#">ZT 44 B RF</a>	Electrohydraulic swing gate drive
<a href="#">ONDA500 PREM./RR</a>	FLANGIA LAT

Product	Description
<a href="#">DUO 55 24V C.550</a>	
<a href="#">ZT40 4M B (RF) (41007/016)</a>	OPERATOR
<a href="#">43515/012</a>	APRI DUO 55 230V STROKE 550 OXAR
<a href="#">Code 43520/011, APRI 75 24V STROKE 750 OXAR</a>	window opening mechanism
<a href="#">ZT 44 B</a>	Electrohydraulic swing gate drive
<a href="#">WINK NK Light</a>	Motorsteuerung
<a href="#">ER2-N</a>	PHOTOCELL PAIR
<a href="#">41502/101</a>	housing case with the door
<a href="#">41502/100</a>	housing case with the door
<a href="#">41007/164</a>	SERR.SBLOCCO
<a href="#">02022</a>	electrohydraulic swing gate operator
<a href="#">ZT44 4M C (RF)</a>	Actuator
<a href="#">41200/110</a>	Piston
<a href="#">41500/106</a>	gasket
<a href="#">72202503</a>	Kettentrieboffner
<a href="#">43502/003</a>	Electromechanical actuator
<a href="#">OPER. APRICOLOR VARIA 24V SIL</a>	
<a href="#">41005/050</a>	
<a href="#">41006/001</a>	
<a href="#">41006/002</a>	
<a href="#">41006/003</a>	
<a href="#">41006/801</a>	
<a href="#">41006/802</a>	
<a href="#">41006/803</a>	
<a href="#">41006/805</a>	
<a href="#">41007/009</a>	
<a href="#">41007/012</a>	
<a href="#">41007/016</a>	
<a href="#">41007/020</a>	
<a href="#">41007/022</a>	
<a href="#">41007/050</a>	
<a href="#">41007/051</a>	
<a href="#">41008/001</a>	
<a href="#">41008/002</a>	
<a href="#">41008/004</a>	
<a href="#">41009/005</a>	
<a href="#">41009/007</a>	
<a href="#">41009/009 old code/41012/003 new code</a>	
<a href="#">41009/802</a>	
<a href="#">41009/803</a>	
<a href="#">41009/806</a>	
<a href="#">41011/001</a>	
<a href="#">41011/002</a>	

Product	Description
<a href="#">41011/004</a>	
<a href="#">41011/005</a>	
<a href="#">41011/006</a>	
<a href="#">41011/007</a>	
<a href="#">41011/008</a>	
<a href="#">41020/054</a>	
<a href="#">41024/050</a>	
<a href="#">41024/051</a>	
<a href="#">41024/052</a>	
<a href="#">41024/803</a>	
<a href="#">41024/804</a>	
<a href="#">41024/805</a>	
<a href="#">41026/001</a>	
<a href="#">41026/800</a>	
<a href="#">41026/802</a>	
<a href="#">41027/800</a>	
<a href="#">41029/001</a>	
<a href="#">41029/050</a>	
<a href="#">41029/051</a>	
<a href="#">41029/052</a>	
<a href="#">41029/053</a>	
<a href="#">41029/054</a>	
<a href="#">41029/800</a>	
<a href="#">41035/001</a>	
<a href="#">41035/002</a>	
<a href="#">41035/003</a>	
<a href="#">41035/800</a>	
<a href="#">41035/801</a>	
<a href="#">41050/003</a>	
<a href="#">41050/050</a>	AT175 FOUNDATION PLATE
<a href="#">41051/001</a>	
<a href="#">41051/002</a>	
<a href="#">41055/001</a>	
<a href="#">41055/003</a>	CONTROL UNIT
<a href="#">41055/004</a>	
<a href="#">41056/002</a>	.
<a href="#">41056/004</a>	
<a href="#">41056/051</a>	.
<a href="#">41056/052</a>	
<a href="#">41056/053</a>	
<a href="#">41056/054</a>	.
<a href="#">41056/055</a>	.
<a href="#">41056/056</a>	

Product	Description
<a href="#">41056/059</a>	
<a href="#">P41060/001</a>	electromecanic operator
<a href="#">41060/050</a>	
<a href="#">41060/052</a>	
<a href="#">41060/053</a>	
<a href="#">41060/054</a>	
<a href="#">41060/055</a>	
<a href="#">41060/056</a>	
<a href="#">41080/001</a>	
<a href="#">41080/002</a>	
<a href="#">41080/003</a>	
<a href="#">41080/004</a>	
<a href="#">41080/005</a>	
<a href="#">41080/008</a>	
<a href="#">41100/050</a>	
<a href="#">41101/001</a>	
<a href="#">41101/800</a>	
<a href="#">41101/802</a>	
<a href="#">41102/001</a>	
<a href="#">41102/050</a>	
<a href="#">41102/800</a>	
<a href="#">41102/802</a>	
<a href="#">41120/050</a>	
<a href="#">41120/051</a>	
<a href="#">41120/052</a>	
<a href="#">41124/001</a>	
<a href="#">41125/050</a>	
<a href="#">41126/027</a>	
<a href="#">41126/050</a>	
<a href="#">41126/051</a>	
<a href="#">41126/800</a>	
<a href="#">41127/020</a>	
<a href="#">41127/800</a>	
<a href="#">41127/801</a>	
<a href="#">41134/001</a>	
<a href="#">41134/003</a>	
<a href="#">41180/052</a>	
<a href="#">41180/053</a>	
<a href="#">41180/061</a>	
<a href="#">41180/062</a>	
<a href="#">41180/063</a>	galvanised steel rack
<a href="#">41180/064</a>	
<a href="#">41200/050</a>	

Product	Description
<a href="#">41201/051</a>	
<a href="#">41201/052</a>	
<a href="#">41201/055</a>	
<a href="#">41201/056</a>	
<a href="#">41210/001</a>	
<a href="#">41210/054</a>	
<a href="#">41210/055</a>	
<a href="#">41210/058</a>	
<a href="#">41210/061</a>	
<a href="#">41210/062</a>	
<a href="#">41210/066</a>	
<a href="#">41210/067</a>	
<a href="#">41210/068</a>	
<a href="#">41210/069</a>	
<a href="#">41210/070</a>	
<a href="#">41210/072</a>	
<a href="#">41210/801</a>	
<a href="#">41242/800</a>	
<a href="#">41242/801</a>	
<a href="#">41242/810</a>	
<a href="#">41242/811</a>	
<a href="#">41242/050</a>	
<a href="#">41400/050</a>	
<a href="#">41500/114</a>	
<a href="#">41503/001.0</a>	
<a href="#">41503/001.1</a>	
<a href="#">41503/002.0</a>	
<a href="#">41503/002.1</a>	
<a href="#">41503/052</a>	
<a href="#">41503/053</a>	
<a href="#">41503/054</a>	
<a href="#">41503/700.0</a>	
<a href="#">41503/700.1</a>	
<a href="#">41504/001.0</a>	
<a href="#">41504/001.1</a>	
<a href="#">41504/002.0</a>	
<a href="#">41504/002.1</a>	
<a href="#">41504/051</a>	
<a href="#">41504/052</a>	
<a href="#">41504/053</a>	
<a href="#">41504/054</a>	
<a href="#">41504/055</a>	
<a href="#">41504/056</a>	

Product	Description
<a href="#">41504/057</a>	
<a href="#">41504/700.0</a>	
<a href="#">41504/700.1</a>	
<a href="#">41513/011</a>	
<a href="#">41513/050.E</a>	
<a href="#">41513/051.E</a>	
<a href="#">41514/001</a>	
<a href="#">41514/002</a>	
<a href="#">41514/003</a>	
<a href="#">41514/004</a>	
<a href="#">41514/021</a>	
<a href="#">41514/022</a>	
<a href="#">41514/023</a>	
<a href="#">41514/024</a>	
<a href="#">41514/050</a>	
<a href="#">41514/051</a>	
<a href="#">41514/052</a>	
<a href="#">41514/053</a>	
<a href="#">41514/054</a>	
<a href="#">41514/055</a>	
<a href="#">41514/056</a>	
<a href="#">41514/057</a>	
<a href="#">41514/062</a>	
<a href="#">41514/063</a>	
<a href="#">41514/064</a>	
<a href="#">41514/701</a>	
<a href="#">41514/702</a>	
<a href="#">41514/703</a>	
<a href="#">41518/001</a>	
<a href="#">41518/002</a>	
<a href="#">41518/003</a>	
<a href="#">41518/004</a>	
<a href="#">41518/005</a>	
<a href="#">41518/006</a>	
<a href="#">41519/005</a>	
<a href="#">41519/006</a>	
<a href="#">41519/007</a>	
<a href="#">41519/008</a>	
<a href="#">41519/009</a>	
<a href="#">41519/010</a>	
<a href="#">41522/001</a>	
<a href="#">41522/002</a>	
<a href="#">41522/004</a>	

Product	Description
<a href="#">41522/050</a>	
<a href="#">41522/052</a>	
<a href="#">41522/055</a>	
<a href="#">41522/056</a>	
<a href="#">41523/001</a>	
<a href="#">41524/056</a>	
<a href="#">41524/803</a>	
<a href="#">41524/804</a>	
<a href="#">41524/805</a>	
<a href="#">41524/806</a>	
<a href="#">41525/001</a>	
<a href="#">41525/101</a>	
<a href="#">41525/800</a>	
<a href="#">41525/801</a>	
<a href="#">41540/001</a>	
<a href="#">41540/050</a>	
<a href="#">41540/051</a>	
<a href="#">41540/052</a>	
<a href="#">41540/053</a>	
<a href="#">41540/054</a>	
<a href="#">41590/106</a>	
<a href="#">41600/001</a>	
<a href="#">41600/008</a>	
<a href="#">41600/010</a>	control unit
<a href="#">41600/011</a>	
<a href="#">41600/013</a>	
<a href="#">41600/014</a>	
<a href="#">41605/004</a>	
<a href="#">41605/800</a>	
<a href="#">41605/802</a>	
<a href="#">41606/001</a>	
<a href="#">41615/002</a>	
<a href="#">41615/003</a>	
<a href="#">41615/008</a>	
<a href="#">41615/801</a>	
<a href="#">41616/001</a>	
<a href="#">41625/003</a>	CONTROL UNIT T3E
<a href="#">41628/001</a>	
<a href="#">41637/001</a>	
<a href="#">41637/002</a>	
<a href="#">41638/001</a>	control unit traffic
<a href="#">41700/005</a>	
<a href="#">41700/010</a>	



Product	Description
<a href="#">41700/014</a>	
<a href="#">41700/800</a>	
<a href="#">41700/801</a>	
<a href="#">41702/003</a>	
<a href="#">41702/004</a>	
<a href="#">41703/001</a>	
<a href="#">41703/002</a>	
<a href="#">41704/002</a>	
<a href="#">41704/004</a>	
<a href="#">41704/005</a>	
<a href="#">41706/004</a>	
<a href="#">41706/007</a>	
<a href="#">41706/009</a>	
<a href="#">41725/001</a>	
<a href="#">41725/101</a>	
<a href="#">41725/800</a>	
<a href="#">41725/801</a>	
<a href="#">41800/002</a>	
<a href="#">41801/004</a>	
<a href="#">41801/005</a>	
<a href="#">41810/002</a>	
<a href="#">41810/050</a>	
<a href="#">41811/050</a>	
<a href="#">41812/050</a>	
<a href="#">41812/051</a>	
<a href="#">41812/052</a>	
<a href="#">41812/054</a>	
<a href="#">41817/001</a>	
<a href="#">41820/001</a>	
<a href="#">41820/050</a>	
<a href="#">41820/051</a>	
<a href="#">41820/052</a>	
<a href="#">41820/053</a>	
<a href="#">41821/001</a>	
<a href="#">41821/048</a>	
<a href="#">41830/005</a>	
<a href="#">41830/005.0</a>	
<a href="#">41830/005.1</a>	
<a href="#">41830/005.2</a>	
<a href="#">41830/005.3</a>	
<a href="#">41830/005.4</a>	
<a href="#">41830/005.5</a>	
<a href="#">41830/005.6</a>	

Product	Description
<a href="#">41830/005.7</a>	
<a href="#">41830/005.8</a>	
<a href="#">41830/005.9</a>	
<a href="#">41830/006</a>	
<a href="#">41830/006.X</a>	
<a href="#">41830/007</a>	key switch for wall mounting
<a href="#">41830/007.0</a>	
<a href="#">41830/007.1</a>	
<a href="#">41830/007.2</a>	
<a href="#">41830/007.3</a>	
<a href="#">41830/007.4</a>	
<a href="#">41830/007.5</a>	
<a href="#">41830/007.6</a>	
<a href="#">41830/007.7</a>	
<a href="#">41830/007.8</a>	
<a href="#">41830/007.9</a>	
<a href="#">41830/050</a>	
<a href="#">41830/051</a>	
<a href="#">41830/052</a>	
<a href="#">41830/053</a>	
<a href="#">41830/054</a>	
<a href="#">41830/055</a>	
<a href="#">41840/006</a>	
<a href="#">41841/009</a>	
<a href="#">41850/001</a>	
<a href="#">41850/002</a>	
<a href="#">41850/003</a>	
<a href="#">41850/004</a>	
<a href="#">41903/004</a>	
<a href="#">41903/014</a>	
<a href="#">41905/001</a>	
<a href="#">41905/002</a>	
<a href="#">41906/001</a>	
<a href="#">41921/001</a>	
<a href="#">41921/002</a>	
<a href="#">41923/007</a>	
<a href="#">41923/008</a>	
<a href="#">41923/050</a>	
<a href="#">41923/051</a>	
<a href="#">41923/052</a>	
<a href="#">41923/053</a>	
<a href="#">41923/055</a>	
<a href="#">41923/059</a>	

Product	Description
<a href="#">41924/001</a>	
<a href="#">41926/001</a>	
<a href="#">41929/001</a>	
<a href="#">41929/002</a>	
<a href="#">41929/003</a>	
<a href="#">41929/006</a>	
<a href="#">41929/007</a>	
<a href="#">41930/001</a>	
<a href="#">41930/005</a>	
<a href="#">41930/009</a>	
<a href="#">41930/014</a>	
<a href="#">41930/102</a>	
<a href="#">42000/001</a>	
<a href="#">42000/006</a>	
<a href="#">42000/010</a>	
<a href="#">42100/200</a>	
<a href="#">42100/250</a>	
<a href="#">42100/300</a>	
<a href="#">42100/360</a>	
<a href="#">42100/400</a>	
<a href="#">42100/440</a>	
<a href="#">42100/480</a>	
<a href="#">42100/540</a>	
<a href="#">42100/600</a>	
<a href="#">42101/200</a>	
<a href="#">42101/250</a>	
<a href="#">42101/300</a>	
<a href="#">42101/360</a>	
<a href="#">42101/400</a>	
<a href="#">42101/440</a>	
<a href="#">42101/480</a>	
<a href="#">42101/540</a>	
<a href="#">42101/600</a>	
<a href="#">42102/200</a>	
<a href="#">42102/250</a>	
<a href="#">42102/300</a>	
<a href="#">42102/360</a>	
<a href="#">42102/400</a>	
<a href="#">42102/440</a>	
<a href="#">42102/480</a>	
<a href="#">42102/540</a>	
<a href="#">42102/600</a>	
<a href="#">42200/012</a>	

Product	Description
<a href="#">42200/013</a>	
<a href="#">42200/014</a>	
<a href="#">42200/015</a>	
<a href="#">42200/016</a>	
<a href="#">42200/050</a>	
<a href="#">42200/051</a>	
<a href="#">42200/052</a>	
<a href="#">42200/053</a>	
<a href="#">42200/054</a>	
<a href="#">42201/001</a>	
<a href="#">42201/002</a>	
<a href="#">42201/009</a>	
<a href="#">42201/015</a>	
<a href="#">42201/019</a>	
<a href="#">42201/051</a>	
<a href="#">42205/001</a>	
<a href="#">42205/002</a>	
<a href="#">42205/003</a>	
<a href="#">42205/004</a>	
<a href="#">42205/005</a>	
<a href="#">42205/006</a>	
<a href="#">42205/007</a>	
<a href="#">42205/008</a>	
<a href="#">42205/009</a>	
<a href="#">42205/010</a>	
<a href="#">42205/011</a>	
<a href="#">42205/012</a>	
<a href="#">42205/015</a>	
<a href="#">42205/016</a>	
<a href="#">42205/017</a>	
<a href="#">42205/019</a>	
<a href="#">42205/061</a>	
<a href="#">42280/056</a>	
<a href="#">42280/061</a>	
<a href="#">42280/067</a>	
<a href="#">42280/068</a>	
<a href="#">42280/070</a>	
<a href="#">42280/071</a>	
<a href="#">42280/075</a>	
<a href="#">42280/076</a>	
<a href="#">42280/077</a>	
<a href="#">42280/079</a>	
<a href="#">42280/081</a>	

Product	Description
<a href="#">42280/082</a>	
<a href="#">42280/084</a>	
<a href="#">42280/085</a>	
<a href="#">42280/088</a>	
<a href="#">42281/055</a>	
<a href="#">42281/060</a>	
<a href="#">42281/061</a>	
<a href="#">42281/062</a>	
<a href="#">42281/063</a>	
<a href="#">42281/064</a>	
<a href="#">42282/070</a>	
<a href="#">42282/073</a>	
<a href="#">42282/074</a>	
<a href="#">42282/075</a>	
<a href="#">42282/076</a>	
<a href="#">42282/077</a>	
<a href="#">42282/078</a>	
<a href="#">42282/082</a>	
<a href="#">42282/090</a>	
<a href="#">42282/092</a>	
<a href="#">42282/094</a>	
<a href="#">42282/095</a>	
<a href="#">42282/096</a>	
<a href="#">42282/097</a>	
<a href="#">42282/098</a>	
<a href="#">42282/099</a>	
<a href="#">42283/090</a>	
<a href="#">42283/091</a>	
<a href="#">42283/092</a>	
<a href="#">42283/095</a>	
<a href="#">42283/096</a>	
<a href="#">42283/098</a>	
<a href="#">42300/002</a>	
<a href="#">42300/006</a>	
<a href="#">42301/001</a>	
<a href="#">42301/002</a>	
<a href="#">42601/004</a>	
<a href="#">42602/002</a>	OVER OPERATOR - BLACK COVER
<a href="#">42602/050</a>	
<a href="#">42602/051</a>	
<a href="#">42602/052</a>	
<a href="#">42602/053</a>	
<a href="#">42602/054</a>	

Product	Description
<a href="#">42603/001</a>	
<a href="#">42603/050</a>	
<a href="#">42603/051</a>	
<a href="#">42603/052</a>	
<a href="#">42705/201.0</a>	
<a href="#">42705/201.1</a>	
<a href="#">42705/201.2</a>	
<a href="#">42705/251.0</a>	
<a href="#">42705/251.1</a>	
<a href="#">42705/251.2</a>	
<a href="#">42705/301.0</a>	
<a href="#">42705/301.1</a>	
<a href="#">42705/301.2</a>	
<a href="#">42705/361.0</a>	
<a href="#">42705/361.1</a>	
<a href="#">42705/361.2</a>	
<a href="#">42705/401.0</a>	
<a href="#">42705/401.1</a>	
<a href="#">42705/401.2</a>	
<a href="#">42705/441.0</a>	
<a href="#">42705/441.1</a>	
<a href="#">42705/441.2</a>	
<a href="#">42705/481.0</a>	
<a href="#">42705/481.1</a>	
<a href="#">42705/481.2</a>	
<a href="#">42705/541.0</a>	
<a href="#">42705/541.1</a>	
<a href="#">42705/541.2</a>	
<a href="#">42710/100</a>	
<a href="#">42710/201.0</a>	
<a href="#">42710/201.1</a>	
<a href="#">42710/201.2</a>	
<a href="#">42710/251.0</a>	
<a href="#">42710/251.1</a>	
<a href="#">42710/251.2</a>	
<a href="#">42710/301.0</a>	
<a href="#">42710/301.1</a>	
<a href="#">42710/301.2</a>	
<a href="#">42710/361.0</a>	
<a href="#">42710/361.1</a>	
<a href="#">42710/361.2</a>	
<a href="#">42710/401.0</a>	
<a href="#">42710/401.1</a>	

Product	Description
<a href="#">42710/401.2</a>	
<a href="#">42710/441.0</a>	
<a href="#">42710/441.1</a>	
<a href="#">42710/441.2</a>	
<a href="#">42710/481.0</a>	
<a href="#">42710/481.1</a>	
<a href="#">42710/481.2</a>	
<a href="#">42710/541.0</a>	
<a href="#">42710/541.1</a>	
<a href="#">42710/541.2</a>	
<a href="#">42710/601.0</a>	
<a href="#">42710/601.1</a>	
<a href="#">42710/601.2</a>	
<a href="#">42715/201.0</a>	
<a href="#">42715/201.1</a>	
<a href="#">42715/201.2</a>	
<a href="#">42715/251.0</a>	
<a href="#">42715/251.1</a>	
<a href="#">42715/251.2</a>	
<a href="#">42715/301.0</a>	
<a href="#">42715/301.1</a>	
<a href="#">42715/301.2</a>	
<a href="#">42715/361.0</a>	
<a href="#">42715/361.1</a>	
<a href="#">42715/361.2</a>	
<a href="#">42715/401.0</a>	
<a href="#">42715/401.1</a>	
<a href="#">42715/401.2</a>	
<a href="#">42715/441.0</a>	
<a href="#">42715/441.1</a>	
<a href="#">42715/441.2</a>	
<a href="#">42715/481.0</a>	
<a href="#">42715/481.1</a>	
<a href="#">42715/481.2</a>	
<a href="#">42715/541.0</a>	
<a href="#">42715/541.1</a>	
<a href="#">42715/541.2</a>	
<a href="#">42715/601.0</a>	
<a href="#">42715/601.1</a>	
<a href="#">42715/601.2</a>	
<a href="#">42900/002</a>	
<a href="#">42902/003</a>	
<a href="#">42902/051</a>	

Product	Description
<a href="#">42902/052</a>	
<a href="#">42902/053</a>	
<a href="#">42902/054</a>	
<a href="#">42902/055</a>	
<a href="#">42902/056</a>	
<a href="#">42910/003</a>	
<a href="#">42910/006</a>	
<a href="#">43300/001</a>	
<a href="#">43300/002</a>	
<a href="#">43302/001</a>	
<a href="#">43302/002</a>	
<a href="#">43302/003</a>	
<a href="#">43302/004</a>	
<a href="#">43302/802</a>	
<a href="#">43302/803</a>	
<a href="#">43302/804</a>	
<a href="#">43310/005</a>	
<a href="#">43310/006</a>	
<a href="#">43310/007</a>	
<a href="#">43320/001</a>	
<a href="#">43320/002</a>	
<a href="#">43320/003</a>	
<a href="#">43330/001</a>	
<a href="#">43330/002</a>	
<a href="#">43330/003</a>	
<a href="#">43340/001</a>	
<a href="#">43345/001</a>	
<a href="#">43354/001</a>	
<a href="#">43354/002</a>	
<a href="#">43354/003</a>	
<a href="#">43354/004</a>	
<a href="#">43354/050</a>	
<a href="#">43354/800</a>	
<a href="#">43364/001</a>	
<a href="#">43364/002</a>	gear motor with electrical brake
<a href="#">43364/003</a>	
<a href="#">43364/004</a>	
<a href="#">43364/050</a>	
<a href="#">43380/050</a>	
<a href="#">43380/052</a>	
<a href="#">43380/057</a>	
<a href="#">43380/058</a>	
<a href="#">43380/059</a>	



Product	Description
<a href="#">43380/060</a>	
<a href="#">43380/061</a>	
<a href="#">43380/063</a>	ROUND ADAPTOR 50
<a href="#">43380/064</a>	
<a href="#">43380/065</a>	
<a href="#">43380/066</a>	
<a href="#">43380/068</a>	
<a href="#">43380/070</a>	
<a href="#">43380/071</a>	
<a href="#">43380/072</a>	
<a href="#">43380/073</a>	
<a href="#">43380/076</a>	
<a href="#">43380/077</a>	
<a href="#">43380/078</a>	
<a href="#">43380/079</a>	
<a href="#">43380/081</a>	
<a href="#">43380/082</a>	
<a href="#">43380/083</a>	
<a href="#">43380/084</a>	
<a href="#">43380/085</a>	
<a href="#">43380/086</a>	
<a href="#">43380/087</a>	
<a href="#">43380/088</a>	
<a href="#">43380/089</a>	
<a href="#">43380/090</a>	
<a href="#">43380/091</a>	
<a href="#">43380/092</a>	
<a href="#">43380/093</a>	
<a href="#">43380/094</a>	
<a href="#">43380/095</a>	
<a href="#">43380/096</a>	
<a href="#">43380/097</a>	
<a href="#">43380/098</a>	
<a href="#">43380/099</a>	
<a href="#">43380/100</a>	
<a href="#">43380/101</a>	
<a href="#">43380/104</a>	
<a href="#">43380/105</a>	
<a href="#">43380/106</a>	
<a href="#">43380/107</a>	
<a href="#">43380/108</a>	
<a href="#">43380/109</a>	
<a href="#">43380/110</a>	

Product	Description
<a href="#">43380/111</a>	
<a href="#">43380/112</a>	
<a href="#">43380/113</a>	
<a href="#">43380/114</a>	
<a href="#">43380/115</a>	
<a href="#">43380/116</a>	
<a href="#">43380/118</a>	
<a href="#">43380/119</a>	
<a href="#">43380/124</a>	
<a href="#">43380/125</a>	
<a href="#">43380/156</a>	
<a href="#">43380/161</a>	
<a href="#">43400/052</a>	
<a href="#">43400/053</a>	
<a href="#">43400/054</a>	
<a href="#">43400/055</a>	
<a href="#">43400/056</a>	
<a href="#">43400/057</a>	
<a href="#">43400/059</a>	
<a href="#">43400/801</a>	
<a href="#">43400/802</a>	
<a href="#">43402/053</a>	
<a href="#">43402/056</a>	
<a href="#">43402/059</a>	
<a href="#">43402/060</a>	
<a href="#">43492/001</a>	
<a href="#">43492/002</a>	
<a href="#">43492/003</a>	
<a href="#">43493/001</a>	
<a href="#">43493/002</a>	
<a href="#">43493/003</a>	
<a href="#">43493/050</a>	
<a href="#">43493/051</a>	
<a href="#">43493/052</a>	
<a href="#">43493/053</a>	
<a href="#">43501/050</a>	
<a href="#">43502/001</a>	
<a href="#">43502/002</a>	
<a href="#">43503/006</a>	
<a href="#">43503/007</a>	
<a href="#">43503/008</a>	
<a href="#">43503/011</a>	
<a href="#">43503/051</a>	

Product	Description
<a href="#">43510/703</a>	
<a href="#">43510/705</a>	
<a href="#">43512/006</a>	
<a href="#">43512/007</a>	
<a href="#">43512/014</a>	
<a href="#">43512/015</a>	
<a href="#">43512/017</a>	
<a href="#">43512/019</a>	
<a href="#">43515/008</a>	
<a href="#">43515/014</a>	Linear engine
<a href="#">43520/006</a>	
<a href="#">43525/004</a>	
<a href="#">43525/005</a>	
<a href="#">43525/009</a>	
<a href="#">43527/061</a>	
<a href="#">43529/051</a>	
<a href="#">43529/052</a>	
<a href="#">43529/053</a>	
<a href="#">43529/054</a>	
<a href="#">43531/050</a>	
<a href="#">43531/051</a>	
<a href="#">43531/052</a>	
<a href="#">43531/053</a>	
<a href="#">43531/054</a>	
<a href="#">43545/008</a>	
<a href="#">43545/010</a>	
<a href="#">43545/050</a>	Kit for stroke adjustment
<a href="#">43550/001</a>	
<a href="#">43550/051</a>	
<a href="#">43562/002</a>	
<a href="#">43562/004</a>	
<a href="#">43562/006</a>	
<a href="#">43562/008</a>	
<a href="#">43562/052</a>	
<a href="#">43562/054</a>	
<a href="#">43562/055</a>	
<a href="#">43562/057</a>	
<a href="#">43562/058</a>	
<a href="#">43562/059</a>	
<a href="#">43562/060</a>	
<a href="#">43562/061</a>	
<a href="#">43562/062</a>	
<a href="#">43562/063</a>	

Product	Description
<a href="#">43563/001</a>	
<a href="#">43563/002</a>	
<a href="#">43563/003</a>	
<a href="#">43563/006</a>	
<a href="#">43563/007</a>	
<a href="#">43563/008</a>	
<a href="#">43563/010</a>	
<a href="#">43563/011</a>	
<a href="#">43563/012</a>	
<a href="#">43563/021</a>	
<a href="#">43563/026</a>	
<a href="#">43563/030</a>	
<a href="#">43564/001</a>	
<a href="#">43564/002</a>	
<a href="#">43564/003</a>	
<a href="#">43564/006</a>	
<a href="#">43564/007</a>	
<a href="#">43564/008</a>	
<a href="#">43564/010</a>	
<a href="#">43564/011</a>	
<a href="#">43564/012</a>	
<a href="#">43564/021</a>	
<a href="#">43564/026</a>	
<a href="#">43564/030</a>	
<a href="#">43564/032</a>	
<a href="#">43580/064</a>	L-shaped plate
<a href="#">43580/065</a>	
<a href="#">43580/067</a>	
<a href="#">43580/068</a>	
<a href="#">43645/004</a>	
<a href="#">43645/005</a>	
<a href="#">43660/002</a>	
<a href="#">43660/007</a>	
<a href="#">43660/008</a>	
<a href="#">43665/004</a>	
<a href="#">43665/015</a>	
<a href="#">43665/050</a>	
<a href="#">43701/050</a>	
<a href="#">43701/051</a>	
<a href="#">43701/063</a>	
<a href="#">43800/001</a>	
<a href="#">43801/001</a>	
<a href="#">43801/002</a>	

Product	Description
<a href="#">43801/003</a>	
<a href="#">43810/001</a>	
<a href="#">43810/002</a>	
<a href="#">43810/003</a>	
<a href="#">43901/001</a>	
<a href="#">43901/005</a>	
<a href="#">Codice 43503/021 APRICOLOR VARIA 230V NR-C/AC</a>	
<a href="#">OVER</a>	Automation for indoor swing doors
<a href="#">WING NKO</a>	
<a href="#">41013/003</a>	
<a href="#">P/N: 43660/006 Type: CF10/2</a>	motor control unit
<a href="#">55 230V oxar</a>	
<a href="#">AT 70 S 7 (ZT 70)</a>	UNIT CONTROL
<a href="#">42710/104</a>	WING NK CONTROL UNIT/RR
<a href="#">41200/005</a>	OPERATOR AT50 B7
<a href="#">41126/106</a>	
<a href="#">41032/001</a>	OPERATORE AP423(230V)
<a href="#">41013/003 / KT02SZZ12</a>	ACTUATOR
<a href="#">41120/115</a>	EL MAGN. LIMIT SWITCH AT80 NEW
<a href="#">HYDRAULIC OPERATOR FORTY (41013/003)</a>	ACTUATORS FOR SWING GATES
<a href="#">P/N: 41007/022</a>	HYDRAULIC OPERATOR
<a href="#">APRIMOIL HC13 1LT</a>	Hydraulic oil
<a href="#">OPERATOR APRI 35 230V C.350 (43510/008)</a>	Rack drive operator for windows
<a href="#">43503/003</a>	APRICOLOR VARIA 230V NR-ACTUAT
<a href="#">43573/002</a>	RACK OPERATOR
<a href="#">F26 1LT</a>	APRIMOIL FLUID
<a href="#">P/N: 41009/009 Type: ZT 44 4M SF DS (RF)</a>	
<a href="#">41013/001</a>	hydraulic operator forty 270 B
<a href="#">41101/104</a>	
<a href="#">P/N: 43573/002 Type: DUO SYSTEM 55-C.550 24V</a>	
<a href="#">AT86-T (3820)</a>	GEAR MOTOR
<a href="#">A888 (380V)</a>	unit control
<a href="#">ATT.DUO SYSTEM 35-C.350 24V</a>	
<a href="#">AT64 /RR</a>	CYLINDER
<a href="#">ZT60 B7 /RR</a>	CONTROL UNIT
<a href="#">WITHO "ONDA 2000"</a>	GEARED MOTOR
<a href="#">P/N: 41120/021 Type: AT80 Y Z16 (WITHOUT UNIT CONTROL)</a>	GEARED MOTOR
<a href="#">ONDA801-E Z16 (41127/023)</a>	Gear motor
<a href="#">ATT.ST450-N C.180/FR ING.RID.</a>	
<a href="#">41012/002</a>	HYDRAULIC OPERATOR
<a href="#">41012/003</a>	
<a href="#">41033/001</a>	
<a href="#">43503/022</a>	

Product	Description
<a href="#">43503/024</a>	
<a href="#">43503/026</a>	
<a href="#">43509/050</a>	
<a href="#">43572/001</a>	Duo system
<a href="#">43573/001</a>	ATT.DUO SYSTEM
<a href="#">42602/001</a>	OVER OPERATOR - GRAY
<a href="#">41905/004</a>	Remote control
<a href="#">41022/102</a>	LEVE+ATTACCO ANT.SKIPPER /RR
<a href="#">Apricol 230V (43503/023)</a>	
<a href="#">ST450-N C.300/SP 230V OXAR</a>	Motor
<a href="#">P/N: 41200/005, Type: AT50 B7</a>	Hydraulic operator
<a href="#">41125/007</a>	
<a href="#">41125/005</a>	
<a href="#">P/N: 43660/007 Type: CV10</a>	CONTROL UNIT
<a href="#">P/N: 41012/003 Type: TWENTY 270 SF</a>	
<a href="#">35-C.350 (43572/001)</a>	
<a href="#">41050/102</a>	
<a href="#">ACTUATOR APRI 17-C.170 230V (ND) (43571/001)</a>	
<a href="#">42283/081</a>	MICROWAVE RADAR
<a href="#">42710/105</a>	
<a href="#">Code 43573/003, ATT.DUO SYSTEM 75-C.750 24V</a>	
<a href="#">ST450NV C.180</a>	Operator
<a href="#">AT50 B7 (41200/005)</a>	OPERATOR
<a href="#">P/N: 41022/002 Type: SKIPPER SLAVE obsolete</a>	ACTUATOR
<a href="#">41013/004.</a>	Actuator
<a href="#">41210/002</a>	electromechanical operator
<a href="#">41923/010</a>	UNICO Memory System Receiver
<a href="#">CF10/2</a>	CONTROL UNIT FOR 10 MOT
<a href="#">35-C.350 24V</a>	DUO SYSTEM
<a href="#">43509/017</a>	WI-MATIC ATC300E MET. CHAIN OPERATOR
<a href="#">ST450/300 Apri</a>	spindle drive
<a href="#">43503/004</a>	
<a href="#">41127/029</a>	
<a href="#">41120/023</a>	MOTORID.AT80-E Y Z16 FIN.E / M
<a href="#">41050/002</a>	JACK
<a href="#">41626/001</a>	APPARECCH. DI COMANDO SC230
<a href="#">41923/009</a>	Receiver unique "SE"
<a href="#">41626/100</a>	SCHEDA SC230 /RR
<a href="#">ST450-300</a>	
<a href="#">43503/023</a>	Chain operator
<a href="#">43545/011 (ST450-N C.180/SP 230V)</a>	Linear Spindle Drive
<a href="#">43545/013</a>	
<a href="#">Cod.41051/001</a>	

Product	Description
<a href="#">43503/021</a>	CHAIN OPERATOR
<a href="#">ST450-N C.300/SP</a>	
<a href="#">APRI DUO 55</a>	LINEAR WINDOW MOTOR
<a href="#">APRI DUO 75</a>	Linear window motor
<a href="#">43665/021</a>	WIND & RAIN DETECTOR 230V
<a href="#">43701/065</a>	WIND DETECTOR UM
<a href="#">43701/064</a>	SP1-N RAIN SENSOR
<a href="#">41007/122</a>	Cushion Seal
<a href="#">41004/130</a>	Scraper ring XT44/RR
<a href="#">41004/131</a>	Rod gasket XT44/RR
<a href="#">41002/116</a>	Ram Lead and connector
<a href="#">41007/121</a>	Gasket ZT40-44/RR
<a href="#">41002/112</a>	Capacitor 16MF 400V 15cm
<a href="#">41007/166</a>	Capacitor 8mf
<a href="#">41120/140</a>	AT80 Cover (new)
<a href="#">41126/110</a>	Cover ONDA 500 800
<a href="#">41008/120</a>	New Motor ZT4/ZT44
<a href="#">41007/140</a>	Ball Joint M10 XT44/RR
<a href="#">41008/119</a>	Ram Rod ZT44
<a href="#">41008/132</a>	Barrel ZT4/44
<a href="#">41007/105</a>	Nut & Screw for relief, air breather
<a href="#">41013/001 Forty 270 B</a>	Hydraulic operator
<a href="#">41628/100 BA230</a>	Control board with printed circuit board
<a href="#">41007/018</a>	ACTUATOR
<a href="#">41013/006</a>	
<a href="#">ZT70SF (41055/001)</a>	
<a href="#">ST450-N C.300/SP 230V OXAR PN 43545/009</a>	Motor
<a href="#">41070/001</a>	actuator
<a href="#">DUO SYSTEM 35-C.350 230V / 43572/001</a>	
<a href="#">PN:43573/002 Type: ATT.DUO SYSTEM 55-C.550 24V</a>	Rack drive
<a href="#">ST450-N C.180 FR 230V</a>	rod drive
<a href="#">41127/029 // ONDA800 Z16</a>	GEAR MOTOR
<a href="#">SC230</a>	SC230 EN 230V CONTROL UNIT
<a href="#">43572/002</a>	Elektromekhanicheskij Linear-rack drive
<a href="#">ST450-N C.300/SP 230V OXAR PN 43545/012</a>	Rod actuators for doors and windows
<a href="#">41060/051</a>	FREESTANDING CASSETTE
<a href="#">EM73</a>	ELECTROMECHANICAL JACK
<a href="#">41048/105</a>	Cutting ring fittings
<a href="#">DTA 760S</a>	Swing gate drive
<a href="#">P43492/001</a>	Operator
<a href="#">P/N: 41050/002, Type: AT175</a>	HYDRAULIC JACK
<a href="#">P43573/003</a>	
<a href="#">43545/100</a>	Screw set

Product	Description
<a href="#">43572/003</a>	
<a href="#">43574/052</a>	
<a href="#">43546/100</a>	Screw set
<a href="#">41055/001 / ZT70 SF5</a>	Control unit
<a href="#">APRIMOIL FLUID F26 1LT</a>	Oil
<a href="#">ONDA2001-E Z16</a>	GEARED MOTOR
<a href="#">41007/146</a>	
<a href="#">41007/147</a>	
<a href="#">41002/121</a>	oil tank seal
<a href="#">41700/016</a>	Oil
<a href="#">41124/110</a>	drive pinion
<a href="#">41180/063</a>	rack
<a href="#">P/N: 43545/011; ST450-N C.180/SP 230V</a>	
<a href="#">42712/102</a>	switch
<a href="#">41812/008</a>	photocell for door operator
<a href="#">41027/101</a>	.
<a href="#">41050/118</a>	SCAN.AT175-176/RR ATTACK
<a href="#">41050/103</a>	SPINED COUPLING AND BUSSHINGS
<a href="#">41127/022 // ONDA801 Z20</a>	Motor
<a href="#">41400/102</a>	
<a href="#">Component no. 4 for ST450-N C.180/ SP OXAR</a>	Component no. 4
<a href="#">Component no. 5 for ST450-N C.180/ SP OXAR</a>	Component no. 5
<a href="#">43545/100 - ACCESS.SET ST450</a>	LINEAR ROD ACTUATOR
<a href="#">43503/022 / APRICOLOR VARIA RAL9010 White</a>	
<a href="#">41127/102</a>	
<a href="#">43503/103</a>	plastic gear wheels
<a href="#">41012/001 / Twenty 270B</a>	hydraulic swing gate operator
<a href="#">ST450</a>	Shaft Window opening system
<a href="#">43503/116</a>	Card group
<a href="#">41500/101</a>	
<a href="#">APRILUX BIANCO - 9010 43503/011</a>	
<a href="#">Twenty 270C</a>	Hydraulic swing gate operators
<a href="#">ZT 44 B SF</a>	Motor
<a href="#">Télécommande APRIMATIC TG2M</a>	
<a href="#">43509/024</a>	
<a href="#">664500000Q0</a>	Chain actuator
<a href="#">664510000Q0</a>	
<a href="#">43509/017 - WI-MATIC ATC300E</a>	chain operator
<a href="#">41127/101</a>	
<a href="#">limit switch of sliding gate AT80 // 41120/115</a>	limit switch
<a href="#">AprimOil HC 13</a>	pump
<a href="#">ATT.APRI 12.5 C.125 24V / 43570/001</a>	motor
<a href="#">APRI55 230V C.550 OXAR</a>	



Product	Description
<a href="#">43400/109</a>	
<a href="#">ONDA623</a>	MOTORIDUTTORE
<a href="#">43545/011 - OPERATOR ST450NV C.180</a>	
<a href="#">665200000Q0 / A40DG</a>	
<a href="#">602120000Q0 / RX1E</a>	
<a href="#">41905/004.E / TX4E</a>	
<a href="#">661685500Q0 / ER10/2</a>	
<a href="#">KT02AT1800</a>	
<a href="#">EM73-N</a>	Underground electromechanical operator for swing gates
<a href="#">43545/106</a>	
<a href="#">656330000Q0</a>	
<a href="#">661920000Q0</a>	
<a href="#">43571/001</a>	ENGINE
<a href="#">DUO35 230V</a>	Rack motor
<a href="#">43400/105</a>	TRANSMISSION UNIT
<a href="#">664280000Q0</a>	
<a href="#">664320000Q0</a>	
<a href="#">41002/114</a>	
<a href="#">cover for ONDA801-E Z16 / 41126/110</a>	HOUSING