



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Baelz

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
36590/2-2.4-024	PID three-step step controller
373-E07-20-18-S21-230 (Best.-Nr. 373-E07-20-18-301)	3-point motor lift drive
373-E07-20-18-301 + 99.0S373-923	Motor lift drive
6490/2-2.4-024	
6490/1-2.4-230	Baelz 6490 PID three-point stepper controller/... µCelsitro
Nr. 6590-0002	PID three-point strider
6590-0002	PID three-point strider
6590/2-2.4-024 (Art.nr. 6590-0222)	PID three-point strider
KT 7468/KS 4095 (99.0P373-001)	NBR Roller Membrane for P21/P22
Best.-Nr. 375-E03-019	Motor retractive drive
Best.-Nr. 375-E03-035	Motor retractive drive
Best.-Nr. 99373-091 / RSM 842/3F	drive motor
373-E07-20-18-S21-24 (373-E07-20-18-305)	3-point motor lift actuator
6490/... µCelsitron	PID three point stepper balz
Nr. 373-E07-20-18-301	Motorhubantrieb for modulated service
373-E45-40-15-171-1 + MP373-E45-1051	Electric linear actuator with synchronous motor
6590B/4-2.4-230 , 6590-1302	PID-Dreipunktschrittregler für Temperatur
Motor lifting drive for regular operation baelz 373-E45-40-15	Motorhubantrieb
D-VENTIL	actuated valve, mounted
375-E03-031	Motordrehantrieb baelz
373-E45-40-15-001	
373-E07-20-18-305	engine lift drive
Motor lifting drive for regular operation baelz 373-E07-20-18-S21...	
373-E02-10-18-220-50-2EZ	servo motor
73-E07-20-18-469	
3340-BK-SS-DN 65-PN 16-Kvs 63 (with 373-E07-20-18-S21-24)	Regelventil mit Antrieb, montiert
375-E41-151	ACTUATOR
342-061	Control valve with actuator, mounted
340-B.K	Regelventil mit Antrieb, montiert
373-E45-40-15-171-5	Motorhubantrieb für Regelbetrieb
340-018	Durchgangs-Regelventil
342-018	Dreiwege-Regelventil
6590/1-2.4-024 (6590-0022)	controller

Product	Description
Typ RSM 63/8 SG (115 V, 50/60 Hz)	replacement motor
RSM63/8SG-24	replacement motor
Typ RSM 63/8SG	motor
RSM 63/8SG	
86/IP8000	I/P positioner with lever return
6590 24 V, 50/60 Hz	
D-VENTIL (342-2440 + 373-P21-019)	valve, completely assembled
70802-40-r-10	Manometer
6590/1	
6590/2	
342-058 + 373-P21-019	Regelventil mit Antrieb, montiert
342-061 + 373-P21-023	Regelventil mit Antrieb, montiert
342-063 + 373-P21-027	Regelventil mit Antrieb, montiert
ZB86-T	
373-E07-20-18-S21-230	Motor lifting drive
340-091	Straight control valve with cooling pipe and bellows
340-093	Durchgangs-Regelventil mit Kühlrohr und Faltenbalg
6590/B4-2.4-230	
373-E45-40-15 (Ord.code: 373-E45-40-15-501)	Motorhubantrieb für Regelbetrieb baelz
342-BK-SS-DN 50-PN 16-Kvs 36	three-way control valve
342-BK-SS-DN 100-PN 16-Kvs 130	three-way control valve
342-BK-SS-DN 100-PN 40-Kvs 130	three-way control valve
373-E07-20-18-S21-115 (373-E07-20-18-303)	Motorhubantrieb für Regelbetrieb
340-BK-DN 40-PN 40-Kvs 25	Durchgangs-Regelventil mit Kühlrohr
75-E03-031 , type 375-E03-20Nm-0,7min.-2EZ-24	Motordrehantrieb 375-E03-20-0,7...
373-E45-40-15-501	Motor-Actuator
373-E07-20-18-S21	Actuator
6590/1-2-4-230	
342-BK-SS-DN 40-PN 16-Kvs 25	Three-way control valve with cooling pipe and bellows without drive
Best.-Nr. 373-P21-019	Linear diaphragm actuator
Digitaler I/P Stellungsregler	
Manometer-Anbausatz montiert	
6490-0222	
Baelz 87	
340-068 + 373-E45-40-15-521-2	Ventil mit Antrieb montiert
p/n: 6490-0202 type: 6490/2-2.4-230	PID 3-point step controller
6590/B4-2.2-230 , 6590-1301	Thermostat
373-E45-40-15-S21-230	
346-AI-BB-EMF DN 250 PN 16	
373-E07-20-18-S21-24	3-point motor lift drive
99.OP373-001	diaphragm
590-1-DN 80-PN	Adjustable steam jet pump
375-E03-019	motor rotary drive

Product	Description
590-0304	Adjustable steam jet pump Jetomat, without drive
373-E07-20-18-301 , (2000 N)	
590-3-DN 15-PN	Steam jet pump with drive, assembled
590-1-DN 32-PN	Steam jet pump with drive, assembled
590-1-DN 50-PN	Steam jet pump with drive, assembled
590-1-DN 65-PN	Steam jet pump with drive, assembled
590-1-DN 100-PN	Steam jet pump with drive, assembled
6495/1-2.4-24	HEAT CONTROL DEVICE
590-1-DN 50-PN 16/25-Düse 23 mm (KT 32168)	Steam jet pump with drive, Assembled
373-E07-20-18-5303	Digital motor lift drive steadily
D-VENTIL (185-002-0,10 + 373-E07-20-18-5301)	Valve with mounted actuator
591-0401	Steam jet pump with drive, assembled
373-E66-150-22-501	3-point motor lift drive
D-DAMPF-JET (Best.-Nr. 591-X and Best.-Nr. 373-E45-40-15-5011)	Steam ejector with mounted actuator
D-VENTIL , 347-BK-SS-DN 25 PN16/25-Kvs 9 + 373-E07-20-18-301	Valve
D-VENTIL , 342-020 + 373-E07-20-18-469	Valve
342-057 , 342-BK-SS-DN 32-PN 16-Kvs 16	Three-way valve with radiator
373-E45-40-15-501 , 373-E45-40-15-S21-230	.
342-055 + 373-E07-20-18-301	D VALVE
373-E66-80-25-001	
373-E45-40-15-601	
373-E07-20-18-5301 + 99.0S373-923	
6597-1-S9-2.33-230 , 6597-0101	Thermostat
373E02 14506	
373-E07-20-18-303	3-point motor lift drive
6495/1-2.4-024	PID 3-point step controller
99.0S373-923	aluminum stand S21
342-BK-SS P21-6FU/KVS63	Three-way control valve with cooling tube
590-1-DN 40-PN 16/25	Steam jet pump, which has a driver, mounted
6490B-y/3-2.4-230 (p/n 6490-1302)	Three-point step controller
375-E42-001	Motor rotary actuator
MP375-E42-1050	Limit Switch
MP375-E42-1070	Limit Switch
D-VENTIL (Ventil mit Antrieb, montiert)	Valve with drive, mounted
D-TEXTBAUSTEIN	Tauchtemperaturfühler baelz 61...
70601-003	Pressure gauge shut-off valve
70701-021	Trumpet shape
70701-121	VA trumpet shape
Nr. 590-0007 (Compressing Steam)	Steam ejector with mounted actuator
378-ET01-011	Electrothermal actuator
D-DAMPF-JET (Best.-Nr.590-0009; Best.-Nr. 373-E65-20-30-301)	Driving steam jet pump, recirculation of steam

Product	Description
Nr. 590-0007 (Recirculation of steam)	Steam ejector with mounted actuator
87-011	Digital I/P positioner
Best.-Nr. 87-031	Dig. I/P positioner explosion-protected
Best.-Nr. 87-051	Dig.i/P positioner explosion-proof CSA
ZB87-321-M	Pressure gauge assembly
ZB87-301	Adaptive parts complete
340-2025	Continuity control valve
340-2425	Entrance control valve with cooling pipe and bellows
373-E07-20-18-469	
373-E07-20-18-463	
373-E07-20-18-457	
373-E07-20-06-005	Motor hoist drive
373-E07-20-18-301	3-point motor lift drive
360-103	Unloaded flow control valve equal percentage
F20002094	
K30001270	spiral gasket
91030-003	
360-EM-C-DN 80	piston rod cpl
87-001	Digital I/P positioner
K30001271	spiral gasket
K30002395	
36590/2-2.4-024 (P36590-0222)	PID 3-point stepper plug-in for 19-inch
6490-0202	PID three-point strider
590-0005	Steam jet pump, Jetomat, without actuator
590-0201 DN40	Steam jet pump with actuator, mounted
590-0152	Steam jet pump, Jetomat, without actuator
Nr. 99373-051	MOTOR
99373-051	Motor
KT 22010	shape membranes for baelz 192/5
F20001960	shape membranes
375-E03-017	engine rotary drive
D-DAMPF-JET	steam jet pump
375-E42-011	engine rotary drive 3-point
6590/2.4 - 24	
6590-0022	three-point step knob
6590-0322	three-point stepper controller
373-E45-40-15-521-1	engine lift drive
340-2030+ 373-E45-40-15-501	valve with actuator, mounted
373-E07-20-18-5301	Digital motor lift drive steady
265ST-SK3-230-50 (265-001)	magnetic control link
373-E07-20-18-411-5	motor lift drive
340-2020	valve with actuator, mounted
373-E07-20, Ty 06/18	motor

Product	Description
373-ESI-31-011	3-point electromotive drive
828-N-4	pressure transmitter
342-2020	Three-way control valve
347-005	Three-way control valve
D-DAMPF-JET (590-0105+373-P21-017+88-151+54298-001-M-87)	steam jet pump with drive, mounted
25-032	cable temperature sensor
25-043	cable temperature sensor
25-074	cable temperature sensor
25-001	cable temperature sensor
Order no. 340-2465	Straight through control valve
373-E45-40-15-5003	Digital engine lift drive steadily
Best.-Nr. 373-E65-20-30-301	Fail-safe motor hoist drive
Best.-Nr. 373-E65-20-30-361	Fail-safe motor hoist drive
BAELZ 373-W02	THREE WAY WITH VALVE ELECTRIC ACTUATOR MIXER
F20001645	handwheel segments
340-716	D-VALVE valve, fully assembled
80900-151	graphite gasket HotFit (flange gasket)
375-E03-046	rotary motor drive
342-2225, MP342-1511, 373-E07-20-18-5303	valve, completely assembled
6490-0221	
375-E42	actuator
342-BK-SS-DN 65-PN 16-Kvs 63	
RSM 63/8 SdG	
375-E03-009	
779-002	Case float switch
231-116	double thermostat
834-001	Pressure limiter TÜV-certified*
373-E07-20-06-001	engine lift drive
70702-021	pressure gauge
373-E65-20-30-301	latch with an electric drive
779-001	float switch
375-E03	
373-E07-20-18-S21-230V	Electric Actuator
356-127	
342-2-BK-SS-DN 100-PN 40-Kvs 130	
373-E07-20-06-S21-230	Engine lift drive
342-3455 / 342-2-BK-SS-DN 100-PN 40-Kvs 130	
231/2-J-W-15-fs-VA-150	
BNA000106	
342-056 / 342-BK-SS-DN 25-PN 16-Kvs 9	
239/3-J-30-fsVA-200	Thermostat
340-2-B-DN 50-PN 16/25-Kvs 36	
373-P21-6-Fu-S21-22mm	

Product	Description
6496-0202	controller
Motor RSM 842/3A FdK	
Motor RSM 842/3 FdK f. E4	
K30001007	
6164-201	microprocessor controller
1020-24V-0-0-0	Electrical positioner
6590/3-2.4-230	
6590-0202	PID three-point step controller
ZB87-310-S-T	
36590/2-2.4/24/50/60	automatic temperature controller
36590/2-2.4/24v/50/60hz	
373-E07-20-18-S21-24V	
373-E07-20-18-S21-MF-FG5K-7020-115V	
375-E 03 19,6Nm	
375-E03-602	motor rotary drive
375-E03-100Nm	Actuator, Rotary, 100 Nm; 20 sec.; 2 Additional Limit Switches