







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Banner Engineering

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
<u>p/n: 3075424, Type:</u> <u>EA5E300Q</u>	EZ-ARRAY SERIES MEASURING LIGHT CURTAIN
<u>3075425 / EA5E450Q</u>	Measuring light curtain transmitter plug
<u>P/N: 3075376 Type:</u> K50APFF100GREQP	sensor
<u>3024983 / K50APTGRCQ</u>	Touch Button
K50LGRA1YPQ	Industrial Panel Mount Indicator
K50LGRYNQ	Indicator Light
<u>LS10-EQDH (10004368 / 25092783)</u>	BANNER PHOTELECTRIC EMITTER
LS10RQDH	BANNER 4 PIN EURO QD LIGHT SCREEN RECEIVER
OTC-1-YW	BANNER OPTO-TOUCH
<u>3031941 / Q25SP6FF100</u>	Opto-sensor, reflective light sensor
Q45BB6LLPQ6	rectangle sensor
<u>Q45BB6RQ5</u>	Through-Beam Optical Sensor
<u>QS186EQ8</u>	Photoelectric Sensor
<u>3066460 / QS18VP6DQ8</u>	Sensor
QS18VP6LLPQ8	Retroreflective, Polarized Optical Sensor 32.81' (10m) PNP - Dark-ON/Light-ON
QS18VP6LVQ8	Photoelectric Sensor
<u>QS18VP6RQ8</u>	Photoelectric Sensor
<u>P/N: 3002728, Type:</u> <u>QT50ULBQ6</u>	Ultrasonic sensor reflection sensor
78414 / SA-E12M30	BANNER MOUNTING BASE ADAPTER/COVER
STBVP6Q5	Photoelectric Sensor
TL50GRAQ	LED Tower Light with Audible Indicator
<u>3083214 / TL50GYRAQ</u>	LED Indicator – Tower Light
VTBP6Q	Sensor Verification Touch Button
LS2TP30-450Q88	BANNER EZS TYPE2 PAIR PAIR 30MM X 450MM
Q45ULIU64ACRQ6	RADAR SENSOR
SMA31EQD	mini-beam series industry standard sensor
SM2A312LV	SENSOR, PHOTOELECTRIC, MINI-BEAM RETRO
SM30SRL	Opto-sensor
<u>3027285</u>	Specific Product Information Not Available
<u>DS3-LD-045</u>	Specific Product Information Not Available
<u>SLSP30-750Q88</u>	BANNER CAT 4 PAIR
K50LGXXPQ	50 mm General Purpose LED Indicator

Enapart Group





Product	Description
K50LWXXP	50 mm General Purpose LED Indicator
K50LYXXP	50 mm General Purpose LED Indicator
K50LRXALSXP	50 mm Sealed Loud Audible Indicator
3066452	photosensor
<u></u> SLSR14-450Q8	BANNER RECEIVER
SLSE14-450Q8	TURCK BANNER EZ-SCREEN EMITTER
 M12PDQ8	Photoelectric sensor
Q25SN6FF100Q	Sensor
M18SP6DLQ	Opto Sensor
3032953 / MQAC-415RA	cordset
K50RPFF100GREQ	Bestückungssensor
<u>3076046 /</u> K50APFF100YREQP	Pick-to-Light Bestückungssensor
DX70N2X6S4P4M2M2	BANNER SURECROSS
DX70G2X6S4P4M2M2	BANNER SURECROSS
DX80N2X6S-PM8	BANNER WIRELESS
QS18VP6LDQ8 (3073045)	Opto Sensor
R55CG1QP	Opto Sensor
<u>SLPP25-970</u>	Safety light curtain (emitt. + receiv. pair)
SLPMP25-970	Ez-Screen Low Profile Muting Pair
SLPMR25-1810P12	Specific Product Information Not Available
<u>SLSCR30-1500P4NT</u>	Specific Product Information Not Available
SC22-3	Safety Controller
SLC1BB6	Safety Light Curtain Receiver
10487549 / 54592000	FIBER OPTIC GLASS
WLC90WGL8Q	WLC90 Work Light; Dimensions: 90X90 mm
PIAT46UHFMTA	Sensor
BT2.53S	HIGH TEMPERATURE FIBER OPTICS
QM26VPAF400Q5	QM26 SERIES WASHDOWN SENSOR
BAT26S	ANGLE FIBER OPTICS
<u>BAT26P</u>	ANGLE FIBER OPTICS
MQDC2S-850	SINGLE-ENDED CORDSETS
<u>IT210SM6</u>	HIGH TEMPERATURE FIBER OPTICS
NC50-CP80-VP4X2	Sensor
<u>IF210S</u>	HIGH TEMPERATURE FIBER OPTICS
SMA912LV	VALU-BEAM SERIES
IAT26SM600	ANGLE FIBER OPTICS
VS2KAP5VQ	VS2 SERIES ULTRA THIN MINIATURE SENSOR
SM2A912LVQD	VALU-BEAM SERIES
SMB915LVAG W/30	VALU-BEAM SERIES
MQDC-1210RA	SINGLE-ENDED CORDSETS
T18VP6URQ	T18U SERIES OPPOSED MODE ULTRASONIC SENSOR
T18VN6URQ	T18U SERIES OPPOSED MODE ULTRASONIC SENSOR
BT28SM8	HIGH TEMPERATURE FIBER OPTICS





Product	Description
PIRS1X1630UMPMAL	ARRAY & SLOT FIBER OPTICS
IA29S	ANGLE FIBER OPTICS
MBCC2-580	SINGLE-ENDED CORDSETS
 MAQDC-8100	SINGLE-ENDED CORDSETS
BF1801L-024	MECHANICAL SWITCHES
SLM180B6	SLM SERIES RUGGED METAL SLOT SENSOR
QMT42VN6AFV400	SENSOR
QMT42VP6AFV400	SENSOR
BR23P	ARRAY & SLOT FIBER OPTICS
IA1.56SMTA	ANGLE FIBER OPTICS
PIA46UMAF	ANGLE FIBER OPTICS
QS18VP6LLPQ-76914	QS18 SERIES ALL PURPOSE PHOTOELECTRIC SENSOR
MSA-RM-1	MECHANICAL SWITCHES
SBRXF1	MULTI-BEAM SERIES
BAT21.33SMST1	ANGLE FIBER OPTICS
Q85BW13LP	sensors
Q85BW13DL	sensors
Q85BW13D	sensors
<u>RP-LM40D-6L</u>	OPE PULL STOP CONTROL DEVICE
QS30RRX W/30	S30 SERIES HIGH-PERFORMANCE LONG-RANGE SENSOR
QS30ARX W/30	QS30 SERIES HIGH-PERFORMANCE LONG-RANGE SENSOR
SMA30PEL	SM30 SERIES 150 M RANGE OPPOSED MODE BARREL SENSOR
S18AW3FF50	SENSOR
<u>IA28S</u>	ANGLE FIBER OPTICS
<u>IT210S</u>	HIGH TEMPERATURE FIBER OPTICS
PLI-A10	TIGHT BEND RADIUS FIBER OPTICS
MQDC-1210ST	SINGLE-ENDED CORDSETS
SM2A912DSRQD	Photoelectric Sensors
PDIS46UM38MSD66	ARRAY & SLOT FIBER OPTICS
<u>MBCC-460</u>	SINGLE-ENDED CORDSETS
<u>IAT27S</u>	Glass Fiber Sensors
BA1.54SMETA	Fiber Sensors
<u>BF26P</u>	Glass Fiber Sensors
K80APPBGXDQ	LIGHT BUTTONS
<u>BAT25S</u>	ANGLE FIBER OPTICS
IAR23SMA	ARRAY & SLOT FIBER OPTICS
<u>BT18S</u>	HIGH TEMPERATURE FIBER OPTICS
<u>IAT2.53P</u>	ANGLE FIBER OPTICS
IAT2.53SM600	ANGLE FIBER OPTICS
<u>Q85VR3LP</u>	Photoelectric Sensor
Q85VR3DL	Retroreflective Sensor
SM312LVQD	BANNER PHOTOELECTRIC SENSOR
BT26SMSS	Fiber Optics





Product	Description
IA1.53SMTA	Inductive Proximity Sensor
QH23SP6CV50Q	Sensor
<u>OPBT3QDH</u>	OMNI-BEAM Power Block
MQDC-415RA	wires
BWA-QD5.5	connector
BRT-THG-1-100	BANNER RETROREFLECTIVE TAPE
MQD9-415RA	Quick Disconnect Cable
QDE-850D	Single-Ended Cordset
SMBAMS70AS	Mounting Bracket For Ip68 High Intensity Area, 70M
<u>QDE-875D</u>	Single-Ended Cordset
T18GRYN	DC-Operated LED Indicators
T18GRXN	General Purpose Indicator
T18GRXNQ	General-Purpose Indicator
T18GXYNQ	General Purpose Indicator
S18SN6D W/30	S18 TYPE SENSOR IN THREADED HOUSING
PBP46UM2.5	Fiber Optic Sensors
PIF66UMVFA	fibre-optic cable
<u>RPA-C1-10</u>	ROPE WIRE
PIT46UM5	PLASTIC FIBEROPTIC ASSEMBLY
<u>VS25EVQ-69237</u>	SENSOR
EZS-1200	EZ-SCREEN™ Lens Shields
EZA-MBK-13	SCREEN ACCESSORY RETROFIT
EZA-MBK-14	SCREEN ACCESSORY RETROFIT STI
EZA-MBK-15	SCREEN ACCESSORY RETROFIT KEYANCE SUNX
<u>IT23P</u>	Individual Glass Fiber
PBPF26UMB	INLINE FIBER OPTICS
PBPS66U	ANGLE FIBER OPTICS
QS18EP6FPQ8	FIBER OPTIC AMPLIFIER
CL50YXXPQ	LED COLUMN LIGHTS
EZSS-1650	SHIELD EZ SCREEN SNAP-ON
<u>Q126E-81524</u>	Sensor (Photo-electric)
MQDC-530RA	SINGLE-ENDED CORDSETS
MQDC2S-815RA	SINGLE-ENDED CORDSETS
STP-MAQDC-806	DOUBLE-ENDED CORDSETS
VSM4RP6R	Sensor
<u>QDC-515C</u>	Sensor Cable
EZS-1350	Lens Shields
T18GRYNQ	General-Purpose Indicators
VS4RN5R	Opposed-Mode Sensors
APG30S	Aperture Kit
T18RP6LP	Sensor
<u>QDU-515C</u>	MICRO-SCREEN Cable
<u>SI-QS75MC</u>	PLASTIC COMPACT SAFETY SWITCHES

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





Product	Description
M186E W/30	METAL BARREL-MOUNT SENSOR
SI-LS83SD	PLASTIC COMPACT SAFETY SWITCHES
SI-LS83SRAD	PLASTIC COMPACT SAFETY SWITCHES
SI-LS83SE	PLASTIC COMPACT SAFETY SWITCHES
SI-LS83SRAE	PLASTIC COMPACT SAFETY SWITCHES
	SELF-CONTAINED BARREL-MOUNT SENSOR
Q12AB6R	MINIATURE SELF-CONTAINED SENSOR
Q12AB6RQ	MINIATURE SELF-CONTAINED SENSOR
Q12RB6RQ	MINIATURE SELF-CONTAINED SENSOR
Q12AP6RQ3	MINIATURE SELF-CONTAINED SENSOR
TL50HGQP	LED TOWER LIGHT
K30LMXXPPB2	GENERAL PURPOSE ILLUMINATED PUSH BUTTONS
K30LRXXPPB2Q	GENERAL PURPOSE ILLUMINATED PUSH BUTTONS
K30LBXXPPB2Q	GENERAL PURPOSE ILLUMINATED PUSH BUTTONS
K30LMXXPPB2Q	COLOR INDICATOR WITH DRY CONTACT SWITCH
PBPS46UMT	Plastic Fiber Optic Cable
DS18AP6LPQ8-79909	WIDE BEAM BARREL-MOUNT SENSOR
MQVR3S-530	SINGLE-ENDED CORDSETS
MQDC20-530	SINGLE-ENDED CORDSETS
MQAC-450	SINGLE-ENDED CORDSETS
MQDEC-450SS	DOUBLE-ENDED CORDSETS
MQEAC-630	SINGLE-ENDED CORDSETS
TL50ALS	LED TOWER LIGHT
Q25SP6R W/30	RIGHT-ANGLE BASE-MOUNT RECTANGLE SENSOR
PIT26UHF	TIGHT BEND RADIUS FIBER OPTICS
S18RW3R W/30	EPOXY ENCAPSULATED BARREL-MOUNT SENSOR
PIT46UM14TL	PLASTIC FIBEROPTIC ASSEMBLY & MOD'S
Q10RP6RQP2	Photoelectric Sensor
PIL46UHF	FOCUSED & EXTENDED RANGE FIBER OPTICS
Q10AP6RQP2	Miniature Photoelectric Sensor
QS18VP6RQ5-19637	General Purpose Photoelectric Sensor
QS18VP6RQ5	PHOTOELECTRIC SENSOR
<u>FLX30-DM30</u>	Flexible Mounting Arm
SMBP4RAS	Right-Angle Swivel Mounting Bracke
M18GRBPQ	General Purpose Indicator
DELP-1150E	Double-Ended Cordset
T30RGX8PQ8	Specific Product Information Not Available
IVURDM-QDK-803	Specific Product Information Not Available
NI35-CP40-AN6X2	Specific Product Information Not Available
DBQ5	Sensor
Q10AN6DQ	Photoelectric Sensor
<u>Q10RN6D</u>	Miniature Self-Contained DC Photoelectric Sensor
Q10RN6DQ	Photoelectric Sensor





Product	Description
<u>Q10AP6D</u>	Photoelectric Sensor
IVU LICENSE BCR	Sensor
CSB-M1240M1241	Splitter Cable
<u>PIT420U</u>	Fiber Optics
DEC2-505C	Specific Product Information Not Available
Q452EQ25	Through Beam Sensors
PIFM46UHF	Fiber Optics, Plastic Fiber, Opposed, Length 2m
PIF26UMFL.200	Fiber Optics, Glass Fiber, Opposed, Length 1m, Angle
PIF26UMFL.315	Specific Product Information Not Available
EZA-QDR-8	Screen Accessory
K30LXXGPQP-17559	1-Color General Purpose Indic, EZ-LIGHT K30L Series
<u>T30SP6R</u>	Photoelectric Sensor
PIL430U	Fiber Optics, Glass Fiber, Diffuse, Length 1m, Thread
M18GRXN	2-Color Indic
M18GRXNQ	M18 Series EZ-LIGHT: 2-Color General Purpose Indic
<u>IT2.83SM6</u>	Opposed Mode Individual Glass Fiber
LCF04	Specific Product Information Not Available
PBP46UHF	Fiber Optics
PBPF215U	Fiber Optics, Glass Fiber, Opposed, Length 1m, Ferrule
PBF26UHF	Fiber Optics, Plastic Fiber, Opposed, Length 1m, Thread
SMBPVA16AB	Bracket
EZS-1500	Ezs-1500 1500mm Shield Ez Screen
BT210SM8M900 3024858	High Temperature Fiber Optic Cable
<u>T306EQ</u>	Sensor
DX70G2X6S4P8	Sure Cross® DX70 Wireless Gateway
DX70N2X6S8P4	Sure Cross® DX70 Wireless Node
<u>QM42VT1</u>	Vibration and Temperature Sensor
DX80N2Q45VT	Wireless Q45 Vibration and Temperature Node
<u>3087097 / DX80G2M6S-</u> <u>PM2</u>	Gateway
K80LGRYB4NQ	EZ-LIGHT® 4-Color, Multi-Function Indicator
<u>MQDC1-530</u>	5-Pin Euro-Style Cordset
P/N: 3031934 Type:	sensor
Q25SP6LPQ	301301
Q40SP6FF400Q	sensor
SMBQ4XFAM10	Mounting Bracket for Q4X Series Sensors
Q4XTILAF300-Q8	photoelectric sensors
IVU2RGR12	iVu Series Gen2 Vision Sensor
<u>RD35</u>	Remote Display for Wireless Networks
<u>SBF1 BANNER MULTI-</u> <u>BEAM</u>	3/4 WIRE HIGH SPEED GLASS FIBER
PBP BANNER MULTI- BEAM	3 & 4 WIRE POWER BLOCK





Product	Description
LM3 BANNER MULTI-	Description
<u>BEAM</u>	LOGIC MODULE
26836 / SM312FQD	Sensor
NO5-Q08-AP7X2	BANNER PHOTOELECTRIC SENSOR
P/N: 3087097 Type: DX80N2X6S-PM2	Performance PM2 Node with IO Mapping
Q45BB6LLP	Wireless Q45 Sensor with Push Button
TL50GYRQ	Light Tower
P/N: 3090971 Type: <u>IVU2PRBXC</u>	Barcode Reader
<u>P/N: 3088098 Type:</u> <u>WLS28-2XW145DSQ</u>	LED Work Light Strip
<u>P/N: 3029512 Type:</u> <u>RDM35</u>	Remote Display Module
<u>P/N: 3082482 Type:</u> LEDGB150X150PW2-XQ	LED Area Light
<u>P/N: 3064179 Type:</u> <u>STBVP6</u>	SAFETY TOUCH BUTTONS
BWA-USB1WIRE-001	DOUBLE-ENDED CORDSETS
<u>P/N: 3047558 Type:</u> <u>Q45ULIU64BCRQ6</u>	Ultrasonic Sensor
<u>3032723 / SMB30A</u>	bracket
BRT-40X23B	BANNER REFLECTOR
BRT-100X18A	Retroreflective Target: Rectangular
BRT-80X50CM	BANNER MICROPRISM 80X50MM REFLECTOR USED WITH LT3
<u>BRT-42</u>	BANNER LIGHT REFLECTOR
BRT-42A	BANNER RETROREFLECTIVE TARGET: CIRCULAR - DIAMETE
BRT-2A	BANNER RETROREFLECTIVE TARGET: CIRCULAR - DIAMETER
BRT-51X51BM	BANNER LIGHT REFLECTOR
DBQEZLPTL	Demo Box for EZ-LIGHT Pick-to-Light
3066452 / QS18VP6LPQ8	Retroreflective Sensor
<u>BRT-84</u>	Retroreflective Target: Circular
<u>3040071 / BRT-2X2</u>	Retroreflective Target: Square
VS25EVQ	VS2 Series Opposed-Mode Emitter
VS2RP5RQ	VS2 Series Opposed-Mode Receiver
<u>P/N: 3070230 Type:</u> <u>QS30LD</u>	QS30 Series Laser Diffuse Sensor
TL50GYRAOSQ	Tower Light
K50LGRYPQ	indicator light
MBCC-412	4-Pin Mini-Style Cordset
<u>T30SN6RQ</u>	T30 Series Ultrasonic Sensor
<u>P/N: 3091681 Type:</u> LE250IQ	Optical Sensor
Q25AW3LPQ3	Q25 Series Photoelectric Sensor
MQAC-406RA	Right-Angle Micro-Style Cordset
QS18VP6LPQ5	Sensor





Product	Description
	Beschption
QS30DQPMA	QS30 Series Diffuse-Mode Sensor
<u>P/N: 3033420, Type:</u> <u>T186EQ</u>	Optical Photoelectric Sensor
<u>P/N: 3033422 Type:</u> <u>T18SP6RQ</u>	T18 Series Opposed-Mode Receiver
<u>SM312W</u>	PHOTOELECTRIC SENSOR
Q12AB6FF50Q	Q12 Series Fixed-Field Sensor
R58ECRGB1Q	R58 EXPERT Register Mark Sensor
P/N: 3075044 Type: R58ECRGB2Q	R58 EXPERT Register Mark Sensor
<u>3087105 / DX80N2X6S-</u> <u>PM2</u>	Gateways PM Series Node- LCD for Diagnostics; 2.4 GHz, IP67 /NEMA 6; Inputs:Four selectable NPN/PNP discrete; Two 0-20 mA; Outputs: Four PNP discrete; Two 0-20 mA
<u>P/N: 16557, Type: 3GA5-</u> <u>14</u>	Optical Edgeguide System
P/N: 3061648 Type: QS18VP6CV45	Photoelectric Sensor
SM312LVMHS-50248	MINI-BEAM Series Retroreflective Sensor
<u>QM42VT2</u>	Vibration/Temp Sensor
MQDEC2-550RA	ELBOW TYPE CABLE SOCKET
P/N: 3076420 Type: T8LGRXPQP	T8 Series EZ-LIGHT 2-Color General Purpose Indicator
P/N: 3033200 Type: SMB18A	18 mm Right-Angle Mounting Bracket
QS18VN6LP (61627)	photoelectric sensör
SM30PRLBW/30	SM30 Series Polarized Retroreflective Sensor
SLSR14-300Q8	Safety Light Screen Receiver
<u>LM4-2</u>	Photo Sensor Module
<u>SBDL1</u>	Scanner Block
<u>PBT</u>	Power Block
<u>LM4-2M.1</u>	Logic block
<u>P/N: 3078860 Type:</u> DX80N2X6S0P0M4M4	System interface/media gateway for bus syste
P/N: 3800137 Type: DXM100-B1R3	DXM100 Series Wireless Controller with 2.4 GHz Radio
<u>P/N: 3095667 Type:</u> <u>DX80N2X6S-P6</u>	Sure Cross® wireless system
<u>P/N: 94597 Type:</u> <u>QM42VT1</u>	Wireless Vibration and Temperature Sensor
<u>P/N: 95664 Type: BWA-</u> <u>BK-001</u>	Mounting Bracket Kit for QM42VT1 Sensor
D10DPFPQ	Dual Discrete Outputs
<u>PIT26U</u>	Specific Product Information Not Available
PKG6Z-2	M8 Pico-Style Cordset, 6-Pin Female, 2 m
<u>P/N: 67380 Type:</u> <u>LT3BDLV</u>	LT3 SERIES 50 M RANGE TIME-OF-FLIGHT LASER SENSOR





Product	Description
QT50R-EU-AF2Q	Radar Sensor
3801918 / Q4XTKLAF600-	
<u>Q8</u>	Laser Sensor
WLB92X1100PBQ	WORK-LIGHT
M12FTH4Q	TEMPERATURE AND HUMIDITY SENSOR
DXM100-B1R3	INDUSTRIAL WIRELESS GATEWAY
BWA-BK-001	Mounting apparatus
<u>P/N: 94773, Type:</u> LMBWLS27SP	Bracket: For use with WLS27
<u>P/N: 3036393 Type:</u> <u>S186ELDQ</u>	S18 Series Laser Diode Emitter with M12 QD
OASBFV	BAFFLE SENSOR
SI-LS42WSG	Electromagnet
BWA-BK-008 (802370)	Mounting Bracket Kit for Q45 Series Sensors
QDE-815D	Single Ended Cordset
SMBWLS28RA	Hand Mounting
WLS28-2CW285DXQ	Work Light Strip
LTF12IC2LDQ	Opto-sensor
<u>P/N: 3029409, Type:</u> <u>S186E</u>	Optical Photoelectric Sensor
<u>P/N: 3029408, Type:</u> <u>S18SN6R</u>	Optical Photoelectric Sensor
<u>P/N: 3033421, Type:</u> T18SN6RQ	Optical Photoelectric Sensor
Q12AB6FF30Q	CMI cap tightening sensor
87489	Industrial LED Light Bar
87490	Industrial LED Light Bar
Q453E	Q45 Series Photoelectric Sensor, 3-Wire DC
Q45VR3R	Q45 Series Opposed-Mode Receiver
<u>80458</u>	Ultrasonic material detection sensor
T30SN6FF200	sensor
SSA-EB1PLYR-12ECQ8	SSA-EB Series Lighted Emergency Stop Push Button
OTBVR81QD	Optical Touch Button with Bipolar Output
OTBVP6QD	Optical Touch Button with PNP Output
OTBA5QD	OTB Series Optical Touch Button with SPDT Relay Output
MQDEC2-415	M12 Euro-Style Cordset, 4-Pin Straight Female, 5 m
K50APLPGXDQ	K50 Series Illuminated Pick-to-Light Touch Button
<u>AG4-4E</u>	AG4 Series Safety Laser Scanner
85068	Q45 Series Retroreflective Sensor
<u>805002</u>	M12 Euro-Style Cordset, 5-Pin Female, 2 m
<u>72154</u>	SMB30A Mounting Bracket
18348 / AHC2158496	BANNER LMB30RA
807139	K50 Series Touch Button with Integrated Indicator
<u>807138</u>	Information Not Available
<u>02879</u>	Information Not Available
·	





Product	Description
K50LGRAL1YPQ	Panel Mount Indicator
32311 / PVL500PQ	PVL Series Parts Verification Array
Q3XTBLD-Q8	Laser Contrast Sensor
25620	MINI-BEAM FIBER OPTIC AMPLIFIER
10137 / SA-M30TE12	Stand-Off Pipe Adapter/Cover
10443 / SOP-E12-150A	150 mm Elevated-Use Stand-Off Pipe
37628 / Q45AD9DLQ	Rugged rectangle sensor
<u>32470 / T18SP6FF50</u>	Information Not Available
26892 / SM312WQD	Photoelectric Sensor
WLS28XW285XQ	Work light strip
<u>3029988 / SSA-EB1PLXR-</u> <u>12ED1Q8</u>	Surface Based Illuminated Emergency Stop Button
3085064 / XS26-2DE	Safety Controller
29510 / S18SP6RQ	Information Not Available
801976 / PGIRS66U-100	FIBER OPTIC SENSOR
87576 / DF-G3-PS-2M	FIBER OPTIC AMPLIFIER
20065 / IAT23PMSS	Information Not Available
<u>SX5-B</u>	Safety Laser Scanner
MIAD9LVAGQ	Opto sensor
QS18VP6LLPQ5	Photoelectric Sensor
<u>PBA</u>	Power Block
SC10-2ROE	Safety Controller
Q12RB6RQ5	Sensor
<u>Q126EQ5</u>	Sensor
<u>3077763 / Q20NLP</u>	Photoelectric sensor
SMBQ20L	Bracket
SLLP23-420P88	Safety Light Curtain Pair
QS18UPAQ8	sensor
<u>MQDC-415</u>	Cable Assembly
61631 \ QS18VP6LPQ	Gage
89583 \ SLLP40-910P55	Safety Light Curtain Pair
<u>OTBVR81</u>	Information Not Available
T18SP6FF100Q	T18 Series Photoelectric Sensor
<u>B-TL70-Q8</u>	TL70 Base Module
<u>MQDC1-506</u>	5-Pin M12 Euro-Style Cordset
<u>3087105 / DX80G2M6S-</u> <u>PM2</u>	WIRELES SIGNAL SENDER
BT210SM900	Fiber optik cable(red eye)
K50LGRXP	Panel Mount Indicator
K30LGRYP	Panel Mount Indicator
SLSP14-1500P88	Safety Light Screen Pair
SLSP14-450P88	Safety Light Curtain Pair
K30LGRXPQ	K30 Series LED Indicator
VS25EQ	ULTRA THIN MINIATURE SENSOR





Product	Description
3025366 / QT50R-EU-AFH	QT50R Series Radar Sensor
<u>3061636 / QS18VP6LV</u>	QS18 Series Photoelectric Sensor
<u>p/n: 3097843, Type:</u> WLB32ZC1130EPBQM	Work light bar
P/N: 71817, Type: LX24RQ	LX Series
P/N: 71802, Type: LX24EQ	LX Series Light Screen Emitter
SME312LPCQD	MINI-BEAM Expert Photoelectric Sensor
<u>3072132 / Q12RB6LPQ</u>	photocell
Q12RP6RQ3	MINIATURE SELF-CONTAINED SENSOR
BRT-44X29A6	Reflector
OPBT2QDH	Sensor
<u>OSBF</u>	Sensor Head
<u>3071817 / LX24RQ</u>	RECEIVER PHOTOCELL
<u>3071802 / LX24EQ</u>	EMITTER PHOTOCELL
<u>45LM58</u>	Mechanical switch
<u>Q45BB6FQ5 (38667)</u>	RUGGED FIBER OPTIC AMPLIFIER
Q45BB6LVAGCQ5-63649	Q45 Series Adjustable-Field Sensor
IAT23S	Information Not Available
IAT26S	Glass Fiber Optic Cable, 90° Angle, 6 ft
ES-UA-5A	Emergency Stop Safety Module
SI-LS42DMSIF	SAFETY SWITCH SPRING LOCK
SM912FQD	Miniature Photoelectric Sensor with Quick Disconnect
<u>S18AW3D</u>	18 mm Barrel Sensor, Diffuse Mode
<u>SSA-EB1P-02</u>	Emergency Stop Push Button, 40 mm Actuator, 2NC Contacts
SMBQ4XFAM12	Mounting Bracket for Q4X Series Sensors with M12 Connector
<u>MAR4816PX485Q</u>	MultiHop Data Radio, 2.4 GHz, 16 I/O Points, RS-485 Interface
<u>MAE4816Q</u>	MultiHop Modbus I/O Data Radio, 2.4 GHz, 16 I/O Points
<u>RP-LS42F-75L</u>	Heavy Duty Plastic Emergency Stop Rope Pull Switch
<u>WLH60XW640B</u>	WLH60 High Temperature LED Strip Light
<u>T30R-1515-KIQ</u>	T30R Series Ultrasonic Sensor with Analog Output
<u>BWA-BK-013</u>	Bracket
<u>AT-FM-10K</u>	AT-FM Series Fiber Optic Amplifier with Analog Output
<u>P/N: 71561, Type:</u> <u>QS30EXQ</u>	sensor
MQDEC3-530SS	M12 Euro-Style Cordset, 5-Pin Double-Ended, 9.2 m
MQDC-4506SS	M12 Euro-Style Cordset, 4-Pin Double-Ended, 1.83 m
RSD1QP	Remote Sensor Display with Quick-Disconnect
MQDC2S-815 \ 3070976	connecting cable
<u>3076959 /</u> K50LGRYBWPQ8	LED display, beacon
<u>SI-MAGB2SM</u>	COVER MAGNETIC SENSOR RECEIVER
79217 / SLM20B6	rugged metal slot sensor
<u>SM312FQD-40396</u>	Sensor
<u>3002661 / LX3EQ</u>	Optical Sensor





Product	Description
QS30FF400	QS30 Series Fiber Optic Sensor, 400 mm Range
SM312D	Photoelectric Sensor
 MQDC-406	Cable Assembly
LS2TR30-600Q8	Light Curtain Receiver
<u>LT3PUQ-79783</u>	Sensor
SM912LVAG	VALU-BEAM® 912 Series Polarized Retroreflective Sensor
Q60VR3AFV1000	Q60 Series Adjustable-Field Visible Red Sensor
QDEG-8100D	M12 Euro-Style Double-Ended Cordset, 8-Pin, 1 Meter
Q45BW13LP	rectangle sensor
SM2A31RQD	Mini-beam series industry standard sensor
OTBVN6	OTB Series Optical Touch Button with NPN Output
P/N: 58979, Type: BRT-84	retroreflective target reflector
MQDEC2-515	Cable Assembly
ES-FA-9AA	Emergency Stop Safety Module
T30SN6R W/30 EZ-BEAM	Sensor receiver
T306E W/30 EZ-BEAM	Sensor
K50L2RGBKQ	programmable multicolor indicator
K30APT2FXBF2QP	Indicator
S18-2VPDL-Q8	Photoelectric Sensor
S18RW3DL	Photoelectric Sensor
<u>88407</u>	Q45 Series Retroreflective Sensor
SM312FQD	Optic amplifier
MPC3	Amplifier Module
VSM-2M5APD100-2M	VSM-2 Series 5 mm Barrel Diffuse Sensor
27060 / SE61RNCMHS	SE61 Series Safety Light Curtain Receiver
25971 / SE61EMHS	ECONO-BEAM® SE61 Series High-Speed Emitter
TL70BGYRAPQ	Stack Light Complete Unit
<u>SOK-TL70-150A</u>	Pipe Brkt Kit
MAQDC-830	Cable Assembly
MAQDC-8125	Single-Ended Cordset
<u>STBVR81 / 64190</u>	Self-Checking Touch Button
QS18EP6XLPCQ5	Polarized Optical Sensor
WLC60XW640AQ	Work Light
<u>EA5E600Q</u>	Optical Sensor
EA5R600PUXMODSRLCQ	measuring light curtain
<u>45LM5</u>	Q45 Series Logic Module with Delay Functions
<u>3092336 / TL70GYRQ</u>	LED display
P/N: 8004811 Type: WAKC4K	connector
FIC-M12F4	M12 Euro-Style Field Wireable Connector, 4-Pin Female
S18SP6DLQ	Photoelectric Sensor
<u>3002667 / LX3RQ</u>	Photoelectric Sensor
<u>3077761 / Q20PLP</u>	sensor
QS18UPA	Optical Sensor





B10628 / S15CI-MQ In-Line Converter B12041 / PASC-B22-SQ In-Line Converter 3096764 / 3096764 / 3096764 / (S0APT2CRYFRQ Assembly sensor 3096764 / 3096764 / (S0APT2CRYFRQ Assembly sensor 3096764 / 3096764 / (S0APT2CRYFRQ Single-encled cordset 3097184 / VELC65-BC image processing, lens cover 3097184 / VELC65-BC image processing, lens cover 3097184 / VELC65-BC ultrasonic sensor, reflection sensor QP150 / 805482 LED light modules SLEPRE-S100TD3: LED light modules SLEPRE-B1D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 E2-SCREEN Low Profile End Mounting Bracket QS18VP8LDQ8 Diffuse Optical Sensor 3087784 / WL832C1130P8Q Work lamps, line lamp TUB3802557 photoelectric sensor, thru-beam sensor (roceiver) S308786Q Photoelectric sensor S30878614 BANNER TL50GYRAQ B555VQ-14341 R555 Series Fiber-Optic Color Mark Sensor S12127. AHC1929249 BANNER MODC1-566 83214. AHC1985454 BANNER MODC1-566 01592V9-6 OTB Series	Product	Description
B12240 / DXMR90.X1 Controller 812240 / DXMR90.X1 In-Line Converter 3096764 / KS0APT2GRYF2Q Assembly sensor MDDC2S:B15 Single-ended cordset 3097183 / VELC85-BC image processing, lens cover 3097183 / VELC85-BC image processing, lens cover 3097583 / d45ULU84ACRQ ultrasonic sensor, reflection sensor PLL105-FF100T03- QP150 / N05482 LED light modules SLPR25-550P8 receiver DELPE-B1D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 EZ-SCREEN Low Profile End Mounting Bracket QS18VP6LDQ8 Diffuse Optical Sensor 3087484 / VB382557 photoelectric sensor 118SP6LPQ Photoelectric sensor (transmitter) S3086EQ Photoelectric sensor, thru-beam sensor (transmitter) S302502 Photoelectric sensor, thru-beam sensor (transmitter) S302504 Personal protection light curtain, transmitter S30350 Mounting Fixings Bracket QTL47_AHC1952749 BANNER MODC1-506 S3214 / AHC195264 PanNer MODC1-506 S3214 / AHC1952749 BANNER TISOGYRAQ	810628 / S15C-I-MQ	-
812041 / R45C-B22-SQ In-Line Converter 3096764 / KS0APT2CRYF2Q Assembly sensor MQDC252-815 Single-ended cordset 3097184 / VELC85-BC image processing, lens cover 3097184 / VELC85-PC image processing, lens cover 3097184 / VELC85-PC image processing, lens cover 3047553 / Q45ULUB4ACRQ ultrasonic sensor, reflection sensor PTL1103-FF100TD3- QP150 / 805482 LED light modules SLPP25-550P8 receiver DELPE-81D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 EZ-SCREEN Low Profile End Mounting Bracket QS18VP6LDQ8 Diffuse Optical Sensor 3036784/ Work lamps, line lamp YUB3302517 Photoelectric sensor TUB3802557 S305F6RQ Photoelectric sensor, thru-beam sensor (transmitter) S305F6RQ Photoelectric sensor, thru-beam sensor (transmitter) S305F6RQ Photoelectric sensor, thru-beam sensor (transmitter) S305F6RQ Photoelectric sensor S305F6RQ Photoelectric sensor S305F6RQ Photoelectric sensor S305F6RQ		Controller
KS0APT2GRVF2Q Assembly Sensor MQDC2S-815 Single-ended cordset 3097183/VELC85-BC image processing, lens cover 3047553/ ultrasonic sensor, reflection sensor PTL1105.FF100T03. LED light modules QP150/J046ACRQ receiver DELPE-81D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 EZ-SCREEN Low Profile End Mounting Bracket OS18VP6LD08 Diffuse Optical Sensor 3087484/ Work lamps, line lamp VILB32C11300BQ Photoelectric sensor, thru-beam sensor (receiver) S30876RQ Photoelectric sensor, thru-beam sensor (transmitter) S308F0 S127/AHC1929749 BANNER MQDC1-506 83214/AHC1985454 BANNER TL50GYRAQ R55F Series Fiber-Optic Color Mark Sensor S1127/AHC1929749 BANNER TL50GYRAQ R55FV0-14341 R55F Series Fiber-Optic Color Mark Sensor SLSE14-600Q8 Personal protection light curtain, transmitter SMB30SC Mounting Fixings Bracket QTB Syr66 QTB Sensor 3029508/S1856DQ Photoelectric sensor, reflection light tensor <		In-Line Converter
MQDC2S:815 Single-ended cordset 3097183 / VELC85-PC image processing, lens cover 3097184 / VELC85-PC image processing, lens cover 3097184 / VELC85-PC image processing, lens cover 3097184 / VELC85-PC iutrasonic sensor, reflection sensor QE150 / 805482 LED light modules QP150 / 805482 LED light modules SLPR25-550P8 receiver DELPE.81D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 EZ-SCREEN Low Profile End Mounting Bracket QS18VP6LDQ8 Diffuse Optical Sensor 3087484 / WL832C1130PEQ Work lamps, line lamp TUR3802557 Photoelectric sensor, thru-beam sensor (receiver) S305EQ Photoelectric sensor, thru-beam sensor (receiver) S306EQ Photoelectric sensor, thru-beam sensor (receiver) S30520 Personal protection light curtain, transmitter S1127 / AFC1995454 BANNER MQDC1-506 83214 / AHC1965454 BANNER MQDC1-506 S1257 / 400028 Personal protection light curtain, transmitter SLSE14-600028 Personal protectin light sensor 3053981 / 04		Assembly sensor
3097183 / VELC85-BG image processing, lens cover 3097184 / VELC85-PC image processing, lens cover 3097184 / VELC85-PC image processing, lens cover 3097184 / VELC85-PC iultrasonic sensor, reflection sensor 20450L1U64ACRQ ultrasonic sensor, reflection sensor PTL1105-FF100TD2- QP150 / 805482 LED light modules 3LPR25-550P8 receiver DELPE-81D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK11 EZ-SCREEN Low Profile End Mounting Bracket QS18VP6LDQ8 Diffuse Optical Sensor 3087484./ Werk lamps, line lamp TUR3802557 photoelectric sensor, thru-beam sensor (receiver) S303P6RQ Photoelectric sensor, thru-beam sensor (receiver) S303D6EQ Photoelectric sensor, thru-beam sensor (receiver) S303D62 Montelectric sensor, thru-beam sensor (receiver) S303D62 Photoelectric sensor S1127/ AHC1955544 BANNER MD		Single-ended cordset
3097184/VELC85-PC image processing, lens cover 3047553/ Q45ULU64ACRQ ultrasonic sensor, reflection sensor PTL1105-FF100TD3- QP150/805482 LED light modules SLPR25-550P8 receiver DELPE-81D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 EZ-SCREEN Low Profile End Mounting Bracket QS18VP6LDQ8 Diffuse Optical Sensor 3087484/ Work lamps, line lamp TILB362527 photoelectric sensor S305F6RQ Photoelectric sensor, thru-beam sensor (receiver) S404/LAHC1965454 BANNET TL506 S1127 / AHC19654545 BANNET		
3047553/ Q45ULU64ACRQ ultrasonic sensor, reflection sensor PTL105-FF100TD3- QP150 / 805482 LED light modules SLPR25-550P8 receiver DELPE-81D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 EZ-SCREEN Low Profile End Mounting Bracket QS18VP6LDQ8 Diffuse Optical Sensor 3087484/ Work lamps, line lamp TUR3802557 photoelectric sensor T18SP6LPQ Photoelectric sensor, thru-beam sensor (receiver) S308260 Photoelectric sensor, thru-beam sensor (receiver) S308260 Photoelectric sensor, thru-beam sensor S1127 / AHC1929749 BANNER MQDC1-506 82214 / AHC1965454 BANNER MQDC1-506 82214 / AHC1965454 BANNER MDDC1-506 83214 / AHC1965454 BANNER MDDC1-506 3053981 / Q45VR3LV Photoelectric sensor, reflection light sensor 3053981 / Q45VR3LV Photoelectric sensor, reflection light sensor 3053981 / Q45VR3LV Photoelectric		
PTL110S-FF100TD3- QP150/805482 LED light modules SLPR25-550P8 receiver DELPE-81D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 EZ-SCREEN Low Profile End Mounting Bracket QS18VP6LDQ8 Diffuse Optical Sensor 3087484./ Work lamps, line lamp TUR302557 T18SP6LPQ S305P6R0 Photoelectric sensor, thru-beam sensor (receiver) S306EQ Photoelectric sensor S3052 ManNER MODC1-506 S1SE14-50008 Personal protection light curtain, transmitter SMB30SC Mounting Fixings Bracket OTBVP6 OTB Series Optical Touch Button with PNP Output T18-2VPRL-0	<u>3047553 /</u>	<u> </u>
SLPR25-550P8 receiver DELPE-81D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 EZ-SCREEN Low Profile End Mounting Bracket QS18WP6LDQ8 Diffuse Optical Sensor 3087484/ Work lamps, line lamp TUR3802557 Photoelectric sensor S308P6RQ Photoelectric sensor, thru-beam sensor (receiver) S305EQ Photoelectric sensor, thru-beam sensor (transmitter) 51127/AHC1929749 BANNER MQDC1-506 83214/AHC1955454 BANNER TUSOGYRAQ R55FVQ-14341 R55F Series Fiber-Optic Color Mark Sensor SLSE14-600Q8 Personal protection light curtain, transmitter SM830S0 Mounting Fixings Bracket QTBVP6 OTB Series Optical Touch Button with PNP Output T18:2VPRLQ8 Through-Beam Optical Sensor 3029508 / S18SP6DQ Photoelectric sensor, reflection light barrier MBCC2:S06 Cordset SM91FQD SIGNAL TURNER 3053981 / 045VR3LV Photoelectric sensor, reflection light barrier MBCC2:S06 CYLINDRICAL INDUCTIVE SENSOR PNP 25530 SIGNAL CONVERTER <t< th=""><th>PTL110S-FF100TD3-</th><th>LED light modules</th></t<>	PTL110S-FF100TD3-	LED light modules
DELPE-81D Double-Ended Cordset: M12 to LP-Custom, 8-Pin Male to 11-Pin Male, 0.3 m LPA-MBK-11 EZ-SCREEN Low Profile End Mounting Bracket QS18VP6LDQ8 Diffuse Optical Sensor 3087484/ Work lamps, line lamp TUR3802557 Til8SP6LPQ T18SP6LPQ photoelectric sensor \$30305EQ Photoelectric sensor, thru-beam sensor (transmitter) \$3047444 BANNER MQDC1-506 83214/AHC195454 BANNER MQDC1-506 83214/AHC195454 BANNER TL50GYRAQ R55FVQ-14341 R55F Series Fiber-Optic Color Mark Sensor SLSE14-600Q8 Personal protection light curtain, transmitter SM830SC Mounting Fixings Bracket QTEVP6 OTB Series Optical Touch Button with PNP Output T18-2VPRL-Q8 Through-Beam Optical Sensor 3025308 / S18SP6DQ Photoelectric sensor, reflection light sensor 303581/Q45VR3LV Photoelectric sensor, reflection light barrier MECC2-506 Cordset SM91RFQD SIGNAL CONVERTER WLS27PXRGBW285DSQ LIGHT STRIP MQDC-506 PRO CONVERTER CSB-M1251FM1251M <		receiver
LPA-MBK:11 EZ-SCREEN Low Profile End Mounting Bracket QS18VP6LDQ8 Diffuse Optical Sensor 3067484/ Work lamps, line lamp TUR3802557 photoelectric sensor S30SP6RQ Photoelectric sensor S30SP6RQ Photoelectric sensor, thru-beam sensor (receiver) S30SP6RQ Photoelectric sensor, thru-beam sensor (receiver) S30SEQ Photoelectric sensor, thru-beam sensor (receiver) S30SEQ BANNER MQDC1-506 83214/AHC1965454 BANNER TL50GYRAQ R55EVQ-14341 R55F Series Fiber-Optic Color Mark Sensor SLSE14-600Q8 Personal protection light curtain, transmitter SMB30SC Mounting Fixings Bracket OTBVP6 OTB Series Optical Touch Button with PNP Output T18-2VPRL-Q8 Through-Beam Optical Sensor 3025908 / S1835P6DQ Photoelectric sensor, reflection light barrier MBCC2-506 Cordset SM91RFQD SIGNAL TURNER 36150 CYLINDRICAL INDUCTIVE SENSOR PNP 25530 SIGNAL CONVERTER WLS27PXRGBW283DSQ LIGHT STRIP MQDC-506 PRO CONVERTER </th <th></th> <th></th>		
QS18VP6LDQ8 Diffuse Optical Sensor 3087484/ WLB32C1130PBQ Work lamps, line lamp TUR802557 I T18SP6LPQ photoelectric sensor S305P6RQ Photoelectric sensor, thru-beam sensor (receiver) S305EQ Photoelectric sensor, thru-beam sensor (receiver) S305EQ Photoelectric sensor, thru-beam sensor (receiver) S305EQ Photoelectric sensor, thru-beam sensor (transmitter) 51127 / AHC1929749 BANNER MQDC1-506 83214 / AHC1965454 BANNER TL50GYRAQ R55F Series Fiber-Optic Color Mark Sensor SLSE14-600Q8 Personal protection light curtain, transmitter SIMB30SC Mounting Fixings Bracket OTB VP66 OTB VP66 OTB Series Optical Touch Button with PNP Output T18-2VPRL-Q8 Through-Beam Optical Sensor 302508 / S18SP6DQ Photoelectric sensor, reflection light sensor 3053881 / Q45VR3LV Photoelectric sensor, reflection light barrier MBCC2-506 Cordset SM91RFOD SIGNAL TURNER 36150 CYLINDRICAL INDUCTIVE SENSOR PNP 25530 SIGNAL CONVERTER VLS277		
3087484/ WLB32C1130PEQ Work lamps, line lamp TUR3802557 photoelectric sensor T18SP6LPQ photoelectric sensor S30SP6RQ Photoelectric sensor, thru-beam sensor (receiver) S30S6CQ Photoelectric sensor, thru-beam sensor (receiver) S1127/AHC1929749 BANNER MQDC1-506 83214/AHC1965454 BANNER TL50GYRAQ R55FVQ-14341 R55F Series Fiber-Optic Color Mark Sensor SLSE14-600Q8 Personal protection light curtain, transmitter SMB30SQ Mounting Fixings Bracket OTEVP6 OTB Series Optical Touch Button with PNP Output T18-2VPRL-Q8 Through-Beam Optical Sensor 3029508 / S18SP6DQ Photoelectric sensor, reflection light sensor 3029508 / S18SP6DQ Photoelectric sensor, reflection light barrier MBCC2-506 Cordset SM91RFQD SIGNAL TURNER 36150 CYLINDRICAL INDUCTIVE SENSOR PNP 25530 SIGNAL CONVERTER WLS27PXRGBW285DSQ LIGHT STRIP MQDC-506 PRO CONVERTER CSB-M1251IML251M CONNECTOR PSW-241 DC POWER SUPPLY		5
TUR3802557T18SP6LPQphotoelectric sensor\$305P6RQPhotoelectric sensor, thru-beam sensor (receiver)\$306EQPhotoelectric sensor, thru-beam sensor (transmitter)\$1127 / AHC1929749BANNER MODC1-506\$3214 / AHC1965454BANNER TL50GYRAQ855EVQ-14341R55F Series Fiber-Optic Color Mark Sensor\$LSE14-600Q8Personal protection light curtain, transmitter\$MB30SCMounting Fixings BracketOTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-Q8Through-Beam Optical Sensor3029508 / S18SP6DQPhotoelectric sensor, reflection light sensor303931 / Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506Cordset\$M91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDC2-2430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical Sensor	<u></u>	· · · · · · · · · · · · · · · · · · ·
TIBSP6LPQphotoelectric sensorS30SP6RQPhotoelectric sensor, thru-beam sensor (receiver)S306EQPhotoelectric sensor, thru-beam sensor (transmitter)51127/AHC1929749BANNER MQDC1-50683214/AHC1965454BANNER MQDC1-50683214/AHC1965454BANNER TL50GYRAQR55FVQ-14341R55F Series Fiber-Optic Color Mark SensorSLSE14-600Q8Personal protection light curtain, transmitterSMB30SCMounting Fixings BracketOTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-Q8Through-Beam Optical Sensor3029508/S18SP6DQPhotoelectric sensor, reflection light sensor3053981/Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRG8W285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor		
S30SP6RQPhotoelectric sensor, thru-beam sensor (receiver)S306EQPhotoelectric sensor, thru-beam sensor (transmitter)51127 / AHC1929749BANNER MQDC1-50683214 / AHC1965454BANNER TL50GYRAQR55FVQ.14341R55F Series Fiber-Optic Color Mark SensorSLSE14-600Q8Personal protection light curtain, transmitterSMB30SCMounting Fixings BracketOTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-Q8Through-Beam Optical Sensor30239508 / S185P6DQPhotoelectric sensor, reflection light sensor3053981 / Q45VR3LVPhotoelectric sensorMBCC2-506CordsetSM91RFQDSIGNAL CONVERTER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERMQDC-506PRO CONVERTERCSE-M1251FM1251MCONNECTORPSW-24-1		photoelectric sensor
S306EQPhotoelectric sensor, thru-beam sensor (transmitter)51127 / AHC1929749BANNER MQDC1-50683214 / AHC1965454BANNER TL50GYRAQR55FVQ-14341R55F Series Fiber-Optic Color Mark SensorSLSE14-600Q8Personal protection light curtain, transmitterSMB30SCMounting Fixings BracketQTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-Q8Through-Beam Optical Sensor3029508 / S18SP6DQPhotoelectric sensor, reflection light sensor3053981 / Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical Sensor		
51127/AHC1929749BANNER MQDC1-50683214/AHC1965454BANNER TL50GYRAQR55FVQ-14341R55F Series Fiber-Optic Color Mark SensorSLSE14-600Q8Personal protection light curtain, transmitterSMB30SCMounting Fixings BracketQTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-08Through-Beam Optical Sensor3029508/S18SP6DQPhotoelectric sensor, reflection light sensor3053981/Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor		
83214 / AHC1965454BANNER TL50GYRAQR55FVQ-14341R55F Series Fiber-Optic Color Mark SensorSLSE14-600Q8Personal protection light curtain, transmitterSMB30SCMounting Fixings BracketOTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-Q8Through-Beam Optical Sensor3029508 / S18SP6DQPhotoelectric sensor, reflection light sensor3053981 / Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251IMCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor		
R55FVQ:14341R55F Series Fiber-Optic Color Mark SensorSLSE14-600Q8Personal protection light curtain, transmitterSMB30SCMounting Fixings BracketOTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-Q8Through-Beam Optical Sensor3029508 / S18SP6DQPhotoelectric sensor, reflection light sensor3053981 / Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor		BANNER TL50GYRAQ
SLSE14-600Q8Personal protection light curtain, transmitterSMB30SCMounting Fixings BracketQTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-Q8Through-Beam Optical Sensor3029508 / S18SP6DQPhotoelectric sensor, reflection light sensor3053981 / Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor		R55F Series Fiber-Optic Color Mark Sensor
SMB30SCMounting Fixings BracketOTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-Q8Through-Beam Optical Sensor3029508 / S18SP6DQPhotoelectric sensor, reflection light sensor3053981 / Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor		•
OTBVP6OTB Series Optical Touch Button with PNP OutputT18-2VPRL-Q8Through-Beam Optical Sensor3029508 / S18SP6DQPhotoelectric sensor, reflection light sensor3053981 / Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	SMB30SC	· · · · ·
T18-2VPRL-Q8Through-Beam Optical Sensor3029508 / S18SP6DQPhotoelectric sensor, reflection light sensor3053981 / Q45VR3LVPhotoelectric sensor, reflection light barrierMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	OTBVP6	
3053981 / Q45VR3LVMBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	T18-2VPRL-Q8	Through-Beam Optical Sensor
MBCC2-506CordsetSM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	<u>3029508 / S18SP6DQ</u>	Photoelectric sensor, reflection light sensor
SM91RFQDSIGNAL TURNER36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	<u>3053981 / Q45VR3LV</u>	Photoelectric sensor, reflection light barrier
36150CYLINDRICAL INDUCTIVE SENSOR PNP25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	MBCC2-506	Cordset
25530SIGNAL CONVERTERWLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	SM91RFQD	SIGNAL TURNER
WLS27PXRGBW285DSQLIGHT STRIPMQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	36150	CYLINDRICAL INDUCTIVE SENSOR PNP
MQDC-506PRO CONVERTERCSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	<u>25530</u>	SIGNAL CONVERTER
CSB-M1251FM1251MCONNECTORPSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	WLS27PXRGBW285DSQ	LIGHT STRIP
PSW-24-1DC POWER SUPPLYESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	<u>MQDC-506</u>	PRO CONVERTER
ESL-41/60-ENESEnergeney stopMQDEC2-430RACordsetT18-2VPFF100IR-Q8Background Suppression Optical SensorBA1.53SMETAM600Photoelectric Sensor	CSB-M1251FM1251M	CONNECTOR
MQDEC2-430RA Cordset T18-2VPFF100IR-Q8 Background Suppression Optical Sensor BA1.53SMETAM600 Photoelectric Sensor	<u>PSW-24-1</u>	DC POWER SUPPLY
T18-2VPFF100IR-Q8 Background Suppression Optical Sensor BA1.53SMETAM600 Photoelectric Sensor	ESL-41/60-ENES	Energeney stop
BA1.53SMETAM600 Photoelectric Sensor	MQDEC2-430RA	Cordset
	T18-2VPFF100IR-Q8	Background Suppression Optical Sensor
WLH60XW340GB WLH60 Series High Temperature LED Light	BA1.53SMETAM600	Photoelectric Sensor
	WLH60XW340GB	WLH60 Series High Temperature LED Light

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





Product	Description
Q4XTBLAF500-Q8	Laser distance sensor
SLM10B6, 74965	SLM Series 10 mm Slot Sensor with Bipolar Output
T18-2VPRL-Q8, 802607	T18-2 Series Polarized Retroreflective Sensor
QS30EXQ	photoelectric sensor
QS30RRXQ	photoelectric sensor
LX3EQ	Safety Light Curtain
M18TUP14Q-77118	Temperature sensor
<u>VE200G1A</u>	image processing, smart camera
<u>VE201G1A</u>	image processing, smart camera
SI-LS83PBD	SI-LS83 Series Safety Interlock Switch
<u>3813083 /</u> K100PLRGB7AQ	tower light
K50LGRYP	Rearable
S18UBAQ	proximity sensor
MACP-1	Safety Light Curtain
BMEL3032A	Photoelectric Sensor
BMRL3032A	Photoelectric Sensor
WLB32ZC850EPBQMEF	Work light bar
R45C-KUU-UUQ	Interface Module
WLS27PXRGBW570DSQ	Led Lighting Bars & Strips
S15CM-PF-UQ	Circular Metric Connector
BFW-M12M4-6X	Circular Metric Connector
<u>BFW-M12F4-6X</u>	Circular Metric Connector
87852 / LMBWLB32-180S	Mounting Bracket
73661 / MQDEC2-406	Cordset
S18-2VPLPC-Q8	Photoelectric Sensor, Polarized Retro, 6m, 10-30VDC, PNP, QD, S18-2
BRT-60X40C	Reflector, Rectangular, 60mm x 40mm
Q60BB6AF2000Q	Photoelectric Sensor, Adjustable Field IR, 2m, 10-30VDC, NPN/PNP, QD
T30UXDCQ8	T30UX Series Ultrasonic Sensor with Discrete Output
<u>Q240RA-Z2CN</u>	Radar Sensor
QS18VN6RBQ5	Opto-sensor, one-way light barrier (receiver)
SLPMP25-690P128	safety light curtains
<u>QS18VP6LQ</u>	photoelectric sensors
<u>SMU315D</u>	Photoelectric Sensor
OTBA5	photoelectric sensor
<u>SM312F</u>	Photoelectric Sensor
<u>3022317 / IAT2.53SM600</u>	Glass Fiber Optic Cable, 2.53 mm Diameter, 600 mm Length
QT50R-EU-AFHQ	R-Gage Series Photoelectric Sensors
QCM50-K1D60-Q8-4	BRACKET
SMBQCM50L	Stainless Steel Right-Angle
CSB-M1251M1251B	DIVERTER CABLE
<u>T30SP6FF400</u>	cylindrical optical sensor
<u>QS18EN6D</u>	Photoelectric Sensor
QS30EDVQ	Diffuse Optical Sensor





Product	Description
Q12AP6FF30Q3	Background Suppression Optical Sensor
T18-2VNFF50IR-2M	Background Suppression Optical Sensor
<u>86746 / LE550IQ</u>	Distance Sensor
45LM5D	Q45 Series Logic Module with Delay Functions
WLC90IGL30RQ	
QS30EXQ-17527	Photoelectric Sensor
QS30ARXQ-17528	Photoelectric Sensor
QS30ARXQ-17530	Photoelectric Sensor
QS30EXQ-17529	Photoelectric Sensor
OTBVP6QDH	Photoelectric Sensors
RP-LM40D-6	cable pull switch
802619 / T18-2NAES-Q8	Photoelectric Sensor
810672 / WL50-3W	work lamps, spot light
<u>RSBF</u>	Right-Angle Bracket for T30 Series Sensors
<u>RLM8</u>	MAXI-BEAM Logic Module with One-Shot and Delayed One-Shot Functions
TM18VP6LPQ8	Retroreflective Optical Sensor
T18-2NAEL-Q8	Through-Beam Optical Sensor
<u>45007 / BRT-41AHT</u>	RETROREFLECTIVE TARGET
SM30SRLMC1 W/30 70987	Through-Beam Optical Sensor 492.13' (150m) NPN/PNP - Dark-ON/Light-ON
SMA30SELMC1 W/30 70923	Through-Beam Optical Sensor 492.13' (150m)
<u>IA23S</u>	Fibre Optic Sensor
<u>Q10AP6DQ</u>	Photoelectric Sensor
802139 / K30L2RGB7	
803770 / MQDC-506-USB	usb
77986 / K50LGRYA120Q	Indicator Light
<u>TUR3808760</u>	
S22AMTSGRY3T	
K30PLKQ	Industrial Panel Mount Indicator
3801130 / LTF12KC2LDQ	Photoelectric Sensor
71562 / QS30ARXQ	Photoelectric Sensor
STBVR81Q	Touch Button
<u>MBCC-512</u>	Sensor Cables / Actuator Cables
WLB32ZC850PBQMB	LED light strips and light strips
WLB32ZC285PBQMB	LED light strips and light strips
LQMAC-306B	CABLE
<u>83435 / K50FLGRYPQ</u>	
<u>91290 / Q4XTBLAF100-Q8</u>	Q4X Series: Laser Adjustable Field, Range: 100 mm; Input: 10-30 V dc, Outputs: Bipolar: 1 NPN; 1 PNP, Connection: 5-pin M12 Integral Connector
<u>IT23SM900</u>	Fiber Optic Sensor
<u>SM912F</u>	Photoelectric Sensor
K50RBT2RGHQ	