



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Brevetti

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
Type 300A050060ST	energy supply chain
A300A025K	
A306SK1	mounting bracket
A308SK1	mounting bracket
A328K	Optionally chain SR328S the coupling element
AN20012K	Moving cable carrier fitting
Type AN300A025K	
AN300A050K	Kst. Connecting elements
AN325L040KM	Connection elements Kst. mounted SR325LE C = 40
AN770085K	Connecting elements Kst.
AN770AKM	Connection elements Kst. mounted SR770A
GL308	
445PU095100	energy supply chain
S3000FMC	Plastic divider
S300AMC	Divider plastic
445MU175200	Nylon cable chains
475MU224300 1.050 m	
770085150	energy supply Can be opened inside
770150250ST	Nylon cable chain
300A075060	
300A025040	
305008ST	
305A030ST	
308B3002	chain
325LE103050ST	5,040 m
5001	Power supply chain
SR770 C=250	connection elements
770150150	cable channel
30091048S	
335LI076075	NYLON CABLE CHAIN
AN335L076K (Anschlusselemente Kst. lose Kettentyp 335LI C=76)	END BRACKETS FOR CABLE CHAIN
326SE061150	energy supply chain
A326KM	Anschlusselemente Stahl verz. (galv.)
20012040	Energieführungskette

Product	Description
325LE076100	Energieführungskette
325LE040050 (2.83 meters)	Power supply chain
AN20012KM	fastenings
S325LMC	
AN325L076KM	Anschlusselemente
335LE103065 ITEM-OFF-MT	Energieführungsk. Kst. aufklappb. aussen
3234370S2	Energieführungskette
355A045	
SR300025040	Chain
300025040	Energieführungsk. Kst. nicht aufklappb.
305030	energy supply chain
S305	Trennsteg Kunststoff lose
AN305KM	Anschlusselemente Kst.
AG300K1	Galvanised steel mounting elements (Galv.)
PG300	1-way connector bolt box Lost yellow
305A010S	
AP305AKM1	End Housing
A445M075KM1	Anschlusselemente
445MU075150	Energieführungsk. Kst. aufklappb. beide
445MU125200	
445PU100100	Energy chain
AN445K1	Kit Brackets Nylon Patents
326SE072200	
435MI076060	Cable Chain
S4353MC	
ITEM-OFF-NR	
AN435M076K	
30091038	Plastic Chain
2001218	Plastic Chain
A325LK	Anschlusselemente Stahl verz. (galv.)
AN325L076K	Mounting brackets box loose SR325L.. C=76
A30091K1	galvanized steel connecting elements. (Galv.)
355046 (3 m.)	Moving the cable channel
355066 (3 m.)	Moving the cable channel
309B4006	Energieführungsk. Kst. AlumRundRahmenst
A309K1	Anschlusselemente Stahl verz. (galv.)
770A056150 (3,010 m)	
770A056175 (3.010 m)	ITEM-OFF-MT
445MU075175	Drag chain R=175mm
445PU075150	Drag chain R=150mm
445PU075175	Drag chain R=175mm
AN445M075K	Type A Nylon end brackets
S770AMC	

Product	Description
AN770AK	mounting bracket
309SU314250AP	.
S309C	Partition bar plastic loose
445MU100100 (4,221 m)	Energieführungskette, Kunststoff, Serie Medium vom Typ 445MU
300A015040	nylon cable chain
AM355AK1	
AN445M100KM	Anschlusselemente Kst.
445MU081150	
A445M081KM1	
445MU050125 (1,206 m)	
309SU214250D	
S309SMCE	
AN309KM	
A309SKM1	
BC500 12X62.5/125	
355097	
355A065	
PG309H	3-fold connecting bolt plastic yellows
CM355	
326SU086200 (1 x 14,950 m)	Nylon Sliding Cable Chain with opening frame
S660A	Separator S660A for nylon cable chain with openable frame 660A
4453SIST075	Chain Carrier
306B2003	
309SU139350	Nylon cable chain with opening cross frames from inner/outer radius
307SU092140D	
308SU240200D	
S2000FMC	
AN306KM	
A307SKM2	
A308SKM2	
435MU060100	
355046	nylon cable
AN355KM	End bracket set
305009ST	
300025040ST	STRAP
AP300K1	mounting brackets
435PU076200	
AN435P076K	Anschlusselemente Kst.
435MU076060	
308SU163200 (1 pcs = 1,04m)	Energieführungsk. Kst. aufklappb. beide
308SU199230 (1 pcs = 1,04m)	Energieführungsk. Kst. aufklappb. beide

Product	Description
306SU129150 (1 pcs = 1,04m)	Energieführungsk. Kst. aufklappb. beide
306SU074150 (1 pcs = 1,04m)	Energieführungsk. Kst. aufklappb. beide
AP300KM1	
300015040 (1pcs. - 0.990m)	
770250200	Power supply chain
700251	Cable chain
CL700	Hinged lid
MLR 25 L 4020 2563/A	Capacitor
SR325LE060100	Cable channel
AN325L060K	
CFC325L060K	strain relief comb
SR445ME100100	
SRA445M100K1	
SR325LE040050	CHAIN
SR305010	
20012018ST	
326BX050107	
AX326X6KM	Stainless steel connection elements
300025060ST	
300025060	
305A010ST	Cable Chain with Removable Frames
250LI025038ST	
325LE103100	cable handling pallet
445AU081100	Energy supply
305A009	energy source. cst. arises inside.
S445UFMCI	Plastic separator mounted
A445A081KM1	Mounting brackets galvanized steel
SR300A015040	Chain
305A040ST	
AG305AK1	
SR300025040	
306SU110150	Heavy Duty Movable Cable Tray
AN305K	Anschlusselemente Kst.
4260195-MC	
325LE040100ST	
309T150200	
445PU125100S	Power supply chains
AN20012K1	mounting brackets
328SU092150	
660050100ST	energy management. Cst. pop. inside
AN660050K	Mounting brackets, Kst.
445MU107150	
AW445M107KM	

Product	Description
20012018	energy supply chain
PG445	1-way connection bolt
SRA30024	
20012018	
435PU060075	warp
305A008ST	energy supply chain
305020ST	energy supply chain
435PU150150	energy supply chain
435PU125150	energy supply chain
AN435M103K	mounting brackets
PG4353	yellow button tabs to connect the links
AP355AKM1	
250LI050038 4 x 0,348 m	
250LI050038 4 x 0,377 m	
AN250L050KM1	
300035040ST	Cable management system
400060ST	Nylon Cable Chain
AN400K	Loose mounting brackets
306SU068150	
AN325L103K	
325LI060100ST	
306SU068150	
300A050080	
306SU100150	
355A045	
309SU240200	
AN770085KM	
770A206200 (0,98m)	energy management. Kst. fold-out. inside
AN250L015K1	mounting bracket
325LE060050ST	Energieführk
770A170200 (0,98 m)	energy management. Kst. fold-out. inside
S770A	Separator plastic loose
306SU068107	
400062ST	
355045ST	energy conduction. Kst. does not open
306SU129107	energy conduction. Kst. pop up. both
300025080ST	energy conduction. Kst. does not open
445MU175300	
AW445M175K	
445MU175300 / 50,250 m	
308SU274150	nylon Cable Chain
300A025040	300A Nylon Cable Chain with opening frames
AN300A025K	Nylon Cable Chain

Product	Description
AN300A075K	
300A025040ST	
445PU125125	
SR25040 C=15	
CI770150	
300015080ST	
80PU470400 15.840 m	energy supply chain
S80F	Trennsteg
SM80HOF6L	separator
80PU470400 0.660 m	energy supply chain
300A075060ST	
A300A075K	
300A050060ST	
A300A050K	
SR300A025-080	Cable chai
445MU125250	
355045ST	HSYTER 20x40 Cable Transport Chain 45X30 1000mm Cable Chain
sR300-92038 - 70	
sR300-015040 / 300015040	electrical circuit
sR300-92038 / 30092038ST	electrical circuit
sR300-92070	
770A131200	energy supply Can be opened inside
CI770085	lids
435MU150	
AN435K1	
CFC300025K	
CFC308S163K	
SFCT306S129K	
SFCT306S074K	
S308SHF	
300015040ST	cable chain
660100100ST	
SR306SU110150 old code, new code 306SU110150	
AN335L060K	
AN306K	
AN660100K	
335LI060065ST	STRIP 335LI R065A76,5C060
PG 309H length 50cm	
PG305	
400061ST	
328SU106150	
355095	Energy management Kst. Does not open
PZ010	Bolt pliers

Product	Description
339040100	Energy management Can't be opened
GL308 / Chain type 308-318	
Type 305020ST	Plastic cable chain
300A025040ST SR300A025040	Chain
300025080	CABLE AND WIRING CHAIN
PG300A	
308SU274150PN	cable holder
24355302	
475PU094180 / 2,1	
325LI076060	
309C300250	
50010	
A50010NK	
SUP500	
C4353S103	
AN309C300K	
A475K	Attachment kit
300A050040ST	Energy management Kst. unfold. inside
300A075040ST	Energy management Kst. unfold. inside
435MU060075	
30LT156150	
435PU103200 (6.6 mt)	CLOSED NYLON CHAIN
435PU103200 (3.5mt)	CLOSED NYLON CHAIN
A445M125KM1V	mounting elements
300A025120	Nylon cable chain
PG307	
400041ST	Plastic cable chain
326SU186300	Serie Sliding
770150200ST	energy supply chain
AN770150K	connection elements
300A015080	
AN308SK	connection elements
660050150	
Type CM355	
A326K	Steel connectors
355A065ST	
435MU050060	
AN435M050K	
Type AN445K1	Angle connection elements
329SU214200	
AG300KM2	
326SU161150	
325LE103100 LONG 3550	

Product	Description
Cod. 300A075060ST	STRIPE
Type 435MU076060	
250LE025075ST	chain
AN250L025K1	
AN435M076KM	
S300A	
S308CMCE	Plastic divider
328SU211200	Cable chain
328B250150	cable chain
AC328SC	
RAL04SL123	Loose aluminum round bar
CAIR309CU214	
CAER309CU214	
300A050040ST (4,95m)	energy supply chain
308SU163230	
ANB335L040K1	connection elements
319ST400X	sideband
Type 319ST400X	sideband
PAT319	Sliding shoe
VTSCE0630X	
A435M050K1	
300A075120ST	cable
300A050040S	Cable Chains – inner diameter 50mm, bending radius – 40mm
AG400K1	Pale End Bracket Set
H80BSTDX250	Right side band plastic
H80BSTSX250	Left side band plastic
PNH80RS	connection pin
TA22SL250	aluminium frame bridge
S445SH	Bag Separator
AW445M211K	connection elements
445MU211075	Energy management technology. Kst. unfold. both
308SU322150	nylon cable tray
S308CMCI	Trennsteg
PNI445C050 / 445PU C=50	
PNE445C050 / 445PU C=50	
325LI040050ST	
Type 325LE103050ST	
250LI035045ST	
325LE103050	
AN250L035K1	
250LI015028	
AN250L015KM1	connection elements
445MU100150	

Product	Description
AW445M100KM	Box compact connectors
770150200	nylon chain
AN770150KM	attachment kit
300A075040/1,200 m/40 links	
A300A075KM	
305030ST	energy supply chain
445MU252250	
A445M252KM1	
7000002XL0200	C-rail
445MU252250 / 1.005 m	
A445M252K1	
A475P094KM1	Steel end brackets
A475KM1	connection elements
300A075040 1,500 m/50 links	
300A075040 0,300 m/10 links	
475PU094180 / 3,15 m	
355047ST	
SR300015040	
599 A=272 C=210 R=220	Energy management technology. Kst. AlumRahmenSt.
A599KM	Black lacquered steel mounting brackets
SUP599	Black lacquered steel support frame
A309SKM1AP	
325LE103050ST (Standard length 990mm)	
305A009 2,5m	Energy management technology. Kst. opens inside
600150ST	
AL600K	connection elements
308SU163150	