







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





## Comepi

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

## **BRAND'S PRODUCTS**

Product	Description
AM1F51Z02	SWITCH
AM1F51Z11	Limit switch
<u>AP1T13Z11</u>	Limit switch
AP3R001Z11	LIMIT SWITCH
AP3T30W02	LİMİT SWITCH
<u>AP3T41Z11</u>	Limit Switch
<u>AP4T14Z11</u>	Limit switch
<u>AP5T48Z11</u>	limit switch
BM1E93X11	Limit switch
BM1E99Z11A	Limit switch
BM5E11Z11	Limit switch
BP1H12Z11	Limit switch
BP1H19W20	Limit switch
CM1E32Z11	Limit switch
CM1E42Z11	Limit switch
DM 1 F 45 Z 11	
DM1F12Z11	Limit switch
ECX1320	
ECX1510	
<u>EP1G11Z</u>	polymeric casing IP67
EP1G25ZU	polymeric casing IP67
EP1G42Z050	LEVER LIMIT SWITCH
<u>PS1111</u>	Foot switch
PS1111/V0	
<u>PS1211</u>	Foot switch
<u>SBM1K99X11</u>	Limit switch
SBM2K97X11	Safety Limit switch
<u>AP2T51Z11</u>	Limit Switch with Adjustable Lever and Nylon Roller (ø 18mm), IP65, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
ECX1232	Pilot light
SP4K20W02	Safety limit switch
EP1G73Z	Pre-wired Limit Switch with Adjustable Nylon Rod Lever (ø 6mm), IP67, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
<u>AP1T5110X11</u>	Limit Switch with Adjustable Lever and Nylon Roller (ø 18mm), IP65, Slow Action Contacts (1NO +
<u>oem</u>	1NC), Double Insulation, Positive Opening Operation

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Comepi Page 1 / 10





Product	Description
SM1K98X11	Safety limit switch
SP2K120X11	switch
<u>SP5K20Z11</u>	Safety Limit Switch with Separate Actuator, Adjustable 90° Head, IP65, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
BM1E52X12	Limit Switch with Adjustable Ø22 Metal Roller Lever, IP66, Non-Overlapping Slow Action Contacts (1NO + 1NC), Positive Opening Operation
<u>AP1T91Z11</u>	Limit Switch with Stainless Steel Spring Multidirectional Actuator, IP65, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
CM1E52Z11	Limit Switch with Adjustable Ø22 Metal Roller Lever, IP66, Snap Action Contacts (1NO + 1NC), Positive Opening Operation
<u>SP1K10Z11</u>	Safe limit switch
EP1G42Z020	Pre-wired Limit Switch with Ø14 Metal Roller Lever, IP67, Snap Action Contacts (1NO + 1NC), 2m UL Cable
SBM1K9900X12P	Safety limit switch
<u>AP3T12Z11</u>	MAP SERIES LIMIT SWITCH
DM1F61Z11	LIMIT SWITCH
<u>SP3K20Z11</u>	Nachsatz
Adjustable joint key 40	Adjustable joint key
ECX 1100	Metal flush pushbutton
ECX 1101	Metal flush pushbutton
ECX 1181	Illuminated push button
ECX 1182	Illuminated push button
ECX 1184	Illuminated push button
ECX 1231	Pilot light
ECX 1236	Pilot light
ECX 1252	Illuminated selector switch
<u>EM1G41Z</u>	Limit Switch with Nylon Roller Lever (Ø14mm), IP67, Snap Action Contacts (1NO + 1NC), Pre-wired with UL Cable
<u>SP1K20Z11</u>	Betätiger for Sicherheitsschalter
AM2T98Z11A	
<u>AP1T93Z11</u>	Detector
<u>PS1113</u>	Safety Limit Switch with Separate Actuator, IP65, Snap Action Contacts (1NO + 1NC), Positive Opening Operation
<u>AP4T13W20</u>	Limit Switch with Adjustable Lever and Nylon Roller (ø 18mm), IP65, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
operating key No 15	Operating Key for Safety Limit Switches with Separate Actuator, Compatible with SP, SM, SDP, and SDM Series
SP4K2003W02	Safety Limit Switch with Separate Actuator, Adjustable 90° Head, IP65, Slow Action Contacts (2NC), Double Insulation, Positive Opening Operation
SP2K20X11	Safety Limit Switch
<u>AP1T51Z11</u>	Limit Switch with Adjustable Lever and Nylon Roller (ø 18mm), IP65, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
<u>AP1T31Z11</u>	Limit switch
EP1G73Z050U	Limit switch
(5m UL cable)	Little Switch

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Comepi Page 2 / 10





Product	Description
EP1G42Z040U	Pre-wired Limit Switch with Ø14 Metal Roller Lever, IP67, Snap Action Contacts (1NO + 1NC), 4m UL Cable
EP1G42Z030U	Pre-wired Limit Switch with Ø14 Metal Roller Lever, IP67, Snap Action Contacts (1NO + 1NC), 3m Cable
EP1G42Z050U	Pre-wired Limit Switch with Ø14 Metal Roller Lever, IP67, Snap Action Contacts (1NO + 1NC), 5m Cable
PS1211/VO	foot pedal
<u>SA 103 SL</u>	Safety Limit Switch with Separate Actuator, IP65, Slow Action Contacts (1NO + 2NC), Positive Opening Operation
SA 106/40 SL	Thermoplastic Enclosure with 2 Plastic Flush Pushbuttons (ON/OFF), IP65, Includes 1NC and 1NO Contacts
AM2F12Z11	Limit Switch with Metal Roller Plunger, IP66, Snap Action Contacts (1NO + 1NC), Positive Opening Operation
SBM2K40X12	safety switch
SDM2K120X11	Safety limit switch
EM1G92Z050U	Limit switch
ECX1330	switch
BM5M51Z11	Limit Switch
BM5E31Z11	Limit Switch
DM4T98Z11	Pull Switch
BP1H13Z11	Limit switch
SP5K20X11	safety switch
<u>EM1G11Z</u>	sensor
<u>EP2G13Z</u>	Limit Switch
EM1G13Z	Limit Switches
EM1G16ZU	Limit Switches
EP1G11ZU	Limit Switches
EM1G11ZU	Wired limit switch
EP1G12ZU	Limit Switches
EM1G12ZU	Limit Switch
EM1G13ZU	Pre-wired Limit Switch with Adjustable Nylon Rod Lever, IP67, Snap Action Contacts (1NO + 1NC),  Double Insulation
EP1G11ZM	Limit Switches
EM1G11ZM	Limit Switches
EM1G14ZM	Stop switch
EP1G11ZA	Limit Switches
EP1G12ZA	Limit Switch
EM1G12ZA	Position switch
MS1A31-024	Safety devices
DM1F43Z11	LIMIT SWITCH
CMAM1F53Z11	LIMIT SWITCH
ECX1107	Green Flush Pushbutton, Metal Body, Ø22mm Mounting Hole, IP65 Protection
ECX1106	Red Flush Pushbutton, Metal Body, Ø22mm Mounting Hole, IP65 Protection
ECX1103	Yellow Flush Pushbutton, Metal Body, Ø22mm Mounting Hole, IP65 Protection
SBM2K400X12	switch

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom! RADWARD LTD United Kingdom





Product	Description
SDM2K98X11	Safety limit switch
CMMP6123	MICROPEDAL WITHOUT PLATE
SDM2K98W02	Safety limit switch
EP1G73Z070U	Pre-wired Limit Switch with Adjustable Nylon Rod Lever (6mm Diameter), IP67, Snap Action Contacts (1NO + 1NC), 7m Cable
EP1G42ZU	Limit switch
EP1G45ZU	Pre-wired Limit Switch with Nylon Roller Lever (18mm Diameter), IP67, Snap Action Contacts (1NO + 1NC), Positive Opening Operation
<u>EP1G5100ZU</u>	Pre-wired Limit Switch with Adjustable Metal Roller Lever, IP67, Snap Action Contacts (1NO + 1NC), 1m Cable
MP6123	Mini Foot Switch with Black Base and Black Cover, UL Approved, Microswitch NO/NC
<u>AP5T13Z11</u>	Limit switch
<u>AP4T45Z11</u>	Limit switch
DM1F73Z11	Limit switch
<u>AP3T91Z11</u>	Limit switch
DP5T52Z11	Limit switch
AP4T93Z11	Limit switch
<u>AP4T98Z11A</u>	Limit switch
BP1H51Z11	Limit switch
ECX-1029/P	Contact element NC
ECX-1300	Short lever selector switch, 2 pos., maintained
ECX-1050	Support base + lamp holder (400 V max.)
ECX-1030	Contact element NC
ECX1202	Lighted push-button, plastic ring protected, green
AP3T51Z11	Limit switch
SP2K20W02	Safety limit switch
SP1K10X11	Head key security
DM5F51Z11	Limit switch
Code 13	Operating Key for Safety Limit Switches with Separate Actuator, Compatible with SP, SM, SDP, and SDM Series
<u>AP5T39Z11</u>	Limit switch
ECX1524	
ECX1512	Joystick h.79 - 2 positions, A - B maintained
AP4T39Z11	Limit switch
<u>AP1T30Z11</u>	Limit Switch with Plastic Roller Lever on Plastic Plunger, IP65, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
<u>SP1K80Z11</u>	Safety Limit Switch with Separate Actuator, Fully Turnable 360° Head, IP65, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
AM1F43Z11	Limit Switch with Metal Ø18 Roller Lever, IP66, Snap Action Contacts (1NO + 1NC), Positive Opening Operation
<u>AP3T38Z11</u>	Limit Switch with Adjustable Plastic Roller Lever on Metal Plunger, IP65, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
<u>AP5T38Z11</u>	limit switch
PS1113-VO/M	Foot switch

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom! RADWARD LTD United Kingdom





Product	Description
BM1E51Z11	Limit Switch with Aluminum Head and Adjustable Ø22 Nylon Roller Lever, IP66, Snap Action Contacts (1NO + 1NC), Positive Opening Operation
SBM5K9900X12P	Cord switch
AM5T13Z11	limit switch
DP1T30X11	Switch
BM5E12Z11	Limit Switch with Aluminum Head and Metal Plunger, IP66, Snap Action Contacts (1NO + 1NC), Positive Opening Operation
<u>AP1T71Z11</u>	ball Valve
SP3K10Z11	safety limit switch
<u>AP5T41Z11</u>	Limit Switch with Adjustable Plastic Roller Lever on Metal Plunger, IP65, Snap Action Contacts (1NO + 1NC), Double Insulation, Positive Opening Operation
XX1033 M20x1,5	Limit Switch
AP3T98Z11A	Switch
AM4T31Z11	Limit switch mech. roller lever
AM4F43Z11	limit switch
ECX1510N	JOYSTICK
ECX1512N	JOYSTICK
<u>PS 1141</u>	Pressure Switch
BM5E61Z11	limit switch
BM5E51Z11	Limit Switch Adjustable Roller
AP5T11Z11	Push Button Actuator
ECX 1350	selector
ECX 1370	3-POSITION SELECTOR
<u>8240000556</u>	Fuse
EM1G21ZM	Sensor
ECX-1067	key
PS1212/V0	foot switch
<u>KEY16</u>	actuator tongue (key)
EP2G45Z	Emergency Stop Button
<u>FEP5KP1FA3-</u> <u>024M</u>	Electromagnetic safety switch with separated actuator
<u>AP5T10X21P</u>	LIMIT SWITCH
AM5F3Z11	Limit Switch
<u>Z02</u>	Limit Switch
EP2G12Z030U	Limit switch
EP2G12ZMC	Limit switch
AM1F51W02	SWITCH
<u>AP1T41Z11</u>	Limit switch
SBM5K9900X11	Rope safety limit switch
SDM2K9800W02	Switch
DP5T10Z11	switch
<u>SP1K10X12P</u>	Finecosra
<u>AP1T12Z11</u>	
SMP2A11SKL	SENSOR-SAFETY

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Comepi Page 5 / 10





Product	Description
AM3F41Z11	Limit switch
ECX1040	4 positions joystick
ECX1041	Contact element
SMP1AMG	Contact Conton
SMP1A02L001ML	Sensor
<u>Key 7</u>	Key
GR01	,
9	Adjustable jointed key
SMP1A11SK	· · · ·
SP4K10X11	SAFETY LIMIT SWITCH
MP6121	
Flas key 13 - code	
<u>6</u>	
Bent Key 24mm	
width	
AMWT35RFH8	WIRELESS LIMIT SWITCH
<u>key 46</u>	Right paw
SP4K20Z02	
COD.9	Security sensor key
<u>AP1T11Z11</u>	Limit switch
ECX-1042	CONTACT BLOCKS
ECX-1420	A compact industrial-grade control relay
<u>KEY 35</u>	actuator key
XX1032CO	Cagle gland
<u>AP5T14Z11</u>	Limit switch
EM1G12Z020UC	switch
SBM5K99X12	Cable switch
ECX 1430	Selector
CMQ DP1T13Z11	PISTON LIMIT SWITCH WITH NYLON WHEEL
EM1G12Z020U	An industrial-grade monitoring/control device
Actuator 9	A versatile actuator for industrial automation
DM4T9805Z11A	A reliable multi-contact selector switch
<u>FEP5KP1FA1-</u> <u>024M</u>	A fail-safe relay for automation systems
ECX1520	Joystick
SP9K71X11	
EM1G12Z050	switch
BM5E22Z11	A robust multi-position push button
AP1T51211M	A compact push button actuator
AP1T14Z02	A durable emergency stop push button
DM1F51Z11	A multi-contact rotary selector switch
CM1E92Z11	Thin-stroke sliding door
SM5K10Z11	Safety limit switch
SP2K80W02	A compact safety interlock switch
	5past out of interior

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





Product	Description
SCM2K4000W02	Safety limit switch with separate actuator
SCM5K97X11	Rope end switch for simple stop
SP5K10Z11	Safety limit switch with separate actuator
SBM5K9400X11	A robust push button actuator
SBM2K99X11	A versatile selector switch
EP1G21ZM	A compact emergency stop button
ECX 1131	push-button
ECX-1130	A versatile control relay
SBM5K97X11	A user-friendly selector switch
FEP5KP1FA1-	Safety Switch
<u>024E</u>	
SDM2K120W02	A robust multi-contact selector switch
KEY-8	A specialized actuator key for switches
EM1G41ZU	Limit switch
custom	
<u>AP3T12W20</u>	A compact push button actuator
AP1T5110X11	A compact push button actuator
SP2K20Z02	A reliable safety interlock switch
SMP1A02SKL	Safety magnetic sensor
EP1G71Z020	A high-visibility emergency stop button
EP1G71Z020U	Limit Switch
EP1G41ZU	Limit switch
SM1K9800X11	A reliable push button actuator
<u>SP1K10Z02</u>	Limit switch
Angle wrench (22mm)	wrench
Flat wrench 22mm	wrench
Angle wrench (13mm)	wrench
Flat wrench (13mm)	wrench
Amortized angle	wrench
wrench Amortized flat key	wrench
Adjustable jointed wrench	wrench
FU1022PE1	cover pedal
<u>GX11</u>	contact element
AM1F114OZ11	A versatile selector switch
EP1G25ZA	Pre-wired wheel piston stroke end
SBM2K97X12	A user-friendly selector switch
BM1E42Z11	A compact push button actuator
DP4T41Z11	A multi-position selector switch
EP1G41Z030U	wicket
SMP2A11L020	magnetic sensor
	<u> </u>

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Comepi Page 7 / 10





Product	Description
SMP2BMG	magnetic sensor
BP1H44Z11	A high-visibility emergency stop button
CM1E31Z11	A compact push button actuator
CM1E91Z11	A robust push button actuator
FUN05M015	A general-purpose relay unit
<u>AP3T13Z11</u>	Limit switch
EM1G45XU	A reliable control relay for automation
BM5E13Z11	A durable push button actuator
SDM1K96X11	A versatile selector switch
<u>AP1T42Z11</u>	Limit switch
<u>AP1T45Z11</u>	Limit switch
PL1022PE1/V0	Yellow V0 ABS cover for foot switches
PS1110W20/V0	A compact position switch
<u>AP3T32Z11</u>	Limit switch
<u>AP1T14Z11</u>	A durable push button actuator
FEP5KP1FB3-	Electromagnetic safety switch
<u>024E</u>	
<u>29 - Adjustable</u> <u>joint key</u>	Adjustable joint key
AM3T30Z11	contactor
EP1G12Z020UC	Limit switch
EM1G14X020U	Limit switch
<u>AP1T73Z11</u>	End-of-race camcorder head
AP1T32Z11	roller limit switch
AP3T74Z11	Limit switch
AM3T92Z11	Limit switch
SP3K72Z11	Safety limit switch
EM1G9240Z040U	Limit switch
SDM2K96W02	limit switch
SCM1K9500X11	Safety limit switch
CM1E43Z11	A compact push button actuator
SP1K10Z11/180	Safety limit switch
EP1G11Z020U	A robust emergency stop button
DM1F53Z11	A multi-position selector switch
AP3T21W02	Limit switch
<u>SP5K61X11</u>	Safety limit switch
AP3T2101W02	A compact push button actuator
EM1G51ZU	Limit switch
EP1G41Z20U	A reliable emergency stop button
SMP1A11SKL	A compact limit/position switch
ECX1233	A versatile control relay
<u>PS 1212</u>	A compact position switch
ECX1034	A versatile control relay
ECX 1410	A durable control relay

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Comepi Page 8 / 10





Product	Description
AM5T30Z11	A multi-position selector switch
SBM2K40W02	wicket
<u>Key 29</u>	A specialized actuator key
ECX 1272	selector switch
SCM5K9900X11	A robust push button actuator
SBM5K9500X11	A sturdy selector switch
AM1F12Z11	A multi-position selector switch
<u>AP1R001Z11</u>	A compact push button actuator
SLS-FX1	Safety limit switches with rope
EP1G41Z020U	Limit switch
EP1G12ZUC	Limit switch
SP2K10W02	Safety limit switch
EP1G12Z020U	A robust emergency stop button
BM5E71Z11	A durable push button actuator
DM4T98Z11A	A multi-contact selector switch
PS1214/V0	A compact position switch
SMP2A02L010	A durable limit/position switch
SMP2CMG	A versatile position switch
SMP2A02L010L	A durable limit/position switch
SBM2K9900X11	A versatile selector switch
AM5F43Z11	A multi-position selector switch
MP6123 FAST-01	Mini foot switch
XX1033CO	A compact limit/position switch
<u>AM1F12X12P</u>	A multi-position selector switch
<u>AM1F12W03P</u>	A user-friendly selector switch
<u>AP1T51W02</u>	A compact push button actuator
BP5H44Z11	A high-visibility emergency stop button
SBM1K9900X11	A versatile selector switch
EXC 1320	SELECTOR
<u>AP1T38Z11</u>	A compact push button actuator
SM4K10W03P	Safety lock switch
SM4K10W03P Key <u>3</u>	Key for lock switch
<u>SM4K10W03P Key</u> <u>9</u>	Key for lock switch
DM1F41Z11	A multi-position selector switch
BM5M42Z11	A sturdy push button actuator
AP9T48Z11	limit switch
PL1022PE1	A compact position/limit switch
EM1G14X020UP	A versatile control relay
AM3F41Z11	· · · · · · · · · · · · · · · · · · ·
<u>/PG11</u>	LIMIT SWITCH PISTON
<u>PS1213</u>	

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





Product	Description
FEP5KPS1FA1-	
<u>024M</u>	
ECX1154	Double push-button, extended red key
APWT51RFH9	Wireless batteryless limit switch
APWT5100RFH9	Wireless batteryless limit switch
RRH8	Receiver suitable for COMEPI wireless batteryless devices
RRH9	Receiver suitable for COMEPI wireless batteryless devices
FEP5KP1FA3024E	Interlock
MT2A22-024	
<u>AP1T98Z11A</u>	
EM1G23ZU	Micro limit switch
<u>EP2G31Z</u>	