



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Deutsch (TE Connectivity)

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|--|--|
| 0460-204-12141 | Contact |
| 0462-005-20141 | SOC CONT ASM |
| 0462-201-16141 | Socket Contacts Nickel Crimp 16-20 AWG Power, Machined |
| 0462-203-12141 | Contact |
| 0462-209-1631 | Automotive Terminal |
| 0528-001-5005 DRC | 900 backshell |
| 1011-248-1205 | connectors |
| 1060-16-0144 | Connector |
| 1062-12-0166 | |
| 1062-16-0122 | Automotive Connector |
| 1062-16-0144 | contact |
| 1062-20-0144 | connectors |
| 114017-ZZ | connectors |
| DT06-2S | Automotive connectors |
| 2414-001-2486 | Connector for the automotive sector |
| 0460-215-16141 | PIN |
| 0462-209-16141 | contact socket |
| DRC26-40SA | Automotive Connector |
| DRC26-50S01 50P PLUG ASM | 50P PLUG ASM |
| DT04-08PA-C015 | |
| DT04-12PA | Automotive connectors |
| DT04-2P | connector |
| DT04-2P-C015 | DT RECP ASM |
| DT04-3P | Connector |
| DT04-6P | RECEPTABLE ASSEMBLY connector |
| DT06-12SA | DT PLUG ASM |
| DT06-12SA-P012 | CONNECTOR |
| DT06-3S | Connector |
| DTM06-12SA | (DTM PLUG ASM) |
| DTM04-2P | connector |
| DTP04-4P | DTP RECP ASM |
| DTP06-2S | Connectors for the automotive sector |
| DTT-16-00 | CRIMP TOOL |
| HD34-24-31PT | socket |
| HD10-3-96P | Socket 3 Way |

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

| Product | Description |
|--|--------------------------------------|
| HD10-9-1939P | |
| HD16-3-96S | |
| HD16-5-16S | female connector |
| HD16-6-96S | Automotive connectors |
| HD16-9-96S | connectors |
| HD34-24-31PT-B019 | Automotive Connector |
| HDP24-24-16PE | Connector |
| W12P | Automotive connectors |
| W12S-P012 | |
| W12S | WEDGE LOCK |
| W2S-P012 | Automotive connectors |
| W3S-1939-P012 | WEDGE LOCK |
| W4S-ZZ | |
| W4S-P012 | connector |
| W6P | Connector Wedgelock |
| W6S | Wedge lock |
| W8P | |
| W8S | lock |
| WP-2S | Connectors for the automotive sector |
| W2P | Wedge Lock |
| W4P | connectors |
| DT06-4S | connector |
| DT04-4P | Connector |
| DRC26-50S04 50P PLUG ASM | |
| DT04-2P-CE02 | DT RECP ASM |
| DT06-2S-CE06 | Automotive connectors |
| 0411-291-1405 | 14-16 AWG contact extraction tool |
| DTT-16-02 | Hand Crimp Tool |
| WM-12S | WEDGE LOCK |
| DT06-12SB-P012 | CONNECTOR |
| DTHD06-1-8S | CONNECTOR |
| DT06-12SC-P012 | CONNECTOR |
| DT06-12SD-P012 | CONNECTOR |
| DT04-2P-CE09 | Automotive Connector |
| DT04-3P-CE02 | DT RECP ASM |
| DT04-6P-CE02 | DT RECP ASM |
| DT06-2S-CE13 | connectors |
| DT06-3S-CE13 | DT PLUG ASM |
| DT06-6S-CE06 | DT PLUG ASM |
| DT2P-BT-BK | BT DT 2 WY RC BLK |
| DT2S-BT-BK | BT DT 2 WY PL BLK |
| DRC 26-24 SA | Just reference automotive connectors |
| DRC26-24SB | Housing for female terminals |

| Product | Description |
|--|---|
| DRC26-40SB | Housing for female terminals |
| DT06-6S | connectors |
| HD36-18-8SN | CONN PLUG HSG FEMALE 8POS INLINE |
| DT06-2S-E008 | DT PLUG ASM |
| DT06-6S-E008 | DT PLUG ASM |
| DT04-12PA-E008 | DT RECP ASM |
| DT04-6P-CE09 | DT RECP ASM |
| W2S | Automotive Connector |
| W3S | WEDGE LOCK |
| 1010-016-0406 | Dichtung für DT Stecker 4-pol |
| 1010-017-0606 | Dichtung für DT Stecker 6-pol |
| HDP24-24-31PE-L017 | Connector |
| DT06-12SC-CE06 | DT PLUG ASM |
| DT 06-3 S-E008 | DT PLUG ASM |
| WP-4P | WEDGE LOCK |
| WP-4S | WEDGE LOCK |
| DTM13-12PA-R008 | |
| DT04-08PA | 8 Way Mating share |
| HD36-24-16PE | PLUG ASM |
| HD36-24-16PN | PLUG ASM |
| 1062-16-0122 | Roll with 4000 contacts |
| DRC26-50S04 | Automotive Plug Rectangular Connector |
| HD10-9-1939PE | connectors |
| DTP06-4S | |
| HDC16-9 | |
| W3P | lock |
| DT04-3P-P006 | |
| DT04-3P-P007 | Automotive Connectors |
| DT16-18SB-K004 | Automotive Connector |
| DT16-18SA-K004 | connectors |
| W2SA | WEDGE LOCK |
| W2SB | WEDGE LOCK |
| 1062-16-0622 | roll |
| 1062-16-0644 | |
| 1062-16-0677 | Rolle |
| HD10-5-16P | |
| 1060-16-0644 (Rolle 4000 ST.) | Terninal Crimp Gold |
| HDC16-3 | DUSTCAP |
| 1062-16-0622 | Automotive Connectors SZ 16 STAMP CONT SKT REEL OF 4000 |
| DT06-4S-C015 | Automotive Connectors |
| HDC16-5 | DUSTCAP |
| P/N: 1011-347-0605 Type: DT06-6S | |
| HDP26-24-19SN | |

| Product | Description |
|----------------------------------|--|
| S-DTM 04-2 P | |
| S-DTM 06-2 S | |
| S-DTM 06-3 S | |
| S-DTM 04-3 P | |
| MC306E2-C-23-8SN | Connector, Plug, F/O |
| 455616-126-04 | Contact , Fiber Optic |
| MC320E-C-23 | Dust Cap |
| 0411-336-1605 | Extraction Tool |
| 0413-217-1605 | connectors |
| 0460-202-20141 | |
| 114017 | Automotive connectors |
| AT62-16-0122 | |
| DT06-2S-P004 | |
| W4S | Wedge clamp for 4-contact housing DEUTSCH mother |
| 1011-257-0205 | |
| 1011-233-0305 | |
| 1011-261-0305 | |
| 1011-241-0605 | |
| 1011-269-0605 | |
| 1011-237-0405 | |
| 1011-265-0405 | |
| 1011-227-0205 | accessory |
| 1011-255-0205 | Automotive connectors |
| 1011-259-0305 | |
| 1011-263-0405 | |
| 1011-267-0605 | |
| 0462-203-08141 | WIRE TERMINAL |
| MS3475W14-5PW | Plug connector |
| DTS21Y09-98PN | |
| DRC22-40PA | |
| D38999/44FB5SN | |
| DTM06-12SB | Connector |
| 0413-204-2005 | Sealing Plug |
| 2000905-1 | Connector slot |
| B-106-8401 | |
| 165590-1 | |
| DT04-08PA-L012 | |
| DT06-08SA | 8 Way Receptacle |
| DTM04-08PA | |
| 1060-20-0122 | Contact |
| WM-8P | |
| 539 635-1 | |
| 58583-1 | |

| Product | Description |
|---|---|
| SRCS202416-A01 | Contact female 0,5 to 1,82 mmq |
| SRCS205589-A01 | Contact male 0,5 to 1,82 mmq |
| 1060-16-1222 | |
| M39029/58-360 | Pin contact |
| 1062-16-0622 | Automotive Connector |
| 776533-2 | |
| 1438153-5 | |
| DRC16-70SAE | |
| 1062-16-0622 (pack 1x100) | |
| HDP26-24-29PE-L015 | Automotive Connector |
| DT04-3P-EP10 | Automotive Connector |
| HD34-24-31PE | Connector |
| MS3475W14-5S | Circular MIL Spec Connector |
| M39029/4-111 | Circular MIL Spec Contacts |
| M39029/5-116 | Circular MIL Spec Contacts |
| MS3476W24-31SX | Circular MIL Spec Connector |
| MS3474W14-5P | Circular MIL Spec Connector |
| MS3474W14-4S | Circular MIL Spec Connector |
| DT06-3S-P032 | Plug connector |
| DT06-3S-P006 | Terminating resistor plug |
| 0462-201-1631 | Socket |
| W3S-P012 | WEDGE LOCK |
| 0460-202-16141 | Pin Contacts Nickel Crimp 16-20 AWG Power, Machined |
| DMC-MD 26 A-K-T | |
| DMC-MD 26 B-K-T | |
| DMC-MD 20 A | |
| DMC-MD 20 B | |
| 2226454-1 | |
| 2226455-1 | |
| 787-8055-21M | |
| D38999/26WE35PB | |
| D38999/24WA35PN | |
| D38999/26WD19PN | |
| D38999/26WA98SN | |
| D38999/24WB2SN | |
| D38999/26WB2PN | |
| MS3475W22-55S | connector |
| D38999/26WJ35PN | |
| D38999/26WG35SA | |
| WM-3S | |
| WM-2S | |
| 1060-20-0222 | Automotive connectors |
| 1062-20-0222 | Automotive connectors |

| Product | Description |
|------------------------------------|---------------------------------|
| WM-2P | |
| 3-1734839-1 | FFC & FPC connectors |
| DTM06-3S | Connector |
| DTM06-2S | Connector |
| HD36-24-31SE-059 | |
| HD36-24-31PE-059 | Automotive Connector |
| HD36-24-23SE-059 | Automotive Connector |
| HD36-18-14SE-059 | Automotive Connector |
| HDP26-24-35PN | |
| HDP26-24-35SE | |
| 1060-16-0122 | connectors |
| 1011-268-0605 | roseham casing 90° |
| 0462-201-2031 | |
| 0460-202-2031 | |
| 0460-202-1631 | Automotive Connectors |
| CEV1695-0063-A0001 | Plug |
| CEV1695-0001-00000 | Base |
| ETPS41D18BUZW | RELAY |
| HDT-48-00 | Crimping tool |
| 0411-310-1605 | Insertion / extraction tools |
| WM-6S | connector clamp |
| 0462-201-20141 | Contact of the connector |
| DT-RT1 | size 16 contact extraction tool |
| 1060-20-0244 | |
| DT04-4P-RT03 | |
| DT04-4P-CE09 | |
| DT04-3P-CE04 | |
| HD16-9-16S | connectors |
| DT06-2S-EP06 | plug |
| DT04-2P-E005 | socket |
| DT06-4S-EP06 | plug |
| DT04-4P-E005 | socket |
| 1060-16-0622 | Automotive connectors |
| DTS31W25-20PNE | |
| HD36-18-14 SN-059 | Cable connector |
| HD16-9-1939 SE | Cable connector |
| HDP24-24-31SE-L017 | |
| 16-04477 | |
| DTM04-2P-E007 | Connector |
| DTM06-2S-E007 | DTP PLUG ASM |
| DT06-2S-C015 | Connector |
| 1011-026-0205 | fastening part |
| 0413-216-2005 | connectors |

| Product | Description |
|--|--------------------------------|
| 1-967402-3 | |
| HDP24-18-6PN-C030 | |
| 0462-203-04141 | |
| 114019-ZZ | |
| 1010-009-0206 | |
| 962971-1 | |
| DMC-MD 20 N | |
| ASU103-03PA-HE | |
| DT4-1 (0462-209-16141) | connector |
| HDP26-24-23SE-L017 | Automotive Connector |
| DT12S-BT-BK | |
| DT12P-BT-BK | |
| DT06-12SA-EP06 | |
| HDP26-24-23ST | |
| DT06-3S-EP09 | |
| DT06-08SA-EP06 | |
| DT06-12SB-EP06 | |
| DT06-12SC-EP06 | |
| HDP26-24-29SE | Automotive connectors PLUG ASM |
| HDP26-24-31PE-L015 | Connector |
| HDP26-24-31SE-L015 | connector |
| HDP26-24-23PE-L015 | connector |
| HDP26-24-23SE-L015 | connector |
| HDP24-24-23PE-L015 | Connector |
| HDP24-24-31PE-L015 | HDP20 connector |
| hdp24-24-31se-l015 | HDP20 connector |
| DRC12-24PA | Automotive Connector |
| DRC12-70PA | Automotive Connector |
| DRC16-24SA | Automotive Connector |
| DRC16-70SA | Automotive Connector |
| HD36-18-20SN | Automotive Connector |
| HD34-18-20PN | Automotive Connector |
| HDC26-24 | |
| 1062-16-0622 | |
| HD34-18-14PE | CONNECTOR MALE |
| 0515-015-4005 | connectors |
| DT06-12SB | connectors |
| DT04-12PB-BL11 | connectors |
| D38999/20WG11PN | Circular MIL Spec Connector |
| AS107-98PN | CONNECTOR |
| DTS20W09-98PN | Circular connector |
| WM-2SB | connectors |
| WM-2SA | Connector |

| Product | Description |
|------------------------------------|--|
| BTF3-25-18-1-ZB-SB | Backshell |
| BTF3-25-16-1-ZB-SB | Backshell |
| HD10-9-1939PE-B022 | Connector |
| HDP24-24-29PE | Automotive Connector |
| DTP06-2S-EE01 | |
| HD34-24-31PE-059 | Automotive connectors |
| HD34-24-31SE-059 | Automotive connectors |
| DRB16-102SAE-L018 | connectors |
| DRB102-BT | connectors |
| 1062-20-0622 | |
| 1062-16-1422 | |
| 1060-12-0144 | Pin Contact Gold Crimp |
| 1062-12-0144 | Automotive Connector |
| DT04-3P-L012 | box type CAN socket |
| W316TF15-64SN | |
| DRC18-40SA | 40 pin female connector |
| DRC12-40PA | 40 pin male connector |
| SIM2N44KG | Rectangular Mil Spec Connector |
| W3P-1939 | Connector Lock |
| DT04-3P-E008 | connectors |
| W3S-1939 | connectors |
| DTM06-6S-E007 | connectors |
| DT06-6S-CE02 | 6 Rectangular Connector |
| DRC16-40S | connectors |
| DTT-12-00 | Tool for crimping contacts 12 |
| DTT-20-00 | crimp tool |
| 2305570-1 | |
| DTS31W25-20PNI | |
| 81539-20 | INSULATION STOPPER |
| M39029/22-192 | contact socket |
| M81969/14-11 | SOCKET PLACEMENT/DISASSEMBLY APPARATUS |
| DT04-4P-EP13 | Connector |
| HD36-24-31SE | Connector |
| 58529-2 | crimping pliers |
| D369-MR66-NS1 | Connector |
| 49935 | crimping pliers |
| DTHD04-1-12P-E003 | connectors |
| HDP24-18-21PN | Connector |
| DT04-6P-CE01 | Connector |
| 174359-2 | Connector |
| D369-HR33-NS0 | connector |
| DTS31W25-20PNK | |
| DTS31W25-20PNH | |

| Product | Description |
|------------------------------------|-----------------------------------|
| HDP26-24-29SE-L015 | Automotive connectors PLUG ASM |
| DT04-4P-E008 | Connector |
| DT04-6P-L012 | CABLE CONNECTOR AND ACCESSORIES |
| 0411-240-2005 | Tool |
| HD16-3-16S | Automotive Connector |
| EN2997SE60898FN | Connector |
| DT06-4S-E008 | CONNECTOR, 4 PIN |
| EN2997SE60803FN | Connector |
| EN2997SE61212FN | Connector |
| 0411-204-1605 | 16-18 AWG contact extraction tool |
| 0411-337-1205 | size 12 contact extraction tool |
| CTJ620E06N-5145 | End connection modules |
| HDP26-24-29SE-L017 | |
| HDP24-24-29PE-L017 | |
| HDP26-24-31SE-L017 | |
| HDP26-24-47SE-L017 | |
| HDP24-24-47PE-L017 | |
| 0460-010-20141 | |
| YW316TF13-41SN0000 | |
| 006-0910-14 | Round MIL/specific backshell |
| EN3155-016M2018 | Contact |
| DT06-3S-C015 | Duetsch socket dis-3 |
| DT04-4P-C015 | socket male-4 |
| DT06-6S-C015 | socket female-6 |
| DT06-12SA-C015 | socket female-12 |
| 1011-245-0805 | male-8 |
| HD34-24-9SN-L005 | Automotive Connector |
| DRC16-40S-P013 | Connector |
| D38999/26WB35SN | MIL spec round connector |
| ASL106-05PN-HE | |
| ASU103-03PN-HE | |
| ASL 106-05PA-HE | |
| AS107-98PA | |
| AS107-98PN | |
| 020-0008-20 | |
| DT04-4P-RT01 | Connector |
| 006-1189-20 | Input/output Connector Contacts |
| 1-967325-2 | connectors |
| HDP26-24-47SE-L015 | |
| 1011-249-1205 | Automotive connectors |
| FS-02 | Flow sensor |
| EV100AAANA | contactors |
| DTM04-12PA | |

| Product | Description |
|------------------------------|-------------|
| WM-12P | |
| DS07-27S-059 | |
| 4702-10-0105 | |
| 4702-10-0106 | |