







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Elaflex

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
<u>CSB 21</u>	Exit coupling
DDC-V 25-1 AL	DDC dry coupling male part
<u>EB 835</u>	Bolzen 3 x 24 mm
<u>EG 377</u>	valve core
ELAPAC-Platte 2mm	Material
<u>ERV-CR 80.16</u>	Rubber Expansion Joints
<u>ERV G40.16</u>	Rubber Expansion Joint
<u>ERV-G 100.16</u>	Flexible expansion Joint
<u>ERV-G 65.16</u>	Rubber Expansion Joints
<u>ERV-GR 100.16</u>	[Green ring rubber expansion joint]
ERV-GS 100.16 ZS	rubber expansion joints
<u>ERV-GS 80.16 ZS</u>	rubber expansion joints
<u>14410724</u>	Rubber Expansion Joints
<u>14410709</u>	rubber expansion joints
<u>ERV-R 80.16</u>	Expansion Joint
ERV-R 80X160.16	Rohrverbinder Rotring
<u>HD25</u>	High pressure tank truck hose "yellow ring"
<u>LTW100</u>	light tank truck hose
<u>PSB 16.3</u>	Pump safety break away
<u>42418</u>	Spannloc clamping shell
Spannfix SX 75	Hose Clamp
<u>TW 100</u>	tanker hose
<u>TW75-9</u>	tanker hose
<u>VK80 2 ½"</u>	TW Male Adapter
<u>VK 80</u>	TW curve
ZVA2-GR-3M	Automatic-Zapfventil
<u>ZVA2 1.0</u>	Automatic Pump Valve
ZVG 2 DISH.3	Filling Valve for LPG Italian Design
<u>49999 / ZVG2 ACME.3</u>	LPG Dispensing valve
<u>ERV-R 350.10</u>	Rubber Expansion Joint
<u>ERV-R 500.10</u>	Rubber Expansion Joint
EFL 21 Fluorline / 10 mtr	Universal Pump Hose
ERV-G 200x150.10	Rubber Expansion Joint
HD 75 C "Yellow Band"	aviation refueling hose
HD 63 C Neon "Yellow Band"	Aviation refuelling hose

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





Product HD 50 C "Yellow Band" HD 25 C "Yellow Band" ERV-CR 400.10 ERV-CR 500.10 VSRV ZVG 2.3ACMELT 41076 / UTS 50	Description aviation refueling hose aviation refueling hose Rubber Expansion Joint Rubber Expansion Joint AUTOGAS NOZZLE
HD 25 C "Yellow Band" ERV-CR 400.10 ERV-CR 500.10 VSRV ZVG 2.3ACMELT	aviation refueling hose Rubber Expansion Joint Rubber Expansion Joint AUTOGAS NOZZLE
ERV-CR 400.10 ERV-CR 500.10 VSRV ZVG 2.3ACMELT	Rubber Expansion Joint Rubber Expansion Joint AUTOGAS NOZZLE
ERV-CR 500.10 VSRV ZVG 2.3ACMELT	Rubber Expansion Joint AUTOGAS NOZZLE
ZVG 2.3ACMELT	AUTOGAS NOZZLE
	Universalschlauch
41075 / UTS 38	Universalschlauch
<u>49999 / C-2"</u>	Hose connector
EFL 21 Fluorline / 6 mtr	Pump Hose
	yellow band rubber expansion joints
SSB 16.1	Safety Breakaway Coupling
TW - Kurvenstück VK 80	TW Curve Piece
<u>M 16- 30 LPG</u>	Hose coupling for LPG
MKC 50 SS	Spannloc-TW-Mutterkupplung
<u>ERV-GR 25.16</u>	compensator
ERV-G50.16	Compensator
LPG 32, SVC 32-11/4" St. SMC 32-11/4"	·
<u>St</u>	hose lines
ERV-G 200X160.10	Configurator ERV Rubber Expansion Joints
<u>ERV-G 200.10 ZS</u>	Configurator ERV Rubber Expansion Joints
Gelbring" HD 50 C	Hochdruck-Tankwagenschlauch
Orangering" LPG 32	Tankwagen-Flüssiggasschlauch
<u>TWD 50 Vi</u>	Dichtung
<u>GSD 50Vi</u>	Dichtung
<u>VK 50 - 2"AG</u>	TW coupling transition piece
<u>MK 50</u>	Hose couplings
<u>MB 50</u>	TW blind cap
CSB 21 COAX	Abreißkupplung
<u>EA 021 GRV</u>	Gasventil
EA 020 GRVP	Gasregulierventil
<u>SSB 16 / 49999</u>	SSB 16 with BS 16 black
<u>BS 16</u>	Break Sleeve
<u>ERV-G 125.TW</u>	Anti-vibration joints
<u>ERV-GR 32.16</u>	Green Band Rubber Expansion Joint
ERV-GR 80.16	coupling
ERV-GR 150.16 ZS VSD	Joints
ERV-GR 200.10 ZS VSD	Joints
<u>41038 TW 50</u>	TW 50 Hose Assembly
type ERV-G	Yellow Band Rubber Expansion Joint
<u>ERV-CR 50.16</u>	expansion joint
<u>GK 80 – 3" AG SS</u>	Guillemin-Kupplung
<u>GSKD 80</u>	Guillemin- Dichtung
EVR-R 200X160.10	Rotring - Gummikompensatoren
<u>ERV-G 100.16 ZS</u>	Yellow Band Rubber Expansion Joint

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





Product	Description
ERV-G 150.16 ZS	Yellow Band Rubber Expansion Joint
ERV-G 200.16 ZS	Yellow Band Rubber Expansion Joint
	3" TW Dust Cap
SL16YELLOW	HOSE
SL16GREEN	HOSE
SL16BLACK	HOSE
ZVF40.1	NOZZLE 1 1/2" BSP : male
<u>TW MK-80(3") type MKC-2 ID 75</u>	3" TW Female Coupler with Pinned Clamps
TW VK-80(3") type VKC-2 ID 75	3" TW Male Coupler with Pinned Clamps
ERV-G 400.10	Gelbring-Gummokompensatoren
 ERV-R 400.10	Gelbring-Gummokompensatoren
<u></u>	TW-curve part
<u>MKC 50.50 (42274)</u>	TW Female Coupling with Clamp
<u>GSD-50 (42325)</u>	TW Coupling Seal
MB-50-MS	TW Dust Cap
ED079	lip seal
<u>EU081</u>	Lip Seal
<u>EU080</u>	Universal Hose
MB-50-AL	2" TW Dust Cap
<u>MB-50-SS</u>	2" TW Dust Cap
EVR-GS 100.VG-1	Gelstahl-Gummikompensatoren
P/N:49999; Type: ZV 400.2	Tap valve
<u>V 19-¾" NPT</u>	3/4" NPT Male Ferrule Hose Coupling
<u>V 25-1" NPT</u>	1" NPT Male Ferrule Hose Coupling
<u>VC 38-1-1/2" NPT</u>	11/2" NPT Male Hose Coupling with Spannloc Clamp
<u>ZVA2 4.3R</u>	Automatic Zapfventil
<u>ZVA2 4.3</u>	AUTOMATIC PISTOL OR NOZZLE FOR DIESEL FUEL LOAD
ZVA2 GR4	Automatic Zapfventil mit Gasrückführung
ZVA2 GRVP4	Automatic Zapfventil
<u>43573</u>	Zapfschlauch
<u>43881</u>	Vaterteil-Hülsenverschraubung
<u>KS16</u>	kink protection
<u>SSB16.3</u>	Abreisskupplung
GG20 S ACME	LPG nozzles
<u>TW 19</u>	34" Tank Truck Hose
<u>TW 25</u>	hose
<u>TW 32</u>	11/4" Tank Truck Hose
<u>TW 38</u>	11/2" Tank Truck Hose
<u>TW 50</u>	2" Tank Truck Hose
<u>TW 63</u>	21/2" Tank Truck Hose
<u>TW 80</u>	3" Tank Truck Hose
<u>STW 125</u>	5" Suction and Discharge Hose
<u>STW 150</u>	6" Suction and Discharge Hose





Product	Description
<u>STW 200</u>	8" Suction and Discharge Hose
LTW 50	2" Lightweight Tank Truck Hose
LTW 75	3" Lightweight Tank Truck Hose
LTX 80	3" Extremely Flexible Lightweight Hose
LTX 100	4" Extremely Flexible Lightweight Hose
VLTX 80-3"	3" Hose Fitting for LTX 80 Hose
VLTX 80-3" AI	3" Aluminum Hose Fitting for LTX 80 Hose
<u>HD 19 C</u>	Vapor recovery hose
HD 25 C	Vapor recovery hose
HD 32 C	Vapor recovery hose
HD 38 C	Aeroplane tank hose
HD 50 C	Vapor recovery hose
HD 63 C NEON	steam recovery hose
<u>HD 75 C</u>	Vapor recovery hose
<u>HD 100 C</u>	Vapor recovery hose
HD 100 C NEON	steam recovery hose
VHD 50 C NEON	steam recovery hose
VHD 63 C NEON	steam recovery hose
VHD 75 C NEON	steam recovery hose
<u>VHD 100 C</u>	steam recovery hose
VHD 100 C NEON	steam recovery hose
<u>PHD 38 F</u>	High pressure tank hose special version
<u>PHD 50 F</u>	steam recovery hose
<u>PHD 63 F</u>	Yellow ring aircraft tank hose
<u>PHD 75 F</u>	steam recovery hose
<u>TW 38 E</u>	steam recovery hose
<u>TW 50 E</u>	steam recovery hose
<u>TW 63 E</u>	Suction and pressure hose
<u>TW 100 E</u>	steam recovery hose
<u>SL 16 + colour 1)</u>	3/4" Slimline Petrol Pump Hose (Coloured)
<u>SL 16 LT</u>	34" Slimline Low Temperature Petrol Pump Hose
<u>SL 16 LT + colour 1)</u>	3/4" Slimline Low Temperature Petrol Pump Hose (Coloured)
<u>SL 16 BIO</u>	5/8" Slimline Petrol Pump Hose for Biodiesel
<u>SL 19</u>	34" Slimline Petrol Pump Hose
<u>SL 19 LT</u>	Discharge hose
<u>SL 21</u>	⁷ ⁸ " Slimline Petrol Pump Hose
<u>SL 21 + colour 1)</u>	78" Slimline Petrol Pump Hose (Coloured)
<u>SL 21 LT</u>	7/8" Slimline Low Temperature Petrol Pump Hose
<u>SL 21 BIO</u>	%" Slimline Petrol Pump Hose for Biodiesel
<u>SL 25 LT</u>	Discharge hose
<u>SL 25 BIO</u>	1" Slimline Petrol Pump Hose for Biodiesel
<u>LC-Mix 19</u>	3/4" Economy Petrol Pump Hose
<u>LC-Mix 25</u>	1" Economy Petrol Pump Hose





Product	Description
<u>EFL 16</u>	5%" Ultra-Flexible Universal Pump Hose
<u>EFL 21</u>	3/4" Ultra-Flexible Universal Pump Hose
LPG 10	%" LPG Gas Hose
LPG 13	1/2" LPG Gas Hose
LPG 19	3/4" LPG Gas Hose
LPG 25	1" LPG Gas Hose
<u>LPG 32</u>	11/4" LPG Gas Hose
<u>LPG 38</u>	11/2" LPG Gas Hose
<u>LPG 50</u>	2" LPG Gas Hose
<u>LPG 75</u>	3" LPG Gas Hose
LPG 100	4" LPG Gas Hose
<u>LPG 16</u>	5%" LPG Gas Hose
<u>CHD 13</u>	chemical hose
<u>CHD 19</u>	3/4" Lilac Band Chemical Hose without Helix
<u>CHD 25</u>	1" Lilac Band Chemical Hose without Helix
<u>CHD 32</u>	11/4" Lilac Band Chemical Hose without Helix
<u>CHD 38</u>	11/2" Lilac Band Chemical Hose without Helix
<u>CHD 50</u>	2" Lilac Band Chemical Hose without Helix
<u>CHS 25</u>	CHEMICAL HOSE
<u>CHS 32</u>	1 ¹ / ₄ " Lilac Band Chemical Hose with Helix
<u>CHS 50</u>	Chemical hose
<u>CHS 63</u>	21/2" Lilac Band Chemical Hose with Helix
<u>CHS 75</u>	3" Lilac Band Chemical Hose with Helix
<u>CHS 100</u>	4" Lilac Band Chemical Hose with Helix
<u>LMD 09</u>	1/2" Blue Band Solvent Hose without Helix
LMD 13	34" Blue Band Solvent Hose without Helix
LMD 19	1" Blue Band Solvent Hose without Helix
LMD 25	1" Blue Band Solvent Hose without Helix
LMS 25	1" Blue Band Solvent Hose with Helix
LMS 32	11/4" Blue Band Solvent Hose with Helix
<u>LMS 38</u>	1 ¹ / ₂ " Blue Band Solvent Hose with Helix
<u>LMS 50</u>	2" Blue Band Solvent Hose with Helix
<u>LMS 63</u>	21/2" Blue Band Solvent Hose with Helix
LMS 75	3" Blue Band Solvent Hose with Helix
<u>UTD 13</u>	HOSE
<u>UTD 19</u>	34" Blue-White-Blue Band Universal Tank Hose without Helix
UTD 25	1" Blue-White-Blue Band Universal Tank Hose without Helix
<u>UTS 38</u>	11/2" Blue-White-Blue Band Universal Tank Hose with Helix
<u>UTS 75</u>	3" Blue-White-Blue Band Universal Tank Hose with Helix
<u>UTS 100</u>	4" Blue-White-Blue Band Universal Tank Hose with Helix
<u>UTL 50</u>	2" Universal Tank Hose 'Light' with Steel Helix
UTL 63	2 ¹ / ₂ " Universal Tank Hose 'Light' with Steel Helix
<u>UTL 75</u>	3" Universal Tank Hose 'Light' with Steel Helix





Product	Description
<u>UTL 100</u>	4" Universal Tank Hose 'Light' with Steel Helix
<u>LBS 50</u>	2" Foodstuff Hose with Helix
<u>LBS 63</u>	21/2" Foodstuff Hose with Helix
	Food Grade Suction and Delivery Hose
LBS 100	Food Grade Suction and Delivery Hose
<u>KS 50</u>	Hot Air Compressor Hose
<u>KS 75</u>	Hot Air Compressor Hose
FEP 13 D	Universal Chemical Hose
FEP 19	Universal Chemical Hose
FEP 25	Universal Chemical Hose
FEP 32	Universal Chemical Hose
FEP 38	Universal Chemical Hose
<u>FEP 50</u>	Universal Chemical Hose
FEP 63	Universal Chemical Hose
<u>FEP 75</u>	Universal Chemical Hose
FEP 100	Universal Chemical Hose
<u>PTFE 19</u>	Universal Chemical Hose
<u>PTFE 32</u>	Universal Chemical Hose
<u>PTFE 38</u>	Universal Chemical Hose
<u>PTFE 50</u>	Universal Chemical Hose
PTFE 75 (59999) - 1 Meter	Universal Chemical Hose
FX-VC 20-3/4" SS/SS	Fluorflex hose couplings
FX-VC 25-1" SS/SS	Fluorflex hose couplings
FX-VC 40-11/2" SS/SS	Fluorflex hose couplings
<u>FX-VC 50-2" SS/SS</u>	Fluorflex hose couplings
<u>FHD 150</u>	Collapsible Marine Bunkering Hose
<u>FHD 200</u>	Collapsible Marine Bunkering Hose
<u>HB 50</u>	Hot Bitumen and Heavy Fuel Hose
<u>HB 75</u>	Hot Bitumen Hose
<u>HB 100</u>	Hot Bitumen Hose
<u>WPX 19</u>	Hot Water and Steam Hose
<u>WPX 25</u>	Hot Water Hose
<u>SD 13</u>	Steam Hose
<u>SD 19</u>	Steam Hose
<u>SD 25</u>	Steam Hose
<u>SD 32</u>	Steam Hose
<u>SD 38</u>	Steel wire - steam hose
<u>SD 50</u>	Steam Hose
<u>M 13-½"</u>	Hose Fitting
<u>M 16-¾"</u>	Hose Fitting
<u>M 16-1"</u>	Hose Fitting
<u>M 19-3⁄4" LC</u>	Lightweight Brass Hose Fitting
<u>M 19-1" LC</u>	Lightweight Brass Hose Fitting





Product	Description
M 19-3/4"	Brass Hose Fitting
M 19-1"	Brass Hose Fitting
M 19-30 LPG	LPG Hose Fitting
M 25-1"	Brass Hose Fitting
<u>M 16-34" cr</u>	Stainless Steel Hose Fitting
M 16-1" cr	Stainless Steel Hose Fitting
<u>M 19-1" cr</u>	Stainless Steel Hose Fitting
<u>M 21-1" cr</u>	Stainless Steel Hose Fitting
M 25-1" cr	Stainless Steel Hose Fitting
<u>M 16-1" AdBlue</u>	Hose Fitting for AdBlue® Applications
NYD 34"	Polyamide Sealing Ring
NYD 1"	Polyamide Sealing Ring
<u>V 13-½</u>	Brass Hose Fitting
V 16-3⁄4"	Brass Hose Fitting
<u>V 16-¾" NPT</u>	Brass Hose Fitting with NPT Thread
V 16-1"	Brass Hose Fitting
<u>V 19-34</u> "	Brass Hose Fitting
<u>V 19-1"</u>	Brass Hose Fitting
<u>V 25-1"</u>	Brass Hose Fitting
<u>V 16-34" cr</u>	Stainless Steel Hose Fitting
<u>V 16-¾" NPT cr</u>	Stainless Steel Hose Fitting with NPT Thread
<u>V 16-1" cr</u>	Stainless Steel Hose Fitting
<u>V 19-3⁄4" cr</u>	Stainless Steel Hose Fitting
<u>V 19-¾" NPT cr</u>	Stainless Steel Hose Fitting with NPT Thread
<u>V 19-74 Ni r Ci</u>	Stainless Steel Hose Fitting
V 25-1" cr	Stainless Steel Hose Fitting
KS 21	Black kink protection
<u>CS 16</u>	Colour Sleeve for Hose Assemblies
<u>CS 21</u>	Colour Sleeve for Hose Assemblies
<u>KTFM 15</u>	Anti-Kinking Sleeve for Hoses
MX 25-1"	Spannfix nut connection
<u>MX 32-1 1/4"</u>	Spannfix nut connection
MX 32-2"	Hose Fitting with Male BSP Thread
<u>MX 38-1 1/2"</u>	Spannfix nut fitting
MX 38-2"	Hose Fitting with Male BSP Thread
MX 40-2"	Spannfix Nut Connection
MX 50-2"	Spannfix-Mutterverschraubung
<u>MX 63-2½" (43925)</u>	Spannfix nut screw connection
<u>MX 63-3"</u>	Spannfix Nut Connection
MX 75-3"	Spannfix Nut Connection
<u>MX 100-4"</u>	Spannfix Nut Connection
<u>MX 100-51/2" L</u>	Spannfix Nut Connection
<u>MX 25-1" SS</u>	Stainless Steel Spannfix Nut Connection





Product	Description
MX 32-11/4" SS	Stainless Steel Female Hose Fitting
MX 38-1½" SS	Stainless Steel Female Hose Fitting
MX 63-21/2" SS	Stainless Steel Female Hose Fitting
<u> </u>	Stainless Steel Female Hose Fitting
<u>VX 25-1</u>	Stainless Steel Male Hose Fitting
	Stainless Steel Male Hose Fitting
VX 32-2"	Stainless Steel Male Hose Fitting
	Stainless Steel Male Hose Fitting
VX 38-1½" NPT	Stainless Steel Male Hose Fitting with NPT Thread
	Stainless Steel Male Hose Fitting
VX 40-2"	Stainless Steel Male Hose Fitting
	Stainless Steel Male Hose Fitting
VX 50-2" NPT	Stainless Steel Male Hose Fitting with NPT Thread
VX 63-21/2"	Stainless Steel Male Hose Fitting
VX 63-21/2" NPT	Stainless Steel Male Hose Fitting with NPT Thread
<u>VX 63-3"</u>	Stainless Steel Male Hose Fitting
VX 75-3"	Stainless Steel Male Hose Fitting
<u>VX 100-4"</u>	Stainless Steel Male Hose Fitting
<u>VX 50-2" AI</u>	Aluminum Male Hose Fitting
<u>VX 75-3" AI</u>	Aluminum Male Hose Fitting
<u>VX 100-4" AI</u>	Spannfix father screw connection
<u>VX 25-1" SS</u>	Stainless Steel Male Hose Fitting
<u>VX 32-11/4" SS</u>	Stainless Steel Male Hose Fitting
<u>VX 38-1½" SS</u>	Stainless Steel Male Hose Fitting
<u>VX 50-2" SS</u>	Stainless Steel Male Hose Fitting
<u>VX 63-21/2" SS</u>	Stainless Steel Male Hose Fitting
<u>VX 75-3" SS</u>	Stainless Steel Male Hose Fitting
<u>VX 100-4" SS</u>	Stainless Steel Male Hose Fitting
<u>MC 13-½"</u>	Stainless Steel Female Hose Coupling
<u>MC 19-¾"</u>	Stainless Steel Female Hose Coupling
<u>MC 25-1"</u>	Stainless Steel Female Hose Coupling
<u>MC 32-11/4"</u>	Stainless Steel Female Hose Coupling
<u>MC 35-1½"</u>	Stainless Steel Female Hose Coupling
<u>MC 35-2"</u>	Stainless Steel Female Hose Coupling
<u>MC 38-1½"</u>	Spannloc - nut screw connection
<u>MC 38-2"</u>	Brass Female Hose Coupling
<u>MC 45-2"</u>	Brass Female Hose Coupling
<u>MC 50-2"</u>	Brass Female Hose Coupling
<u>MC 63-2½"</u>	Brass Female Hose Coupling
<u>MC 63-3"</u>	Brass Female Hose Coupling
<u>MC 75-3"</u>	Brass Female Hose Coupling
<u>MC 100-4"</u>	Brass Female Hose Coupling
<u>MC 13-½" SS</u>	Stainless Steel Female Hose Coupling





Product	Description
MC 19-¾" SS	Stainless Steel Female Hose Coupling
MC 25-1" SS	Stainless Steel Female Hose Coupling
MC 32-11/4" SS	Stainless Steel Female Hose Coupling
MC 38-11/2" SS	Stainless Steel Female Hose Coupling
MC 50-2" SS	Stainless Steel Female Hose Coupling
MC 63-21/2" SS	Stainless Steel Female Hose Coupling
43220	Spannloc Nut Fitting
<u>VC 13-1/2"</u>	Brass Male Hose Coupling
<u>VC 19-3/4"</u>	Brass Male Hose Coupling
<u>VC 25-1"</u>	Brass Male Hose Coupling
<u>VC 32-11/4"</u>	Brass Male Hose Coupling
<u>VC 38-1½ "</u>	Spinlock - father screw connection
VC 38-11/2 " NPT	Stainless Steel Male Hose Coupling
<u>VC 38-2"</u>	Brass Male Hose Coupling
<u>VC 50-2"</u>	Brass Male Hose Coupling
<u>VC 50-2" NPT</u>	Brass Male Hose Coupling
<u>VC 63-21/2"</u>	Brass Male Hose Coupling
<u>VC 63-21/2" NPT</u>	Brass Male Hose Coupling
<u>VC 63-3"</u>	Stainless Steel Male Hose Coupling
<u>VC 75-3"</u>	Stainless Steel Male Hose Coupling
<u>VC 80-3")</u>	Stainless Steel Male Hose Coupling
<u>VC 100-4"</u>	Brass Male Hose Coupling
<u>VC 50-2" Al</u>	Aluminum Male Hose Coupling
<u>VC 75-3" Al</u>	Aluminum Male Hose Coupling
<u>VC 100-4" Al</u>	Aluminum Male Hose Coupling
<u>VC 13-½" SS</u>	Stainless Steel Male Hose Coupling
<u>VC 19-¾" SS</u>	Stainless Steel Male Hose Coupling
<u>VC 25-1" SS</u>	Stainless Steel Male Hose Coupling
<u>VC 32-11/4" SS</u>	Stainless Steel Male Hose Coupling
<u>VC 38-1½ " SS</u>	Stainless Steel Male Hose Coupling
<u>VC 50-2" SS</u>	Stainless Steel Male Hose Coupling
<u>VC 63-2½ SS</u>	Stainless Steel Male Hose Coupling
<u>VC 75-3" SS</u>	Stainless Steel Male Hose Coupling
<u>VC 100-4" SS</u>	Stainless Steel Male Hose Coupling
<u>RMX 25 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RMC 25 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RMX 32 SS</u>	Stainless Steel Male Hose Coupling
RMC 32 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
<u>RMX 38 SS</u>	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RMC 38 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RMX 50 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RMC 50 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RMX 63 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk Page 9 / 24





Product	Description
<u>RMC 63 SS</u>	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RMX 75 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection
<u>RMC 75 SS</u>	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RVX 25 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection
<u>RVC 25 SS</u>	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RVX 32 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection
<u>RVC 32 SS</u>	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RVX 38 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection
<u>RVC 38 SS</u>	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RVX 50 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection
<u>RVC 50 SS</u>	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RVX 63 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection
<u>RVC 63 SS</u>	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>RVX 75 SS</u>	Stainless Steel Male Hose Coupling with DIN 11851 Connection
<u>RVC 75 SS</u>	Stainless Steel Female Hose Coupling with DIN 11851 Connection
<u>SMC 25-1"</u>	Stainless Steel Male Hose Coupling with BSP Thread
<u>SMC 32-11/4"</u>	Stainless Steel Male Hose Coupling with BSP Thread
<u>SMC 50-2"</u>	Steel Male Hose Coupling with BSP Thread
<u>SVC 25-1" NPT</u>	Steel Female Hose Coupling with NPT Thread
<u>SVC 32-11/4" NPT</u>	Steel Female Hose Coupling with NPT Thread
<u>SVC 38-11/2" NPT</u>	Steel Female Hose Coupling with NPT Thread
<u>SVC 50-2" NPT</u>	Steel Female Hose Coupling with NPT Thread
<u>SVC 75-3" NPT</u>	Steel Female Hose Coupling with NPT Thread
<u>SMS 13-½"</u>	Stainless Steel Male Hose Coupling with SMS Thread
<u>SMS 19-¾"</u>	Stainless Steel Male Hose Coupling with SMS Thread
<u>SMS 25-1"</u>	Stainless Steel Male Hose Coupling with SMS Thread
<u>SMS 32-11/4"</u>	Stainless Steel Male Hose Coupling with SMS Thread
<u>SVS 13-½"</u>	Stainless Steel Female Hose Coupling with SMS Thread
<u>SVS 19-¾"</u>	Stainless Steel Female Hose Coupling with SMS Thread
<u>SVS 25-1"</u>	Stainless Steel Female Hose Coupling with SMS Thread
<u>SVS 32-11/4"</u>	Stainless Steel Female Hose Coupling with SMS Thread
<u>MKX 32.50</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 38</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 38.50</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 40.50</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 50</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 50.50</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 50.80</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 63.80</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 75</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 75 AI</u>	Aluminum Hose Coupling with TW (Tank Wagon) Thread
<u>MKX 75.80</u>	Spannfix hose coupling
<u>MKX 100 L</u>	Brass Hose Coupling with TW (Tank Wagon) Thread

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk Page 10/24





Product	Description
<u>MKX 100.100</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 32.50</u>	Brass Adapter with TW (Tank Wagon) Thread
<u>VKX 38</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 38.50</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 40.50</u>	Brass Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 50</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 50.50</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 50.80</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 63</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 63.80</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 75</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 75 AI</u>	Aluminum Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 75.80</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 100</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 100 AI</u>	Aluminum Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKX 100.100</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 32.50</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 38</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 38.50</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 50</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 50.80</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 63.80</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 75</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 75 AI</u>	Aluminum Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 80.80)</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 100 L</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>MKC 100.100</u>	Brass Male Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 32.50</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 38</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 38.50</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 50</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 50.50</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 50.80</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 63</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 63.80</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 75</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 75 AI</u>	Aluminum Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 75.80</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 80.80</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 100</u>	Brass Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 100 AI</u>	Aluminum Female Hose Coupling with TW (Tank Wagon) Thread
<u>VKC 100.100</u>	Stainless Steel Female Hose Coupling with TW (Tank Wagon) Thread
<u>EW - SK 5</u>	Safety Clamp for Hose Assemblies





Product	Description
<u>EW - K 50 Ms</u>	Hose Clamp with Safety Collar
EW - K 80 Ms	TW Coupling Wrench Size DN 80
EW - K 100 Ms	TW Coupling Wrench Size DN 100
<u>EW - K 50 St</u>	TW Coupling Wrench Size DN 50
<u>EW - K 80 St</u>	TW Coupling Wrench Size DN 80
 EW - GH 60/90	Hinged hook wrench
<u>EW - GH 90/155</u>	Hinged Hook Spanner for 2½" – 4" Couplings
EW - H 52/55	Hook Spanner for 1 ¹ / ₄ " – 1 ¹ / ₂ " Couplings
EW - H 68/75	Hook Spanner for 2" Couplings
<u> </u>	Hook Spanner for 21/2" Couplings
<u>EW - H 95/100</u>	Hook Spanner for 3" Couplings
EW - H 120/130	Hook Spanner for 4" Couplings
<u>EW - KH 500</u>	Copper Hammer for Tank Truck Drivers
<u>EW - KH 1000</u>	Copper Hammer for Tank Truck Drivers
<u>MKX 50 SS</u>	Stainless Steel TW Hose Coupling DN 50
MKX 50.50 SS	Stainless Steel TW Hose Coupling DN 50 with 2" Hose Tail
<u>MKX 75 SS</u>	Spannfix one-piece hose coupling
<u>MKX 75.80 SS</u>	Stainless Steel TW Hose Coupling DN 75 with 3" Hose Tail
MKX 100.100 SS	Stainless Steel TW Hose Coupling DN 100 with 4" Hose Tail
<u>VKX 50 SS</u>	Stainless Steel TW Hose Adapter DN 50
<u>VKX 50.50 SS</u>	hose coupling
<u>VKX75SS</u>	Spannfix one-piece hose coupling
<u>VKX 75.80 SS</u>	Stainless Steel TW Hose Adapter DN 75 with 3" Hose Tail
<u>VKX 100.100 SS</u>	Stainless Steel TW Hose Adapter DN 100 with 4" Hose Tail
<u>MKC 50.50 SS (42297)</u>	Stainless Steel TW Hose Coupling with Female Thread DN 50
<u>MKC 75 SS</u>	Stainless Steel TW Hose Coupling DN 75
<u>MKC 75.80 SS (42298)</u>	Stainless Steel TW Female Two-Part Coupler DN 75 with 3" Hose Tail
<u>MKC 100.100 SS</u>	Stainless Steel TW Female One-Part Coupler DN 100 with 4" Hose Tail
<u>VKC 50 SS</u>	Stainless Steel TW Male One-Part Coupler DN 50
<u>VKC 50.50 SS (42924)</u>	Stainless Steel TW Male Coupler DN 50 with 2" Hose Tail
<u>VKC 75 SS</u>	stainless steel hose coupling
VKC 75.80 SS (42301)	Stainless Steel TW Male Coupler DN 75 with 3" Hose Tail
<u>VKC 100.100 SS</u>	Stainless Steel TW Male Coupler DN 100 with 4" Hose Tail
<u>AVKX 25</u>	Camlock' Male Adapter with Hose Tail DN 25 (1")
<u>AVKC 25</u>	Camlock' Male Adapter with Hose Tail DN 25 (1")
<u>AVKX 32</u>	Camlock' Male Adapter with Hose Tail DN 32 (11/4")
<u>AVKC 32</u>	Camlock' Male Adapter with Hose Tail DN 32 (11/4")
<u>AVKX 38</u>	Camlock' Male Adapter with Hose Tail DN 38 (11/2")
AVKC 38	Camlock' Male Adapter with Hose Tail DN 38 (11/2")
<u>AVKX 50</u>	Camlock' Male Adapter with Hose Tail DN 50 (2")
AVKC 50	Camlock' Male Adapter with Hose Tail DN 50 (2")
<u>AVKX 63</u>	Camlock' Male Adapter with Hose Tail DN 63 (21/2")
<u>AVKC 63</u>	Camlock' Male Adapter with Hose Tail DN 63 (21/2")





Product	Description
<u>AVKX 75</u>	Camlock' Male Adapter with Hose Tail DN 75 (3")
<u>AVKC 75</u>	Camlock' Male Adapter with Hose Tail DN 75 (3")
<u>AVKX 100</u>	Camlock' Male Adapter with Hose Tail DN 100 (4")
<u>AVKC 100</u>	Camlock' Male Adapter with Hose Tail DN 100 (4")
<u>AMKX 25</u>	Camlock' Female Coupler with Hose Tail DN 25 (1")
<u>AMKC 25</u>	Camlock' Female Coupler with Hose Tail DN 25 (1")
<u>AMKX 32</u>	Camlock' Female Coupler with Hose Tail DN 32 (11/4")
AMKC 32	Camlock' Female Coupler with Hose Tail DN 32 (11/4")
<u>AMKX 38</u>	Camlock' Female Coupler with Hose Tail DN 38 (11/2")
AMKC 38	Camlock' Female Coupler with Hose Tail DN 38 (11/2")
<u>AMKX 50</u>	Camlock' Female Coupler with Hose Tail DN 50 (2")
AMKC 50	Camlock' Female Coupler with Hose Tail DN 50 (2")
<u>AMKX 63</u>	Camlock' Female Coupler with Hose Tail DN 63 (21/2")
<u>AMKC 63</u>	Camlock' Female Coupler with Hose Tail DN 63 (21/2")
<u>AMKX 75</u>	Camlock' Female Coupler with Hose Tail DN 75 (3")
<u>AMKC 75</u>	Camlock' Female Coupler with Hose Tail DN 75 (3")
<u>AMKX 100</u>	Camlock' Female Coupler with Hose Tail DN 100 (4")
<u>AMKC 100</u>	Camlock Coupling
AVKX 25 SS	Camlock Adapter
AVKC 25 SS	Camlock Adapter
AVKX 32 SS	Camlock Adapter
AVKC 32 SS	Camlock Adapter
AVKX 38 SS	Camlock Adapter
AVKC 38 SS	Camlock Adapter
AVKX 50 SS	Camlock Adapter
AVKC 50 SS	Camlock Adapter
AVKX 63 SS	Camlock Adapter
AVKC 63 SS	Camlock Adapter
AVKX 75 SS	Camlock Adapter
AVKC 75 SS	Camlock Adapter
AMKX 25 SS	Camlock Coupling
AMKC 25 SS	Camlock Coupling
AMKX 32 SS	Camlock Coupling
AMKC 32 SS	Camlock Coupling
AMKX 38 SS	Camlock Coupling
AMKC 38 SS	Camlock Coupling
AMKX 50 SS	Camlock Coupling
<u>12764309</u>	Camlock Coupling
<u>AMKX 63 SS</u>	Camlock Coupling
AMKC 63 SS	Camlock Coupling
<u>AMKX 75 SS</u>	Camlock Coupling
AMKC 75 SS	Camlock Coupling
<u>STKX 50</u>	Hose couplings system





Product	Description
<u>STKC 50</u>	Steam Hose Coupling
STKX 75	Hose couplings system
STKC 75	Steam Hose Coupling
<u>STKX 100</u>	Hose couplings system
STKC 100	Steam Hose Coupling
<u>SFC 25.40</u>	Spannfix Safety Clamp
<u>SFC 38.40</u>	Spannfix Safety Clamp
SFC 50.16	Spannfix Safety Clamp
FFC 50.16	Spannfix Safety Clamp
SFC 75.16	Spannfix Safety Clamp
FFC 75.16	Fixed Flange Coupling
SFC 100.16	Swiveling Flange Coupling
FFC 100.16	Fixed Flange Coupling
SFC 150.16	Swiveling Flange Coupling
<u>SFC 150.16 L</u>	Swiveling Flange Coupling with Aluminum Hose Tail
FFC 150.16	Fixed Flange Coupling
<u>SFC 200.10</u>	Swiveling Flange Coupling
DFC 150.16 L	Fixed Flange Coupling with Aluminum Hose Tail
DFC 150.16	Fixed Flange Coupling
<u>SFX 25.40</u>	Swiveling Flange Coupling
<u>SFX 38.40</u>	Swiveling Flange Coupling
<u>SFX 50.16</u>	Swiveling Flange Coupling
<u>SFX 75.16</u>	Swiveling Flange Coupling
<u>SFX 100.16</u>	Swiveling Flange Coupling
<u>SFX 63 TW</u>	Swiveling Flange Coupling
<u>SFX 75 TW</u>	Swiveling Flange Coupling
<u>SFX 100 TW</u>	Swiveling Flange Coupling
<u>SFC 63 TW</u>	Swiveling Flange Coupling
<u>SFC 75 TW</u>	Swiveling Flange Coupling
<u>SFC 100 TW</u>	Swiveling Flange Coupling
<u>SFC 25.40 SS</u>	Swiveling Flange Coupling
<u>SFC 38.40 SS</u>	Swiveling Flange Coupling
<u>SFC 50.16 SS</u>	Swiveling Flange Coupling
FFC 50.16 SS	Fixed Flange Coupling
<u>SFC 75.16 SS</u>	Stainless steel hose flange
<u>SFC 100.16 SS</u>	Swiveling Flange Coupling
SFX 25.40 SS	Swiveling Flange Coupling
SFX 38.40 SS	Swiveling Flange Coupling
SFX 50.16 SS	Swiveling Flange Coupling
<u>SFX 75.16 SS</u>	Swiveling Flange Coupling
FFX 75.16	Fixed Flange Coupling
SFX 100.16 SS	Swiveling Flange Coupling
<u>FFX 100.16</u>	Fixed Flange Coupling





Product	Description
<u>SFS 25.40</u>	Swiveling Flange Coupling
<u>SFS 50.40</u>	Swiveling Flange Coupling
<u>SK 36</u>	Dust Cap
<u>SK 40</u>	Dust Cap
<u>SK 45</u>	Dust Cap
<u>SK 49</u>	Dust Cap
<u>SK 52</u>	Dust Cap
<u>SK 54</u>	Hose Clamp
<u>SK 57</u>	Hose Clamp
<u>SK 60</u>	Hose Clamp
<u>SK 62</u>	Hose Clamp
<u>SK 64</u>	Hose Clamp
<u>SK 66</u>	Hose Clamp
<u>SK 68</u>	Hose Clamp
<u>SK 72</u>	Hose Clamp
<u>SK 76</u>	Hose Clamp
<u>SK 78</u>	Hose Clamp
<u>SK 80</u>	Hose Clamp
<u>SK 83</u>	Hose Clamp
<u>SK 86</u>	Heavy-Duty Hose Clamp
<u>SK 88</u>	Heavy-Duty Hose Clamp
<u>SK 90</u>	Heavy-Duty Hose Clamp
<u>SK 92</u>	Heavy-Duty Hose Clamp
<u>SK 95</u>	Heavy-Duty Hose Clamp
<u>SK 100</u>	Heavy-Duty Hose Clamp
<u>SK 104</u>	Heavy-Duty Hose Clamp
<u>SK 106</u>	Heavy-Duty Hose Clamp
<u>SK 110</u>	Heavy-Duty Hose Clamp
<u>SK 117</u>	Heavy-Duty Hose Clamp
<u>SK 122</u>	Heavy-Duty Hose Clamp
<u>SK 126</u>	Heavy-Duty Hose Clamp
<u>SK 135</u>	Heavy-Duty Hose Clamp
<u>SK 141</u>	Heavy-Duty Hose Clamp
<u>SX 25</u>	Hose Coupling
<u>SX 32</u>	Hose Coupling
<u>SX 38</u>	Hose Coupling
<u>SX 40</u>	Hose Coupling
<u>SX 50</u>	Hose Coupling
<u>SX 63</u>	Hose Coupling
<u>SX 75</u>	Hose Coupling
<u>SX 100</u>	Hose Coupling
<u>SX 50 SS</u>	Hose Coupling
<u>SC 19</u>	Bolted Hose Clamp





Product	Description
SC 32	Bolted Hose Clamp
	Bolted Hose Clamp
<u>SC 40</u>	Bolted Hose Clamp
<u></u>	Safety Bolted Hose Clamp
<u>SC 50</u>	Safety Bolted Hose Clamp
<u>SC 63</u>	Safety Bolted Hose Clamp
<u>SC 80</u>	Safety Bolted Hose Clamp
<u>SC 100</u>	Safety Bolted Hose Clamp
<u>SC 150</u>	Safety Bolted Hose Clamp
<u>SC 200</u>	Safety Bolted Hose Clamp
<u>SC 13 SS</u>	Safety Bolted Hose Clamp (Stainless Steel)
<u>SC 19 SS</u>	Safety Bolted Hose Clamp (Stainless Steel)
<u>SC 25 SS</u>	Safety Bolted Hose Clamp (Stainless Steel)
<u>SC 32 SS</u>	Safety Bolted Hose Clamp (Stainless Steel)
<u>SC 38 SS</u>	Safety Bolted Hose Clamp (Stainless Steel)
<u>SC 50 SS</u>	Safety Bolted Hose Clamp (Stainless Steel)
<u>SC 63 SS</u>	Safety Bolted Hose Clamp (Stainless Steel)
<u>SC 75 SS</u>	Safety Bolted Hose Clamp (Stainless Steel)
<u>EB-M 6 x 20</u>	Spare Bolt with Nut
<u>EB-M 6 x 20 SS</u>	Spare Bolt with Nut (Stainless Steel)
<u>EB-M 8 x 25</u>	Spare Bolt with Nut
<u>EB-M 8 x 25 SS</u>	Spare Bolt with Nut (Stainless Steel)
<u>EB-M 10 x 40</u>	Spare Bolt with Nut
<u>EB-M 10 x 40 SS</u>	Spare Bolt with Nut (Stainless Steel)
<u>EB-M 12 x 50</u>	Spare Bolt with Nut
<u>M 6 x 40</u>	Assembly Bolt
<u>M 8 x 60</u>	Assembly Bolt
<u>M 10 x 70</u>	Assembly Bolt
<u>M 12 x 110</u>	Assembly Bolt
<u>MB80-MS</u>	TW blind cap
<u>42340 MB 80 AL</u>	TW blind cap
<u>MB 100 AI</u>	Dust Cap (Aluminum)
<u>MB 80 SS</u>	TW Dust Cap (Stainless Steel)
<u>MB 100 SS</u>	TW Dust Cap (Stainless Steel)
<u>VK 50-1½</u>	TW Male Coupling with Female Thread
<u>VK 50-2½"</u>	TW Male Coupling with Female Thread
P/N: 42342, Type: VK 80	TW curve piece
49999 VK 80 Bit	TW curve piece
<u>VK 100 BIT</u>	TW Male Coupling for Bitumen Applications
<u>VK 80 AI</u>	TW Male Coupling with Female Thread (Aluminum)
<u>VK 50 SS</u>	TW Male Coupling with Female Thread (Stainless Steel)
<u>VK 100 SS</u>	TW Male Coupling with Female Thread (Stainless Steel)
<u>K 200 DIN</u>	Chains





Product	Description
<u>K 300 DIN</u>	Chains
<u>K 360 DIN</u>	Chains
<u>K 200 SS</u>	Chains
<u>K 300 SS</u>	Chains
<u>K 360 SS</u>	Chains
<u>MB 50 TS SS</u>	Lockable TW Dust Cap (Stainless Steel)
<u>TS 80 - V 3 (VK 80 TS + MB 80 TS)</u>	Lockable Fill Pipe Coupling DN 80 with TW Connection
<u>TS 80 - G 3</u>	Lockable Fill Pipe Coupling DN 80 with TW Connection
<u>VB 50</u>	TW Dust Plug DN 50
<u>VB 80</u>	TW blanking plug
<u>VB 50 AI</u>	TW Dust Plug DN 50 (Aluminum)
<u>VB 100 AI</u>	TW Dust Plug DN 100 (Aluminum)
<u>VB 50 P</u>	TW Dust Plug DN 50 (Polyamide)
<u>VB 80 P</u>	TW Dust Plug DN 80 (Polyamide)
<u>VB 100 P</u>	TW Dust Plug DN 100 (Polyamide)
<u>VB 50 SS</u>	TW Dust Plug DN 50 (Stainless Steel)
<u>VB 80 SS</u>	TW Dust Plug DN 80 (Stainless Steel)
<u>VB 100 SS</u>	TW Dust Plug DN 100 (Stainless Steel)
<u>MK80</u>	TW nut coupling MK80
<u>MK 80 BIT</u>	TW Female Coupling with Male Thread DN 80
<u>MK 100</u>	TW-nut coupling
<u>MK 100 BIT</u>	TW Female Coupling with Male Thread DN 100 (Brass)
<u>MK 80 AI</u>	TW Female Coupling with Male Thread DN 80 (Aluminum)
<u>MK 50 SS</u>	TW Female Coupling with Male Thread DN 50 (Stainless Steel)
<u>MK 80 SS</u>	TW Female Coupling with Male Thread DN 80 (Stainless Steel)
<u>MK 100 SS</u>	TW nut coupling
<u>TWK 50</u>	TW Crown Piece DN 50
<u>TWK 50-1½" AG</u>	TW Crown Piece DN 50 with Male Thread
<u>TWK 50-2" AG</u>	TW Crown Piece DN 50 with 2" Male Thread
<u>TWK 80</u>	TW Crown Piece DN 80
<u>TWK 80 BIT</u>	TW crown piece
<u>TWK 80 AI</u>	TW Crown Piece DN 80 (Aluminum)
<u>TWK 50 SS</u>	TW Crown Piece DN 50 (Stainless Steel)
<u>TWK 80 SS</u>	TW Crown Piece DN 80 (Stainless Steel)
<u>TWM 80</u>	TW Coupling Nut with Lever DN 80
<u>TWM 80 AI</u>	TW Coupling Nut with Lever DN 80 (Aluminum)
<u>TWM 50 SS</u>	Ring
<u>49999VK 50-3" IG</u>	coupling
<u>VK 80-2" IG</u>	TW Male Coupling with 2" Female Thread DN 80
<u>VK 80-4" IG</u>	TW Male Coupling with 4" Female Thread DN 80
<u>VK 100-3" IG</u>	TW Male Coupling with 3" Female Thread DN 100
<u>VK 50-1½" AG</u>	TW Male Coupling with 11/2" Male Thread DN 50
<u>VK 50-3" AG</u>	TW Male Coupling with 3" Male Thread DN 50

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk Page 17/24





Product	Description
<u>VK 80-2" AG</u>	TW Male Coupling with 2" Male Thread DN 80
<u>VK 80-3" AG</u>	V coupling with external thread
<u>VK 100-3" AG</u>	TW Male Coupling with 3" Male Thread DN 100
MK 50-1½" IG	TW Female Coupling with 11/2" Female Thread DN 50
MK 50-2½" IG	TW Female Coupling with 21/2" Female Thread DN 50
MK 50-3" IG	TW Female Coupling with 3" Female Thread DN 50
MK 80-2" IG	TW Female Coupling with 2" Female Thread DN 80
<u>MK 80-4" IG</u>	Adapter coupling
<u>MK 100-3" IG</u>	TW Female Coupling with 3" Female Thread DN 100
MK 50-1½" AG	TW Female Coupling with 11/2" Male Thread DN 50
<u>MK 50-3" AG</u>	TW Female Coupling with 3" Male Thread DN 50
<u>MK 80-2" AG</u>	TW Female Coupling with 2" Male Thread DN 80
<u>MK 80-3" AG</u>	TW Female Coupling with 3" Male Thread DN 80
<u>MK 100-3" AG</u>	TW Female Coupling with 3" Male Thread DN 100
<u>MK 100-4" AG</u>	TW Female Coupling with 4" Male Thread DN 100
<u>VK 50 x VK 50</u>	TW Male Adapter Coupling DN 50
<u>VK 50 x VK 80</u>	TW Male Adapter Coupling DN 50 to DN 80
<u>VK 50 x VK 100</u>	TW Male Adapter Coupling DN 50 to DN 100
<u>VK 80 x VK 80</u>	TW Male Adapter Coupling DN 80
<u>VK 80 x VK 100</u>	TW Male Adapter Coupling DN 80 to DN 100
<u>VK 100 x VK 100</u>	TW Male Adapter Coupling DN 100
<u>VK 50 x MK 80</u>	TW Adapter Coupling DN 50 to DN 80
<u>VK 50 x MK 100</u>	TW Adapter Coupling DN 50 to DN 100
<u>VK 80 x MK 50-45°</u>	TW Adapter Coupling DN 80 to DN 50 with 45° Bent Lever
<u>VK 80 x MK 100</u>	TW Adapter Coupling DN 80 to DN 100
<u>VK 100 x MK 50-45°</u>	TW Adapter Coupling DN 100 to DN 50 with 45° Bent Lever
<u>VK 100 x MK 80-32°</u>	TW Adapter Coupling DN 100 to DN 80 with 32° Bent Lever
<u>MK 50-45° x MK 50-45°</u>	TW Adapter Coupling DN 50 with 45° Bent Levers
<u>MK 50-45° x MK 80</u>	TW Adapter Coupling DN 50 to DN 80 with 45° Bent Lever
<u>MK 50-45° x MK 100</u>	TW Adapter Coupling DN 50 to DN 100 with 45° Bent Lever
<u>MK 80 x MK 80</u>	TW Adapter Coupling DN 80
<u>MK 80 x MK 100</u>	TW Adapter Coupling DN 80 to DN 100
<u>MK 100 x MK 100</u>	TW Female Adapter Coupling DN 100
<u>KWZ 2</u>	Rail Tanker Adapter with 2" Male Thread
<u>KWZ 3"</u>	Rail Tanker Adapter with 3" Male Thread
<u>KWZ 4"</u>	Rail Tanker Adapter with 4" Male Thread
<u>KWZ 3" Al</u>	Rail Tanker Adapter with 3" Male Thread (Aluminum)
KWZ 4" AI	Rail Tanker Adapter with 4" Male Thread (Aluminum)
<u>KWZ 2" SS</u>	Rail Tanker Adapter with 2" Male Thread (Stainless Steel)
KWZ 3" SS	Rail Tanker Adapter with 3" Male Thread (Stainless Steel)
<u>KWZ 4" SS</u>	Rail Tanker Adapter with 4" Male Thread (Stainless Steel)
<u>KWZ x VK 50</u>	Rail Tanker Adapter with TW Male Coupling DN 50
<u>KWZ x VK 80</u>	Rail Tanker Adapter with TW Male Coupling DN 80





Page 19 / 24

Product	Description
<u>KWZ x VK 100</u>	Rail Tanker Adapter with TW Male Coupling DN 100
KWZ x VK 50 SS	Rail Tanker Adapter with TW Male Coupling DN 50 (Stainless Steel)
<u>KWZ x VK 80 SS</u>	Rail Tanker Adapter with TW Male Coupling DN 80 (Stainless Steel)
<u>KWZ x VK 100 SS</u>	Rail Tanker Adapter with TW Male Coupling DN 100 (Stainless Steel)
Storz C-2" Ms	Storz Fixed Coupling with Female Thread DN 50 (Brass)
Storz B-3" Ms	Storz Fixed Coupling with Female Thread DN 80 (Brass)
Storz C-2" AI	Storz Fixed Coupling with Female Thread DN 50 (Aluminum)
Storz B-3" AI	Storz Fixed Coupling with Female Thread DN 80 (Aluminum)
Storz A-4" AI	Storz Fixed Coupling with Female Thread DN 100 (Aluminum)
Storz C-2" SS	Storz Fixed Coupling with Female Thread DN 50 (Stainless Steel)
Storz B-3" SS	Storz Fixed Coupling with Male Thread DN 80 (Stainless Steel)
Storz A-4" SS	Storz Fixed Coupling with Male Thread DN 100 (Stainless Steel)
<u>GK 80-3" AI</u>	Guillemin Fixed Coupling with Arresting Device and Male Thread DN 80 (Aluminum)
<u>GK 100-4" AI</u>	Guillemin Fixed Coupling with Arresting Device and Male Thread DN 100 (Aluminum)
<u>GK 80-3" A Al</u>	Guillemin Fixed Coupling with Arresting Device and Female Thread DN 80 (Aluminum)
<u>GK 100-4" A AI</u>	Guillemin Fixed Coupling with Arresting Device and Female Thread DN 100 (Aluminum)
<u>BWO 25180</u>	Corrugated tubes with oval steel flanges
<u>BWO 25240</u>	Corrugated tubes with oval steel flanges
<u>BWO 32180</u>	Corrugated tubes with oval steel flanges
<u>BWO 32240</u>	Corrugated tubes with oval steel flanges
<u>p/n: 80000, type: BWO 40180</u>	corrugated pipe
<u>BWO 40240</u>	Corrugated tubes with oval steel flanges
<u>BWO 50180</u>	Corrugated tubes with oval steel flanges
<u>BWO 50240</u>	Corrugated tubes with oval steel flanges
<u>KW 32180</u>	Corrugated tubes with oval flanges f. cathode protection
<u>KW 32240</u>	Corrugated tubes with oval flanges f. cathode protection
<u>KW 40180</u>	Corrugated tubes with oval flanges f. cathode protection
<u>KW 40240</u>	Corrugated tubes with oval flanges f. cathode protection
<u>KW 50100</u>	Corrugated tubes with oval flanges f. cathode protection
<u>KW 50180</u>	Corrugated tubes with oval flanges f. cathode protection
<u>KW 50240</u>	Corrugated tubes with oval flanges f. cathode protection
<u>GF 20</u>	Threaded Flange DN 20
<u>GF 25</u>	Threaded Flange DN 25
<u>GF 3225</u>	Threaded Flange DN 32/25
<u>GF 32</u>	Threaded Flange DN 32
<u>p/n: 80000, type: GF 40</u>	threaded flange
<u>GF 50</u>	Threaded Flange DN 50
<u>GF 3225 ZN</u>	Threaded Flange DN 32/25, Zinc Plated
<u>GF 32 ZN</u>	Threaded Flange DN 32, Zinc Plated
<u>GF 40 ZN</u>	Threaded Flange DN 40, Zinc Plated
<u>GF 50 ZN</u>	Threaded Flange DN 50, Zinc Plated

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





Product	Description
<u>PD 20</u>	Oval flange seals of NBR yellow
PD 25	Oval flange seals of NBR yellow
PD 32	Oval flange seals of NBR yellow
<u>PD 40</u>	Oval flange seals of NBR yellow
<u>PD 50</u>	Oval flange seals of NBR yellow
<u>NFD 32</u>	Oval flange seals NBR Black 8 mm for type KW
<u>NFD 40</u>	Oval flange seals NBR Black 8 mm for type KW
<u>NFD 50</u>	Oval flange seals NBR Black 8 mm for type KW
<u>AMB 19</u>	Camlock Dust Cap for Male Couplings, DN 19
<u>AMB 25</u>	Camlock Dust Cap for Male Couplings, DN 25
<u>AMB 32</u>	Camlock Dust Cap for Male Couplings, DN 32
<u>AMB 38</u>	Camlock Dust Cap for Male Couplings, DN 38
<u>AMB 50</u>	Camlock Dust Cap for Male Couplings, DN 50
<u>AMB 63</u>	Camlock Dust Cap for Male Couplings, DN 63
<u>AMB 75</u>	Camlock Dust Cap for Male Couplings, DN 75
<u>AMB 100</u>	Camlock Dust Cap for Male Couplings, DN 100
<u>AMB 19 AI</u>	Camlock Dust Cap for Male Couplings, DN 19, Aluminum
<u>AMB 25 AI</u>	Camlock Dust Cap for Male Couplings, DN 25, Aluminum
<u>AMB 32 AI</u>	Camlock Dust Cap for Male Couplings, DN 32, Aluminum
AMB 38 AI	Camlock Dust Cap for Male Couplings, DN 38, Aluminum
AMB 50 AI	Camlock Dust Cap for Male Couplings, DN 50, Aluminum
AMB 63 AI	Camlock Dust Cap for Male Couplings, DN 63, Aluminum
AMB 75 AI	Camlock Dust Cap for Male Couplings, DN 75, Aluminum
<u>AMB 100 AI</u>	Camlock Dust Cap for Male Couplings, DN 100, Aluminum
<u>AMB 19 SS</u>	Camlock Dust Cap for Male Couplings, DN 19, Stainless Steel
<u>AMB 25 SS</u>	Camlock Dust Cap for Male Couplings, DN 25, Stainless Steel
AMB 32 SS	Camlock Dust Cap for Male Couplings, DN 32, Stainless Steel
AMB 38 SS	Coupling Cap
<u>AMB 50 SS</u>	Camlock Dust Cap for Male Couplings, DN 50, Stainless Steel
<u>AMB 63 SS</u>	Camlock Dust Cap for Male Couplings, DN 63, Stainless Steel
<u>AMB 75 SS</u>	Camlock Dust Cap for Male Couplings, DN 75, Stainless Steel
<u>AMB 100 SS</u>	Camlock Dust Cap for Male Couplings, DN 100, Stainless Steel
<u>AVKI 19</u>	Camlock Male Adapter with Female Thread, DN 19
<u>AVKI 25</u>	Camlock Male Adapter with Female Thread, DN 25
<u>AVKI 32</u>	Camlock Male Adapter with Female Thread, DN 32
<u>AVKI 38</u>	Camlock Male Adapter with Female Thread, DN 38
<u>AVKI 50</u>	Camlock Male Adapter with Female Thread, DN 50
<u>AVKI 63</u>	Camlock Male Adapter with Female Thread, DN 63
AVKI 75 Ms (Brass)	Kamlok male part clutch
<u>AVKI 100</u>	Camlock Male Adapter with Female Thread, DN 100
AVKI 19 AI	Camlock Male Adapter with Female Thread, DN 19, Aluminum
<u>AVKI 25 AI</u>	Camlock Male Adapter with Female Thread, DN 25, Aluminum
<u>AVKI 32 Al</u>	Camlock Male Adapter with Female Thread, DN 32, Aluminum





Product	Description
<u>AVKI 38 AI</u>	Camlock Male Adapter with Female Thread, DN 38, Aluminum
<u>AVKI 50 AI</u>	Camlock Male Adapter with Female Thread, DN 50, Aluminum
<u>AVKI 63 AI</u>	Camlock Male Adapter with Female Thread, DN 63, Aluminum
<u>AVKI 75 AI</u>	Camlock Male Adapter with Female Thread, DN 75, Aluminum
AVKI 100 AI	Camlock Male Adapter with Female Thread, DN 100, Aluminum
<u>AVKI 19 SS</u>	Camlock Male Adapter with Female Thread, DN 19, Stainless Steel
AVKI 25 SS	Kamlok male coupling
<u>AVKI 32 SS</u>	Camlock Male Adapter with Female Thread, DN 32, Stainless Steel
<u>AVKI 38 SS</u>	Camlock Male Adapter with Female Thread, DN 38, Stainless Steel
AVKI 50 SS	Kamlok male coupling
AVKI 63 SS	Camlock Male Adapter with Female Thread, DN 63, Stainless Steel
AVKI 75 SS	Camlock Male Adapter with Female Thread, DN 75, Stainless Steel
<u>AVKI 100 SS</u>	Camlock Male Adapter with Female Thread, DN 100, Stainless Steel
<u>AVB 19</u>	Camlock Dust Plug, DN 19
<u>AVB 25</u>	Camlock Dust Plug, DN 25
<u>AVB 32</u>	Camlock Dust Plug, DN 32
<u>AVB 38</u>	Camlock Dust Plug, DN 38
<u>AVB 50</u>	Camlock Dust Plug, DN 50
<u>AVB 63</u>	Camlock Dust Plug, DN 63
<u>AVB 75</u>	Camlock Dust Plug, DN 75
<u>AVB 100</u>	Camlock Dust Plug, DN 100
<u>AVB 19 AI</u>	Camlock Dust Plug
AVB 25 AI	Camlock Dust Plug
AVB 32 AI	Camlock Dust Plug
<u>AVB 38 AI</u>	Camlock Dust Plug
<u>AVB 50 AI</u>	Camlock Dust Plug
AVB 63 AI	Camlock Dust Plug
AVB 75 AI	Camlock Dust Plug
<u>AVB 100 AI</u>	Camlock Dust Plug
<u>AVB 19 SS</u>	Camlock Dust Plug
<u>AVB 25 SS</u>	Camlock Dust Plug
AVB 32 SS	Camlock Dust Plug
<u>AVB 38 SS</u>	Camlock Dust Plug
AVB 50 SS	Camlock Dust Plug
<u>AVB 63 SS</u>	Camlock Dust Plug
AVB 75 SS	Dust plug
AVB 100 SS	Dust plug
<u>AMKI 19</u>	Female coupler with female parallel thread
<u>AMKI 25</u>	Female coupler with female parallel thread
<u>AMKI 32</u>	Female coupler with female parallel thread
<u>AMKI 38</u>	Female coupler with female parallel thread
<u>AMKI 50</u>	Female coupler with female parallel thread
<u>AMKI 63</u>	Female coupler with female parallel thread

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk Page 21/24





Product	Description
<u>AMKI 75</u>	Female coupler with female parallel thread
<u>AMKI 100</u>	"American" female coupler with female parallel thread
AMKI 19 AI	"American" female coupler with female parallel thread
<u>AMKI 25 AI</u>	"American" female coupler with female parallel thread
AMKI 32 AI	"American" female coupler with female parallel thread
AMKI 38 AI	"American" female coupler with female parallel thread
AMKI 50 AI	"American" female coupler with female parallel thread
AMKI 63 AI	"American" female coupler with female parallel thread
<u>AMKI 75 AI</u>	"American" female coupler with female parallel thread
<u>AMKI 100 AI</u>	"American" female coupler with female parallel thread
<u>AMKI 19 SS</u>	"American" female coupler with female parallel thread
AMKI 25 SS	"American" female coupler with female parallel thread
<u>AMKI 32 SS</u>	"American" female coupler with female parallel thread
AMKI 38 SS	"American" female coupler with female parallel thread
AMKI 50 SS	Kamlok Nut Coupling
<u>AMKI 63 SS</u>	"American" female coupler with female parallel thread
AMKI 75 SS	"American" female coupler with female parallel thread
<u>AMKI 100 SS</u>	"American" female coupler with female parallel thread
DDC-M 25-¾" Ms	Dry Disconnect Coupling, female
DDC-M 25-1" Ms	Dry Disconnect Coupling, female
DDC-M 50-11/2" Ms	Dry Disconnect Coupling, female
DDC-M 50-2" Ms	Dry Disconnect Coupling, female
DDC-M 65-21/2" Ms	Dry Disconnect Coupling, female
DDC-M 65-3" Ms	Dry Disconnect Coupling
DDC-M 80-3" Ms	Dry Disconnect Coupling, female
<u>DDC-M 25-34" AI</u>	Dry Disconnect Coupling, female
DDC-M 25-1" AI	Dry Disconnect Coupling, female
DDC-M 50-1½" Al	Dry Disconnect Coupling, female
DDC-M 50-2" AI	Dry Disconnect Coupling, female
DDC-M 65-2½" Al	Dry Disconnect Coupling, female
<u>DDC-M 65-3" Al</u>	Dry Disconnect Coupling, female
DDC-M 80-3" AI	Dry Disconnect Coupling, female
<u>DDC-M 100-4" Al</u>	Dry Disconnect Coupling, female
<u>DDC-M 25-¾" SS</u>	Dry Disconnect Coupling, female
<u>DDC-M 25-1" SS/Vi</u>	Mother-dry clutch
DDC-M 50-11/2" SS	Dry Disconnect Coupling, female
DDC-M 50-2" SS	Dry Disconnect Coupling, female
DDC-M 65-2½" SS	Dry Disconnect Coupling, female
DDC-M 65-3" SS	Dry Disconnect Coupling, female
DDC-M 80-3" SS	Dry Disconnect Coupling, female
DDC-M 100-4" SS	Dry Disconnect Coupling, female
DDC-S 1" PE	Dust Plug for DDC-M
DDC-S 2" PE	Dust Plug for DDC-M





Product	Description
DDC-S 3" PE	Dust Plug for DDC-M
DDC-S 4" PE	Dust Plug for DDC-M
DDC-V 25-3/4" Ms	Dry Disconnect Coupling, male
DDC-V 25-1" Ms	Dry Disconnect Coupling, male
DDC-V 50-11/2" Ms	Dry Disconnect Coupling, male
DDC-V 50-2" Ms	Dry Disconnect Coupling, male
DDC-V 65-21/2" Ms	Dry Disconnect Coupling, male
DDC-V 65-3" Ms	Dry Disconnect Coupling, male
DDC-V 80-3" Ms	Dry Disconnect Coupling, male
DDC-V 25-3/4" AI	Dry Disconnect Coupling, male
DDC-V 50-11/2" AI	Dry Disconnect Coupling, male
DDC-V 50-2" AI	Dry Disconnect Coupling, male
DDC-V 65-21/2" AI	Dry Disconnect Coupling, male
DDC-V 65-3" AI	Dry Disconnect Coupling, male
DDC-V 80-3" AI	Dry Disconnect Coupling, male
DDC-V 100-4" AI	Dry Disconnect Coupling, male
DDC-V 25-3/4" SS	Father dry clutch
DDC-V 25-1" SS/Vi	Father dry clutch
DDC-V 50-11/2" SS	Dry Disconnect Coupling, male
DDC-V 50-2" SS	Dry Disconnect Coupling, male
DDC-V 65-21/2" SS	Dry Disconnect Coupling, male
DDC-V 65-3" SS	Dry Disconnect Coupling, male
DDC-V 80-3" SS	Dry Disconnect Coupling, male
DDC-V 100-4" SS	Dry Disconnect Coupling, male
<u>DDC-К 1" РЕ</u>	Dust Cap for DDC-V
<u>DDC-K 2" PE</u>	Dust Cap for DDC-V
<u>DDC-K 3" PE</u>	Dust Cap for DDC-V
<u>DDC-К 4" РЕ</u>	Dust Cap for DDC-V
<u>BK 1/2"</u>	Dust cap
<u>BK 1"</u>	Dust cap
<u>BK 2"</u>	Dust cap
<u>BK 3"</u>	Dust cap
<u> </u>	Dust cap
<u>BK 5½" Al</u>	Dust cap
<u>BK 1/2" SS</u>	Dust cap
<u>BK 1" SS</u>	Dust cap
<u>BK 2" SS</u>	Dust cap
<u>BK 3" SS</u>	Dust cap
<u>K 160 L</u>	Dust cap
<u>K 180 L</u>	Dust cap
<u>K 260 L</u>	Dust cap
<u>K 160 SS</u>	Dust cap
<u>S-Haken SS 3,0</u>	Stainless Steel S-Hook





Product	Description
<u>RS ¾ x 1</u>	Female/male reducer type RS
<u>RS 1 x 1¼</u>	Female/male reducer type RS
<u>RS 1½ x 2</u>	Female/male reducer type RS
<u>RS 2 x 1½</u>	Female/male reducer type RS
<u>RS 2 x 2½</u>	Female/male reducer type RS
<u>RS 2 x 3</u>	Female/male reducer type RS
<u>RS 3 x 2</u>	Female/male reducer type RS
<u>RS 3 x 4</u>	Female/male reducer type RS
<u>RS 4 x 3</u>	Female/male reducer type RS
<u>RS 1 x 1¼ SS</u>	Female/male reducer type RS
<u>RS 1 x 2 SS</u>	Female/male reducer type RS
<u>RS 2 x 1 SS</u>	Female/male reducer type RS
<u>RS 2 x 2½ SS</u>	Female/male reducer type RS
<u>RS 2 x 3 SS</u>	Female/male reducer type RS
<u>RS 3 x 2 SS</u>	Female/male reducer type RS
<u>RS 3 x 4 SS</u>	Female/male reducer type RS
<u>RS 2 x 78 SS</u>	Reducer type RS
<u>AN 1/2"</u>	Welding nipple type AN
<u>AN 1"</u>	Welding nipple type AN
<u>AN 2"</u>	Welding nipple type AN
<u>AN 3"</u>	Welding nipple type AN