







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Flucom

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|------------------------------|------------------------------------|
| ETD 20 4306 | solenoid valves |
| <u>VBH.20006.000F</u> | PRESSURE VALVE |
| LPB20/D-NB // 510.0002.A | VALVE |
| <u>28144101</u> | Body 20-L0-B06 |
| <u>25011133</u> | ECD 20/2202-M0 |
| <u>90538103</u> | Din connector with rectifier HRB |
| <u>30-LO-B06</u> | Hydraulic Flow Control Valve |
| ECP30 /22C2 | Valve |
| VBH.800ECP20/22C1 | valve |
| <u>RPA 20 D N</u> | Pilot Operated Check Valve |
| ECD 30/3204-MO | SOLENOID VALVE POPPET-TYPE |
| 4511(ECD30/32M4) | Hydraulic Flow Control Valve |
| <u>RLD 20/D-N</u> | REDUCTION VALVE |
| <u>VBH.800DCC30/U</u> | FIXED FLOW DIVIDER |
| <u>VBH.800RDZ30/Q-H</u> | 2-WAY FLOW REGULATOR |
| <u>EPP50 22B2</u> | Proportional Pressure Relief Valve |
| ECD50/22B2 | Hydraulic Flow Control Valve |
| <u>52.011.101 / CAE 50/M</u> | check valve |
| CDE20/D06-DIN3861-M | THREE WAY SHUTTLE VALVE |
| <u>ETD20 3204</u> | Hydraulic Flow Control Valve |
| <u>B20 24C 22J</u> | Coil |
| VBH.800EPP70/22B1 | Hydraulic Poppet Valve |
| CAE50/P | TWO WAY CHECK VALVE |
| PPI30/U 12C 22H | PROPORTIONAL PRESSURE RELIEF VALVE |
| <u>CAT 20/M</u> | Two-Way Check Valve |
| <u>CAB 20/M</u> | Two-Way Check Valve |
| <u>CAP 30/M-3.4</u> | Three-Way Check Valve |
| <u>28.011.192</u> | Valve |
| ETD 30/3204 | Solenoid Valve |
| <u>22.011.104</u> | Check valve |
| <u>LPI50 /D-N</u> | pressure relief Valve |
| LPS20/20 DN | Valve |
| VBH.800ETD50/4205 | valve |
| <u>VBH.820050.012</u> | coil |
| ECD30-3204MO 35.011.127 | cartridge |
| | |

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|-----------------------|--|
| VBH.81030-C3-B08 | 3/2 BODY 1/2 |
| VBH.800LPY30/D-N | Valve |
| <u>25125103</u> | Coil |
| VDT20/3203 D-N | THREE WAY INTERNAL PILOT |
| <u>VDT20/3203-N</u> | THREE WAY INTERNAL VALF |
| VBH.800CAP20/M | valve |
| ETD20 /2201 | Solenoid Valve |
| DCC30 U 1217 | Valve |
| 24VDC B30 24C 28H | Standard Coil |
| EPP30/22C2 | Valve |
| <u>28011173</u> | manifold |
| 25 125 104 | COIL |
| VBH.800LPS20/20-D-N | pressure relief valve |
| LPE 20/T-N | Pressure Relief Valve |
| LPA20 D-N | PRESSURE RELIEF VALVE |
| LPA 30/T-N | |
| LPA 30/D-V | valve |
| | PRESSURE RELIEF VALVE |
| LPB 50/T-N | Pressure Relief Valve |
| LPB 70/U-N | PRESSURE RELIEF VALVE |
| LPI 30/Q-N | Pressure Relief Valve |
| LPI 50/Q-N | Pressure Relief Valve |
| LPI 70/D-V | Pressure Relief Valve |
| LPA 20/D-N-CSL 03-B05 | Dual Pressure Relief Valve |
| LPB20/U-N CSL 03 B06 | PRESSURE RELIEF VALVE |
| LPB 20/T-N-CSL 03-B06 | Pressure Relief Valve |
| RPA20/U-N | Valve |
| <u>RPA 20/T-N</u> | PRESSURE REDUCING VALVE |
| <u>RLY 30/D-N</u> | PRESSURE REDUCING VALVE |
| VBH.800RLY30/D-V | PRESSURE REDUCING VALVE |
| RLP30/ DN | PRESSURE REDUCING VALVE |
| RLP30 /QN | PRESSURE REDUCING VALVE |
| VBH.800RLY30/D-N CSL | PRESSURE REDUCING VALVE |
| LPQ 30/D-N | valve |
| LPQ 30/Q-N | Valve |
| LPQ50 Q-N | |
| LCS 20/Q-N | Differential Area Unloading Relief Valve |
| LPY30/ Q-V CSL B08 | SEQUENCE VALVE |
| VBH.800CAE20/P | TWO WAY CHECK VALVE |
| CAE20 M | Two-Way Check Valve |
| <u>CAE 20/Z</u> | TWO WAY CHECK VALVE |
| EAC30/P | TWO WAY CHECK VALVE |
| <u>CAE 50/M</u> | Pilot Operated Check Valve |
| | |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk Page 2 / 11





| Product | Description |
|------------------------|---|
| <u>CAP50/M</u> | THREE WAY CHECK VALVE |
| <u>CDP 30/M-S</u> | Pilot Operated Check Valve |
| VBH.800CCI20 | INVERTER VALVE |
| <u>CDE20 B05 M</u> | 3-WAY PILOT VALVE |
| <u>CPA 30/Z</u> | THREE WAY CHECK VALVE PILOT TO CLOSED |
| <u>RMB 20/V</u> | Flow Control Valve |
| <u>VDT 20/3201-U-N</u> | valve |
| <u>VDT 20/3202-U-N</u> | valve |
| <u>VDT30/3202 Q-N</u> | Directional Control Poppet-Type Valve |
| <u>VDT 30/3201-D-N</u> | Directional Control Poppet-Type Valve |
| <u>VDT 20/4203-U-N</u> | Directional Control Poppet-Type Valve |
| <u>VDT20/4203 D-N</u> | FOUR WAY EXTERNAL VENT |
| VDT 30/4203-Q-N | |
| <u>VDT20 2201 /PS</u> | Manual Directional Control Poppet-Type Valve |
| VDT20 3204 PS | Manual Directional Control Poppet-Type Valve |
| RDB30/N | Two-Way Bidirectional Flow Controller |
| <u>RDA 20/N</u> | Two-Way Unidirectional Flow Controller |
| <u>RDA 30/N</u> | Flow control valve |
| <u>RDC 20/U-N</u> | Two-Way Pressure Compensated Unidirectional Flow Controller |
| <u>RDC 30/U-V</u> | 2-WAY CLUTCH |
| RDC 30/20-HF | High-Flow Pressure Compensated Flow Controller |
| RDC 30/50-HF | High-Flow Pressure Compensated Flow Controller |
| <u>RDZ30 D-H</u> | valve |
| <u>RDZ 30/Q-H</u> | TWO WAY PRESSURE COMPENSATED UNIDIRECTIONAL |
| <u>RDC 50/Q-N</u> | TWO WAY PRESSURE COMPENSATED UNIDIRECTIONAL |
| DPC30/20 HF | High-Flow Pressure Compensated Flow Divider |
| <u>DPZ 30/D-H</u> | THREE WAY PRIORITY PRESSURE COMPENSATED |
| <u>DPZ30/Q-H</u> | Pressure Compensated Flow Control Valve |
| DPZ 30/Q-HG | Three-Way Priority Pressure Compensated Flow Control Valve |
| <u>DPZ 50/D-H</u> | Three-Way Priority Pressure Compensated Flow Control Valve |
| <u>DP 50/D-HG</u> | Valve |
| DCC30/D | THREE WAY FLOW CONTROLLER |
| <u>CMS 30/T-N</u> | |
| <u>CMQ 50/D-L</u> | MOTION CONTROLLER THREE WAY WITH PILOT |
| <u>CMQ 50/T-L</u> | Motion Controller Three-Way with Pilot |
| <u>CMC 30/D-L</u> | MOTION CONTROLLER THREE WAY WITH PILOT |
| CMB 20/D-N-CSL 25-B06 | Valve |
| CMB 20/D-N-CSL 25-B05 | Motion control valves |
| ECP 20/22C1-MO | SOLENOID VALVE POPPET TYPE DIRECTIONAL |
| <u>ECP30 22C1</u> | Two-Way Pilot Operated Solenoid Valve |
| ECP30 22B1 MO | SOLENOID VALVE POPPET TYPE DIRECTIONAL |
| <u>ECP30 22B2</u> | Two-Way Pilot Operated Solenoid Valve |
| ECP 50/22B2 | SOLENOID VALVE POPPET TYPE DIRECTIONAL |
| | |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|------------------------------------|--|
| ECP 50/22C2 | Two-Way Pilot Operated Solenoid Valve |
| EPP30 /22B1 | SOLENOID VALVE POPPET TYPE DIRECTIONAL |
| EPP30 22B1 MO | Two-Way Pilot Operated Solenoid Valve |
| EPP30/22C1 | Two-Way Pilot Operated Solenoid Valve |
| VBH.800EPP30/22B2 | Two-Way Pilot Operated Solenoid Valve |
| <u>EPP 50/22C1-MO</u> | Two-Way Pilot Operated Solenoid Valve |
| EPP 50/22C1 | Two-Way Pilot Operated Solenoid Valve |
| EPP 70/22B2 | Two-Way Pilot Operated Solenoid Valve |
| <u>SIM543</u> | socket |
| ECD20/2202 | Two-Way Solenoid Poppet-Type Valve |
| ECD20/2202-MO | SOLENOID VALVE POPPET TYPE DIRECTIONAL |
| ECD 30/2201-MO | Two-Way Solenoid Poppet-Type Valve |
| VBH.800ECD30/2201 | VALVE |
| ECD 50/2202-MO | Two-Way Solenoid Poppet-Type Valve |
| ETD 30/2202 | |
| ETD 50/2201 | Two-Way Solenoid Spool-Type Valve |
| ETD 30/4206 | 4/2 WAY VALVE |
| ETD 30/4205 | Four-Way Solenoid Spool-Type Valve |
| ETD20 4309 | solenoid valve |
| VBH.800ETD30/4309 | Valve |
| ETD30/4306 | valve |
| ETD 50/4309 | SOLENOID VALVE SPOOL TYPE DIRECTIONAL |
| VBH.800ETD30/4308 | valve |
| ETD30 /4307 | SOLENOID VALVE SPOOL TYPE DIRECTIONAL |
| PPI30 T 24C 22H | PROPORTIONAL PRESSURE RELIEF VALVE |
| PLP 30/U-24C-22H | Proportional Pressure Relief Valve |
| PLP30 D 24C 22H | PROPORTIONAL PRESSURE REDUCING VALVE |
| <u>820030.024</u> | control unit |
| VBH.800ELP30/P1 | logic valve |
| VBH.800ELP50/P1 | LOGIC VALVE |
| ELP 30/D2 | Element,logic |
| <u>ELP 50/D2</u> | LOGIC VALVE |
| VBH.800ECD30/32M4 (ECD30 /32M4) | 3/2 Solenoid Valve, Poppet Type |
| <u>B30 27C 28H</u> | Coil for Series 30 Solenoid Valves |
| PLP30/OM 24C 22H | Proportional Pressure Relief Valve |
| <u>VBH.820030.220 (35.125.10)</u> | Coil |
| ECD 30/3204 [3698] | valve assembly |
| RDZ 30/D-HG-CSL 10-B06 33 011 151 | Valve |
| <u>2801122</u> | Pressure Reducing Valve |
| <u>CMQ 30/T-L</u> | pressure reducer |
| <u>VBH.820020.024</u> | COIL |
| <u>VBH.81030-LO-B08</u> | Solenoid Coil |
| ECD30 32M4 | valve |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk Page 4 / 11





| Product | Description |
|-------------------------------------|---|
| 25.125.110 | Coil |
| VBH.800EPP50/22C1 | 2/2 VALVE N.O. 1 DIRECTION 100L |
| LPA 20 / D-N -CSL 03-B05 21 011 130 | valve |
| VBH.820030.024 | COIL |
| 55.125.107 | Coil |
| VBH.820030.027 | Coil |
| <u>B50-24C-33H</u> | Coil |
| <u>CMC50/T-L</u> | MOTION CONTROLLER THREE WAY WITH PILOT |
| ETD20/4308 | Valve |
| ETD20/4307 | SOLENOID VALVE SPOOL TYPE DIRECTIONAL |
| VBH.800ECP20/22B2 | VALVE |
| LPA20/U-N | MAX VALUE |
| CAP20/M | valve |
| VBH.820030.012 | coil |
| <u>CDP30/Z</u> | CHECK VALVE PILOT OPERATED |
| VBH.800EPP50/22B2 | Two-Way Pilot Operated Solenoid Valve |
| VDT 20 3202-DN | Valve |
| VBH.830100.02 | PLUG WITH DIODE |
| 25011156 | Three-Way Solenoid Valve |
| ETD50 3203 | 3 way valve |
| DPC30-50HF | High-Flow Pressure Compensated Flow Divider |
| <u>30 CFT 34</u> | sandwich body |
| EEP30/22C1 | Two-Way Pilot Operated Solenoid Valve |
| <u>B20 110A 18H</u> | Coil |
| <u>38 011 273</u> | Valve |
| <u>B20-C3-B05</u> | Valve |
| <u>CMB 20/T-N</u> | Valve |
| LPA30/UN1213 | regulator |
| LPA30/DN1213 | regulator |
| ETD50/3203-MR | Three-Way Solenoid Spool-Type Valve |
| <u>VBH.820050.024</u> | coil |
| RLP30/OP-V | Valve |
| <u>VBH.800OR20/3</u> | SEAL KIT S20/3 |
| VBH.800VDT20/3201 | HYDR CONTROL. |
| VBH.800RDB20/175V | BI-DIRECTIONAL DISPLAY 350B |
| <u>VBH.800CAE20/M</u> | ANTI RETURN VALVE |
| <u>VDT20/3202-T-N</u> | |
| ECD20 3204 | Two-Way Solenoid Poppet-Type Valve |
| ECD 20/3204-MO | hydraulic solenoid |
| <u>VBH.820030.110</u> | coil |
| VBH.81030-C3-B06 | 3-way block |
| VBH.800ETD30/3203 | inverter |
| <u>B20 24C 18H</u> | Coil |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





| Product | Description |
|--|------------------------------------|
| LPA20 /T-N PB | Pressure Relief Valve |
| VBH.800ECD30/2202 | Valve |
| VBH.800ETD30/4206 | CLOSED VALVE |
| VBH.81030-C4-B08 | 3/2-Way Valve Body |
| <u>VBH.800ECD30/3204</u> | VALVE |
| VBH.81030-LO-B06 | |
| LPI30/D-N | Valve |
| <u></u> | 3/2-Way Valve Body |
| <u>3/8 30-LO-B06</u> | Small block type |
| <u></u> | Valve Body |
| VBH.800DCC30/D | FIXED FLOW DIVIDER |
| | Seal kit |
| <u>VBH.8000R70/2</u> | seal kit 70/2 |
| 50-LO-B12 | Hydraulic solenoid valve |
| 20-C3-B05, 28 144 12 (VBH.81020-C3-B05) | 3/2-Way Valve Body |
| <u>CAT 20/M (22 011 120)</u> | Check valve |
| B30-24C 28H | Coil |
| RDC30/D-V | 2-WAY CLUTCH |
| CAE30/P | 2-WAY NON-RETURN VALVE |
| | PRESSURE VALVE |
| 25.125.105 | Coil |
| | REDUCING VALVE |
| OCD30/3204-PUL | |
| LPA20/T-N-INOX | safety valve |
| <u>VBH.800RMB20/B</u> | VALVE |
| RDR30/D-HG-INOX | Stainless Steel Flow Control Valve |
| <u>VBH.81070-LO-B20</u> | Valve Body |
| ECD30/3204 | valve |
| LPA 10/DI | valve |
| 25 125 102 | Solenoid Coil |
| <u>30-C3-B06/FE (140 pieces)</u> | fitting |
| <u>CMC30/T-L</u> | VALVE |
| <u>28.011.200</u> | Gasket Kit |
| gasket kit for ETD30/4306 | gasket kit |
| EPP30/22C1 24C 28H | |
| <u>58.011.112</u> | Complete special block |
| <u>58.146.112</u> | VALVE KIT FOR BLOCK |
| ECP20 22C2 | Two-Way Solenoid Poppet-Type Valve |
| <u>VDE 0580</u> | solenoid valve |
| <u>ECP20 22B2</u> | valve+coil |
| BOBINE DC 12V SERIE 30 (VBH.820030.012) | Electromagnetic coil |
| 38.011.230 | manifold block |
| ECP32 / 22C2 | VALVE |
| | |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





Page 7 / 11

| Product | Description |
|--|--|
| OCD 32/2202 | VALVE |
| 28.011.221 | VALVE |
| LPB70/D-N | valve |
| LPA30/U-N | Pressure Relief Valve |
| | body |
| <u>VBH.81030-LO-B08FE</u> | standard body |
| VBH.800VDT30/3202 | valve |
| VBH.81030-C3-B08/FE | 3/2-Way Valve Body |
| | fitting |
| FLUCOM CMC30/T-L | MOTION CONTROLLER THREE WAY WITH PILOT |
| | Motion Controller Three-Way Valve with Pilot |
| 90 538 102 | DIN Connector with Rectifier HRB |
| VBH.81020-C3-B05 | 3/2-Way Valve Body |
| Sealing kit for Flucom valve ELP 50 / D2 | Sealing Kit for Logic Valve |
| 35.125.109 VBH.820030.027 | coil |
| CAE20/P | Two way check valve |
| LPA 30/D-N | Sequence Valve |
| VBH.800EPP70/22B2 | valve |
| PLP30 UN 24V | Proportional Pressure Reducing Valve |
| <u>20-LO-B06</u> | valve |
| <u>PLP30 U</u> | PRESSURE REDUCER |
| <u>CAE 70/M</u> | TWO WAY CHECK VALVE |
| ELP 70/P1 0918 | Logic Element Valve |
| <u>VBH.820020.012</u> | coil |
| <u>B20 12C 18H</u> | Coil |
| <u>B30 12C 28H</u> | Coil for Hydraulic Valve |
| <u>CAE70</u> | Two-Way Check Valve |
| ELP70 | Logic Element Valve |
| VBH.800LCS20/DN | differential valve |
| <u>VBH 820020.220</u> | valve |
| VBH.81030-CFT-02 | MODULAR PLATE |
| <u>VBH.800T30/2</u> | PLUG |
| <u>28 LO E B06</u> | Electromagnetic valve |
| <u>ECP28/22B2</u> | Valve |
| <u>55 125 114</u> | coil |
| <u>0807 ETD 30 / 4306</u> | |
| RDZ30 D-HG | Valve |
| <u>VDT20 2031 TN</u> | valve |
| VBH.800ECP28/22B1 | valve |
| RDZ30 Q-HG CSL 10 B06 | FLOW CONTRO WITH BY-PASS |
| ETD20 3204 RV | valve |
| <u>30 CFT 58</u> | Body |
| <u>50 LO BO8-Fe</u> | |

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





Page 8 / 11

| Product | Description |
|--|--|
| VBH.81020-LO-B05 | BODY |
| ETD30 3203 (valve) + 35.125.101 (coil) | solenoid valve |
| ECD30 2201 | valve |
| 50 LO B12 4216 2 | Valve |
| <u>30 22BN1 35 011 108</u> | valve |
| 30 LO BO8 Fe | Corps |
| LPI 50 Q-N + 50 LO B12 FE | Pressure Relief Valve with Standard Body |
| CAE 50-Z | TWO WAY CHECK VALVE |
| <u>CAE 70-P</u> | TWO WAY CHECK VALVE |
| 25.125.101 | Coil |
| VDE 50 25 125 105 | Coil |
| <u>35.125.101=12V</u> | coil |
| DPZ50 D-HG | Valve |
| 70 LO B16 4007 | Standard Valve Body |
| <u>B30 110A 28H</u> | Coil |
| 35.011.117 | Valve Component |
| <u>35.011.131</u> | Valve |
| <u>3218</u> | Solenoid Poppet-Type Directional Valve |
| <u>30 LO B08</u> | SOLENOID VALVE POPPET TYPE DIRECTIONAL |
| <u>30 CFT 07</u> | Corps |
| DPC30 UN | Flow divider cartridge |
| LPB20/UN B | Pressure Relief Valve |
| <u>30-L0-B08/FE</u> | corpus |
| VBH.800PLP30/U | PRESSURE REDUCER |
| ECP28 22C1-MO | valve |
| ECD30/2202 | Valve |
| <u>55 125 102 B50 24C 33H</u> | Coil |
| RDB30/N 33011141 | Valve |
| <u>90620103</u> | gasket kit |
| <u>RDB20/175-N</u> | TWO WAY BIDIRECTIONAL FLOW CONTROLLER |
| <u>90620100</u> | Gasket Kit |
| <u>33.011.241</u> | Valve Component |
| <u>VBH.830100.01</u> | for Flucom coils |
| <u>LPA10/ T-I</u> | Pressure Relief Valve |
| <u>20 LO B05</u> | Body |
| ECP20/22C1 24 V | Two-Way Solenoid Poppet-Type Valve |
| <u>ELP70/P</u> | Logic Element Valve |
| ECD30/2202-MS | Solenoid Poppet-Type Directional Valve |
| <u>ELP50/P1-M</u> | Logic Element Valve |
| 800PLP30/D | reducing valve |
| CORPO 30CFT07 | Valve Body |
| <u>VDE 0580 25 125 102</u> | spool |
| ELP30 P1 MF | CARTRIDGE VALVE |
| | |

Enapart Group





| Product | Description |
|--------------------------------------|--|
| ECD30LH/2202 | Solenoid Poppet-Type Directional Valve |
| CCI 20 | Check Valve |
| <u> </u> | Valve Body |
| B28-24c-18h | Solenoid Coil |
| Etd28/4205 | Solenoid Operated Directional Valve |
| B30 24C 28H 35.125.102 | Coil |
| LPB10D-C-I | Pressure Relief Valve |
| 35.125.105 | coil |
| HR-B | straightened connector |
| ECD30 2202 MO | Solenoid Poppet-Type Directional Valve |
| <u>ELP 50/P1</u> | Logic Element Valve |
| LCS 20/D-N | valve |
| ETD 30/3203 | Solenoid Operated Directional Valve |
| <u>35.125.102</u> | Solenoid Coil |
| <u>30-C3-B06</u> | Valve Body |
| <u>38.011.207</u> | complete block of valves |
| <u>LPA20/T NB.</u> | Pressure relief valves |
| Spare valve kit for block 38.011.207 | Spare Valve Kit |
| ECD 20/2202-MO+20-LO-B05/FE | valve |
| <u>55.125.101</u> | coil |
| DPC30/50B | Flow Divider Valve |
| EPP50 22B1 | valve |
| <u>B28-12C-22D</u> | SPOOL |
| B20 12C 18H 25.125.101 | Solenoid Coil |
| <u>CMB 20/D-N</u> | Valve |
| EPP30/22B2 | Solenoid Poppet-Type Directional Valve |
| LPI30 /D-N 190 bar | Pressure Relief Valve |
| <u>LPI30 /U-N 65 bar</u> | Pressure Relief Valve |
| ECD30N/2202-M0 | valves |
| connector for coil 35.125.102 | coil |
| MCD 32/2202-PS | Solenoid Operated Poppet-Type Directional Valve |
| <u>32-LO-B05</u> | Valve Body |
| <u>ELP70/P1</u> | valve |
| <u>LPB30 /D-P</u> | Valve |
| <u>CAP30 /M</u> | valve |
| DPZ50/D HG 3020 / 53 011 128 | Flow control valves |
| DPZ50/D HG 1614 / 53 011 128 | PRESSURE 315 BAR MAX. FLOW 120 L / MIN 53 011 128 FULCOM 3020 |
| PSS 30/2202-Q-24C-22H | |
| DCC30/U | Flow Divider Valve |
| LPA 30/U-N-CSL 06-B08 | Pressure Relief Valve |
| <u>35125104</u> | COIL |
| <u>30-LO/E-BO8</u> | Valve Body |
| <u>VBH.800VDT30/3202QN</u> | Valve |
| | |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|--|---|
| MCD28-2202 | Solenoid Operated Poppet-Type Directional Valve |
| <u>50-C3-B08</u> | Valve Body |
| VBH.81050-C3-B08 | Valve Assembly |
| 35.125.101 | coil with valve (cylinder) |
| 35.125.109 | Coil |
| Replacement kit for 28011173 | Kit |
| <u>35 125 103</u> | Coil |
| PPI30/D 24C 22H | valve |
| VDT30/2202 Q-N | Solenoid Operated Poppet-Type Directional Valve |
| VBH.800ECP30/22B1 | Valve |
| <u>38011271</u> | complete gasket kit for special block |
| CAE 70/P (72 011 100) | Two-Way Check Valve |
| ETD50 4205 + 12V DC coil | Coil |
| coil 25.125.102 | coil |
| <u>35.011.116</u> | Valve Component |
| <u>25.011.103</u> | Valve Component |
| ECD32 2202 | Solenoid Operated Poppet-Type Directional Valve |
| <u>38.011.107</u> | square valve body |
| ELP 70/P1-Q1 / 76 011 100 | Logic Element Valve |
| LCS 20/D-N / 21 011 268 | Differential Lock Valve |
| <u>LPA20 T-M</u> | Pressure Relief Valve |
| <u>CAE 70 / P 2908</u> | Guided conical poppet |
| <u>31.011.159</u> | Valve |
| PPI30/U-12C-22H-W | Proportional Pressure Relief Valve |
| coil for ETD30/4306 | Solenoid Coil |
| coil for VBH.800ECP20/22C1 | Coil for VBH.800ECP20/22C1 |
| 31.011.159 / LPY30/D-N-CSL10-B06 | SEQUENCE VALVE |
| <u>38.144.117</u> | Product Code 38.144.117 |
| VPC-24-DIN | Electronic Regulator for Proportional Solenoid |
| <u>LPB20/T-N</u> | PRESSURE RELIEF VALVE |
| <u>ETD20 3204-V (RV)</u> | Solenoid Valve, Spool-Type |
| <u>VBH.800DPZ 30/Q-H</u> | flow regulator |
| <u>VBH.800CAE30/P</u> | Two-Way Non-Return Valve |
| LPA30/TDN | Sequence Valve |
| ECD50/2202 LH (Xa2 Xa3) | Solenoid Valve |
| <u>ECD30/2202 LH (Xa6 Xa7 Xa5 Xa9 Xa18</u> <u>Xa19)</u> | Solenoid Valve |
| <u>LPA30/T-N 300 (E/F)</u> | Pressure Relief Valve |
| <u>CAE30/M (G/H)</u> | Two-Way Check Valve |
| <u>CMQ30/T-L (I/J)</u> | Motion Controller Three-Way with Pilot |
| coil for ECD50 | Coil for ECD50 Series Valves |
| coil for ECD30 | Solenoid Coil for ECD30 Series Valves |
| LCS 20/Q-N /21 011 269 | pressure stabilizer valve |
| <u>RMB 20/B</u> | Flow Control Valve |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|--------------------------------|---|
| <u>30 LO B06 / 38 144 101</u> | Block for Saddle Valves |
| LPA20 /T-N 220 bar | Pressure Relief Valve |
| VBH.800LPA20/T-N | Integrated Pressure Relief Valve Assembly |
| Coil series 30 24V | 24V Solenoid Coil for Series 30 Valves |
| <u>Coil 24C 18H</u> | Standard Solenoid Coil |
| <u>B50-110A-33H</u> | High-Power Solenoid Coil |
| RDC30 30/50 HF | Flow Control Valve |
| LPA20 /T-N 235 bar | Pressure Relief Valve |
| <u>35125109 / VDE 0580</u> | Solenoid Coil |
| ECP20/22C1-BFT | Special valve |
| LPA 30/U-N CLS 10-B08 | Pressure Relief Valve |
| LP150 2-15 | special filtration valve |
| ECD20 2202-V-24V | Solenoid Valve |
| VBH.800LPI50/Q-N | Integrated Pressure Relief Valve |
| ETD30/4308 | Solenoid Valve |
| LPI50 2-15 | special filtration valve |
| <u>VDE 0580 / 25 125 101</u> | solenoid |
| <u>20-C3-B05</u> | Valve Body |
| <u>28.011.258</u> | N 1 Flucom block |
| <u>27.011.104</u> | Flucom full filter |
| <u>27 187 100</u> | Flucom filter element |
| VBH.800ECD30/2202-MO | Solenoid Valve Assembly |
| <u>20 C3 B06</u> | Flucom body |
| <u>EDT 20/2201</u> | Solenoid Valve |
| ECD28 2202 | 2/2 Way Poppet-Type Solenoid Valve |
| <u>20-C3-B05-3</u> | Junction box |
| ETD20 2202 R-V | 2/2 Way Spool-Type Solenoid Valve |
| <u>DCC 30 /U 0418</u> | Hydraulic Cartridge Valve |
| ECD30/2202-M0 | 2/2 Way Poppet-Type Solenoid Valve |
| <u>RLD20/U-G</u> | Flow Control Valve |
| <u>B20-220A-18H 25 125 105</u> | solenoid coil |
| <u>55 125 113</u> | Solenoid Coil |
| <u>25 011 157</u> | Solenoid Coil |
| <u>VDT30 3201 Q-V</u> | valve |
| <u>FIOA50/9</u> | strainer |
| <u>FIO150</u> | strainer |
| <u>38.011.418</u> | Special block (complete) |
| <u>ET030 4205</u> | coil |
| <u>EPP-50/22C2</u> | |
| <u>3/8 for VDT 30/4203-Q-N</u> | steel body for valve |
| <u>ELP30/P1</u> | |
| <u>25.125.129</u> | coil |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom ! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk Page 11/11