



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Hasco

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

Product	Description
<a href="#">Z62/50x3x18,4</a>	Disc spring
<a href="#">PC 071765</a>	O ring
<a href="#">Z 98 / 17,5/2,4</a>	O ring
<a href="#">PC 071803</a>	O ring
<a href="#">Z 98 / 36 /3</a>	O ring
<a href="#">Z 98 / 49 /3</a>	O ring
<a href="#">Z 98 / 83 /3</a>	O ring
<a href="#">A5714/80x34x27</a>	Combined cycle counter
<a href="#">708410</a>	Combined cycle count
<a href="#">708666</a>	Universal counter
<a href="#">H5050 /14X45X0.35</a>	Spaltfilter
<a href="#">Z 051/26</a>	Locating unit
<a href="#">Z 07 / 27/20X 25</a>	Square guide bar
<a href="#">Z 085/75X38/2</a>	90 ° LOCK SYSTEM
<a href="#">Z 1095 /12X 41/ 0,7</a>	Filter cartridge
<a href="#">Z1100/46x32</a>	Linear ball bearing
<a href="#">Z 17 / 27/20</a>	Guide retainer
<a href="#">279404</a>	Heavy-duty lubricant
<a href="#">580813</a>	Ejector pin
<a href="#">063550 Z40/3X40</a>	Ejector pin
<a href="#">277860</a>	Multiple shut-off coupling with valve
<a href="#">277886</a>	Multiple shut-off nipple with valve
<a href="#">Z 942/16 Part.No 232432</a>	Seal Plug - metric
<a href="#">Z 945/1</a>	Montage Set
<a href="#">Z 975 / 3 X 160</a>	item code 188402
<a href="#">Z011/24 X 160</a>	Guide column, with two fit diameters
<a href="#">2049878</a>	Locating unit
<a href="#">2049879</a>	Locating unit
<a href="#">2049880</a>	Locating unit
<a href="#">Z10/36/30</a>	Shoulder leader pin bushing
<a href="#">057223</a>	(Locating guide bush headed 1 set=3+1)
<a href="#">057231</a>	(Locating guide bush headed 1 set=3+1)
<a href="#">143987</a>	Material filter
<a href="#">Z1212</a>	INSULATING SHEET
<a href="#">Z1520/20x63/L/100</a>	Helical Nut, Right-Hand Thread

Product	Description
<a href="#">Z163 /10X160</a>	Pressure sleeve
<a href="#">Z169 /40</a>	Two stage ejector
<a href="#">Z-169/30</a>	Two stage ejector
<a href="#">Z169/22</a>	Two stage ejector
<a href="#">Z171/3</a>	Latch lock
<a href="#">Z174</a>	Control bracket
<a href="#">2056633</a>	SET WITH BAGS
<a href="#">Z263</a>	Cleaner Z263 / 1 Hasco spray 270ml
<a href="#">272507</a>	Product separator
<a href="#">Z33000/40X125/E</a>	hotrunner nozzle, Techni Shot
<a href="#">73210</a>	valve
<a href="#">130010</a>	Connecting nipple
<a href="#">Z 942/12 Part.No 232424</a>	Sealing plug - metric
<a href="#">Z942/6</a>	Sealing plug
<a href="#">Z 491 / 8/ 6</a>	Pneumatically-Operated Globe Valve
<a href="#">2049881</a>	Locating unit
<a href="#">Z 051/32</a>	Locating unit
<a href="#">Z051/42</a>	Locating unit
<a href="#">Z 00 /136/ 40X215</a>	locating guide pillar, shouldered, with oil groove
<a href="#">Z 10 / 96/40</a>	locating guide bush, headed
<a href="#">Z 11 / 86/24</a>	guide bush, headed
<a href="#">45505</a>	ELBOW (1")
<a href="#">45506</a>	HOSE
<a href="#">Z 41/ 6 X500</a>	Ejector pin
<a href="#">Z 41 / 8 X500</a>	Ejector pin
<a href="#">Z 41 /10 X200</a>	Ejector pin
<a href="#">Z 41 / 5 X630</a>	Ejector pin
<a href="#">65161</a>	Ejector pin, cylindrical head
<a href="#">Z 41 /12 X500</a>	Ejector pin
<a href="#">Z 41 /12 X400</a>	Ejector pin
<a href="#">Z 41 /25 X500</a>	Ejector pin
<a href="#">Z 41 /25 X630</a>	Ejector pin
<a href="#">Z 41 /32 X500</a>	Ejector pin
<a href="#">Z 41 /32 X630</a>	Ejector pin
<a href="#">T4010/32x38</a>	Compression spring
<a href="#">T4010/25x32</a>	Compression spring
<a href="#">Z 01/40x300</a>	guide pillar (angle pin)
<a href="#">Z 01/50x300</a>	guide pillar (angle pin)
<a href="#">Z 01/50x360</a>	guide pillar (angle pin)
<a href="#">Z 01/20x140</a>	guide pillar (angle pin)
<a href="#">Z 01/20x180</a>	guide pillar (angle pin)
<a href="#">Z 01/40x240</a>	guide pillar (angle pin)
<a href="#">Z 98 / 19.3/2.4</a>	O-ring

Product	Description
<a href="#">Z 98 / 30,2/3</a>	O ring
<a href="#">Z 98 / 36 /2</a>	O-Ring
<a href="#">Z 98 / 15,3/2,4</a>	O ring
<a href="#">Z 98 / 11,8/2,4</a>	O-Ring
<a href="#">Z 98 / 46 /2</a>	O ring
<a href="#">Z 07 / 56/40X 50</a>	Square guide bar
<a href="#">Z 17 / 56/40</a>	Guide retainer
<a href="#">45S504S</a>	Pipe
<a href="#">45S506S</a>	Hose
<a href="#">Z 17 / 36/25</a>	Guide retainer
<a href="#">2049885</a>	Locating unit
<a href="#">Z 10 / 76/42</a>	locating guide bush, headed
<a href="#">Z 10 / 76/40</a>	locating guide bush, headed
<a href="#">Z 11 / 46/42</a>	guide bush, headed
<a href="#">2067127</a>	Leader pin bushing
<a href="#">Z 00 / 46/ 42X165</a>	locating guide pillar, shouldered
<a href="#">Z 00 / 46/ 40X165</a>	locating guide pillar, shouldered
<a href="#">553794</a>	Diverting element
<a href="#">232297 / Z260/90x1</a>	Heavy-duty lubricant
<a href="#">Z 9641/ 8X26X30a</a>	Diverting element
<a href="#">Z 456 / 9 / 7 X 63 380300</a>	Guide Rail
<a href="#">Z 456 /12 /10 X 63 380334</a>	Guide Rail
<a href="#">Z 456/ 18/14x100/S 2008910</a>	Self-Lubricating Guide Rail
<a href="#">Z 456/ 20/16x100/S 2008910</a>	Self-Lubricating Guide Rail
<a href="#">Z 456/ 24/20x100/S 2008910</a>	Self-Lubricating Guide Rail
<a href="#">Z 456/ 29/25x100/S 2008910</a>	Self-Lubricating Guide Rail
<a href="#">Z 456/ 16/12x100/S 2008910</a>	Self-Lubricating Guide Rail
<a href="#">Z189/12 2001394</a>	Guide Block
<a href="#">Z174/80x117x0</a>	Latch locking unit
<a href="#">Z961/12x125</a>	Spiral core
<a href="#">Z853/9x25000</a>	Rubber hose, with metal braiding
<a href="#">154504</a>	Führungssäule, abgesetzt
<a href="#">2028204</a>	Führungsbuchse
<a href="#">Z01/14x120</a>	Guide Pillar, Angle Pin
<a href="#">Z0512/16</a>	Centering Piece, Round, Male Component
<a href="#">Z0511/16</a>	Centering Piece, Round, Female Component
<a href="#">Z085/50x33/2</a>	Locating unit
<a href="#">HCH211 5/10</a>	Reed Switch
<a href="#">2049729</a>	Führungssäule, Schrägsäule
<a href="#">Z477/6x100</a>	Guide Pillar
<a href="#">Z085/30x28/2</a>	Locating Unit
<a href="#">Z080/40x40</a>	centring piece, submersible
<a href="#">Z1500/32x125/R/355</a>	Helical spindle

Product	Description
<a href="#">Z1520/32x125/R/100</a>	Helical nut
<a href="#">Z011/60x360</a>	Guide Pillar with Snug Fit
<a href="#">Z11/196x60</a>	Leader pin bushing
<a href="#">2090123</a>	Ejector
<a href="#">Z441/1x100</a>	Ejector Pin
<a href="#">F/20,3x10,4x1000/1.2312</a>	Praezisionsflachstahl, eckig
<a href="#">F/20,3x15,4x1000/1.2312</a>	Praezisionsflachstahl, eckig
<a href="#">Z1000W/56x40</a>	Clamping Plate
<a href="#">P/346x346x56/1.2343</a>	Precision Steel Plate
<a href="#">P/346x346x66/1.2343</a>	Precision Steel Plate
<a href="#">171921</a>	Z173/38*71
<a href="#">029238</a>	Z1731/18*140
<a href="#">158674</a>	Specific product details not available
<a href="#">158593</a>	Precision Flat Steel
<a href="#">2007837</a>	Sealing element
<a href="#">Z40/3,2x125</a>	Ejector pin, through hard
<a href="#">Z40 / 2,5x315</a>	Ejector pin, through hard
<a href="#">Z400 / 2,5X315</a>	Ejector pin, coated with DLC
<a href="#">Z41 / 2,5X315</a>	Ejector pin, nitrided
<a href="#">Z942/12</a>	Sealing plug
<a href="#">Z942/16</a>	Sealing plug
<a href="#">Z551/25x3</a>	Stop button
<a href="#">Z160/16x85</a>	Threaded Bushing
<a href="#">Z 858PL/13x1000x2</a>	hose, Push Lock
<a href="#">Z 858PL/13x1000x1</a>	hose, Push Lock
<a href="#">Z80/13/90</a>	Shut-off coupling
<a href="#">Z 80PL/13</a>	Shut-off coupling, Push Lock
<a href="#">2049737</a>	Angle pin
<a href="#">589498) Z1691 /30</a>	Slide Retainer
<a href="#">2049910</a>	Flat locating unit
<a href="#">Z051/14</a>	Locating unit, round
<a href="#">Z051/12</a>	Locating unit
<a href="#">019895</a>	Two stage ejector
<a href="#">A5710</a>	Adding counter
<a href="#">PC 071757</a>	O-Ring
<a href="#">PC 272671</a>	O-Ring
<a href="#">45205</a>	V-packing(Teflon)
<a href="#">2040174</a>	Needle guide sleeve
<a href="#">Z 89/13/R1/4</a>	Cooling Baffle
<a href="#">Z2301/25x35</a>	Positive locking cylinder
<a href="#">348689</a>	Spring
<a href="#">Z 371 / 5X12</a>	Spring plunger
<a href="#">089710</a>	

Product	Description
<a href="#">380407</a>	Ejector pin, through hard
<a href="#">test</a>	Flow temperature Switch
<a href="#">test1</a>	Socket
<a href="#">test2</a>	Adaptor
<a href="#">049901</a>	
<a href="#">194697</a>	
<a href="#">2028265</a>	
<a href="#">19917 / Z173/32x28</a>	Round latch locking device
<a href="#">Z551 16x3</a>	Support bolt
<a href="#">Z81/13xG1/4</a>	Connecting nipple
<a href="#">2039447</a>	
<a href="#">2039445</a>	
<a href="#">377350</a>	
<a href="#">Z81/13xG3/8</a>	Nipple
<a href="#">Z4911-16x10</a>	Air valve, pneumatically activated
<a href="#">Z1500/25X100/R/315</a>	Helical Spindle, Right-Hand Thread
<a href="#">Z1520/25X100L/80</a>	Helical Nut, Left-Hand Thread
<a href="#">92001229</a>	Nipple
<a href="#">Z 085 /30x28 /1</a>	Locating Unit
<a href="#">Z085/50x33/1</a>	Flat Locating Unit
<a href="#">Z 085 /75x38 /1</a>	Flat Locating Unit
<a href="#">Z085/50*33/2</a>	Flat locating unit
<a href="#">Z085/30*28/2</a>	Flat locating unit
<a href="#">2038433</a>	cycle counter, mechanical
<a href="#">A4200/2x50x80x6</a>	Sealing element
<a href="#">A4200/2x50x80x10</a>	Sealing element
<a href="#">2078645</a>	Sealing element
<a href="#">Z8080 PL/13/3</a>	marking ring
<a href="#">Z159/18M16</a>	Ejector coupling device
<a href="#">Z1591/18</a>	Ejector coupling device
<a href="#">Z159/24M20</a>	Ejector coupling device
<a href="#">Z1591/24</a>	Ejector coupling spigot
<a href="#">Z159/30M24</a>	Ejector coupling spigot
<a href="#">Z1591/30</a>	Ejector coupling spigot
<a href="#">451/3x1,5x50</a>	Ejector Sleeve
<a href="#">Z40/1,5x100</a>	Ejector pin, cylindrical head
<a href="#">Z40/1,5x125</a>	Ejector pin, through hard
<a href="#">Z40/1,5x160</a>	Ejector pin, through hard
<a href="#">Z40/1,5x200</a>	Ejector pin, through hard
<a href="#">Z 010/14X50 2051161</a>	Guide Pillar
<a href="#">Z174/80x167x0 (2021186)</a>	plate
<a href="#">Z174 / 80x167-01/E (2021191)</a>	Control bracket
<a href="#">Z174 / 80x167x 0- 02/E (2021195)</a>	Latch bar

<b>Product</b>	<b>Description</b>
<a href="#">2054889</a>	Control Engineering
<a href="#">2072302</a>	Multi-zone control unit
<a href="#">2040181</a>	Valve needle
<a href="#">H104G/38x75</a>	Hot runner nozzle
<a href="#">H1164 / 092827</a>	Extension cable
<a href="#">Z442/ 5x80/3.5x40/WS/S</a>	Needles
<a href="#">Z94/R 1/4</a>	Locking screw
<a href="#">Z941/G1/8</a>	Sealing Plug
<a href="#">Z2350/16x10x16</a>	Hydraulic cylinder
<a href="#">2028269</a>	Guide bush, self-lubricating
<a href="#">2008967</a>	Angle pin
<a href="#">2048658</a>	Specific product details not available
<a href="#">2048681</a>	Ball Guide Bush
<a href="#">290491</a>	Latch lock
<a href="#">Z 07 / 66/50X 56</a>	Side lock
<a href="#">Z17/66/50</a>	Side lock
<a href="#">Z 071/50x56x56/1</a>	Square guide bar
<a href="#">Z 072/50x56/1</a>	Guide retainer
<a href="#">Z 071/50x56x56/2</a>	Square guide bar
<a href="#">PC 159441</a>	Fastening Nipple
<a href="#">195456</a>	Fastening nipple
<a href="#">075140</a>	Rapid coupling
<a href="#">Z10/46x40</a>	Locating guide bush
<a href="#">Z45/14x10x100</a>	Ejector sleeve
<a href="#">Z45/14x10x140</a>	Ejector sleeve
<a href="#">Z45/14x10x160</a>	Ejector sleeve
<a href="#">Z45/14x10x175</a>	Ejector sleeve
<a href="#">Z45/14x10x200</a>	Ejector sleeve
<a href="#">Z45/14x10x225</a>	Ejector sleeve
<a href="#">017841</a>	Spring plunger
<a href="#">Z260/1000x1 Nr. 279404</a>	high performance lubricant
<a href="#">278246</a>	Thermocouple
<a href="#">2049882</a>	male / female set
<a href="#">2039755</a>	Ejector pin, coated with DLC
<a href="#">Z 400/12x400</a>	Ejector Pin
<a href="#">Z 400/8x400</a>	Ejector Pin
<a href="#">Z 400/4x400</a>	Ejector Pin
<a href="#">Z 400/5x500</a>	Ejector Pin
<a href="#">Z 400/12x630/</a>	Ejector Pin
<a href="#">Z 400/10x630/</a>	Ejector Pin
<a href="#">Z 400/4x500/</a>	Ejector Pin
<a href="#">Z 400/5x630/</a>	Ejector Pin
<a href="#">Z 400/8x630/</a>	Ejector Pin

Product	Description
<a href="#">Z 400/10x500</a>	Ejector Pin
<a href="#">Z 400/6x500</a>	Ejector Pin
<a href="#">Z260/90x1</a>	High-Performance Lubricant
<a href="#">Z03/136/32X155</a>	GUIDE PILLAR
<a href="#">Z03/136/30X155</a>	GUIDE PILLAR
<a href="#">2048906</a>	FIXED LOCK
<a href="#">Z10/27/30</a>	GUIDE BUSH
<a href="#">Z 01/30X200</a>	GUIDE PILLAR
<a href="#">Z10/156/30</a>	GUIDE BUSH
<a href="#">Z10/156/32</a>	KOLON BURCU
<a href="#">Z20/42X160</a>	CENTERING BUSH
<a href="#">708399</a>	Adding counter
<a href="#">2049886</a>	Locating Unit
<a href="#">Z07/27X20X25</a>	90 ° LOCK
<a href="#">Z17/27X20</a>	90 ° LOCK
<a href="#">2051170</a>	Angle pin
<a href="#">070440</a>	Plate spring
<a href="#">196142</a>	Ejector pin, through hard
<a href="#">Z00/27/24/35</a>	Shoulder leader pin
<a href="#">Z00/27/22/35</a>	Shoulder leader pin
<a href="#">Z10/27/24</a>	Shoulder leader pin bushing
<a href="#">Z10/27/22</a>	Shoulder leader pin bushing
<a href="#">A5712 /51X 34X 27</a>	Cycle counter
<a href="#">2006723</a>	whole nozzle assembly
<a href="#">2006736</a>	whole nozzle assembly
<a href="#">2029856</a>	heater sleeve only
<a href="#">194239</a>	Thermocouple
<a href="#">H20215/32x71</a>	Value Shot Hot Runner Nozzle
<a href="#">071277</a>	Hose nipple
<a href="#">071285</a>	Hose nipple
<a href="#">H1134/50x50x300/S</a>	Heater sleeve
<a href="#">2009098</a>	Ejector sleeve, nitrided
<a href="#">2000495</a>	Ejector sleeve, nitrided
<a href="#">2027938</a>	nozzle body
<a href="#">2000466</a>	Ejector sleeve, nitrided
<a href="#">2003101</a>	Elongated diverter
<a href="#">089931</a>	Spiral core
<a href="#">089940</a>	Spiral core
<a href="#">Z9641 10X28X34</a>	gasket
<a href="#">589894</a>	Angle Pin
<a href="#">2049806</a>	Angle pin
<a href="#">Z2511/3</a>	Pyrometer
<a href="#">2040175</a>	Needle guide sleeve



<b>Product</b>	<b>Description</b>
<a href="#">2040182</a>	Valve needle
<a href="#">2000493</a>	Ejector sleeve, nitrided
<a href="#">2000494</a>	Ejector sleeve, nitrided
<a href="#">2000492</a>	Ejector sleeve, nitrided
<a href="#">071544</a>	Fitting
<a href="#">2039451</a>	Connecting nipple
<a href="#">2049543</a>	Coupling
<a href="#">2078301</a>	hose
<a href="#">Z 96 /20X200</a>	Spiral core
<a href="#">Z 03 /156/60X155</a>	Step leader pin
<a href="#">Z 022 /30X260</a>	Guide sleeve
<a href="#">Z 561 /40X 8</a>	Washer
<a href="#">Z56/22X14</a>	Stop disk
<a href="#">Z 961 /40X200</a>	Spiral core
<a href="#">Z 73 /20 X 32 X 80</a>	Mold safety strap
<a href="#">Z941/G1/4 (075388)</a>	Hexagon socket pipe plug
<a href="#">2039451 (Z810/13xG1/4)</a>	Connecting nipple
<a href="#">2049543 (Z 801PL/13)</a>	Rapid coupling, open flow, Push Lock
<a href="#">2078302</a>	hose
<a href="#">75094</a>	Specific product details not available
<a href="#">233773</a>	LEADER PIN
<a href="#">233781</a>	LEADER PIN
<a href="#">057320</a>	LEADER BUSH
<a href="#">057339</a>	LEADER BUSH
<a href="#">053040</a>	LEADER PIN
<a href="#">053074</a>	LEADER PIN
<a href="#">2066629</a>	Stripper bolt
<a href="#">154830</a>	Friction puller
<a href="#">2073501</a>	Flat locating unit
<a href="#">Z1697/20</a>	Two-Stage Ejector
<a href="#">029203</a>	injection mold repellent
<a href="#">2029683</a>	INJECTION PLUGS
<a href="#">Z80/13</a>	Shut-off coupling, with valve
<a href="#">Z80/13/45</a>	Shut-off coupling, with valve
<a href="#">073270</a>	Limit Switch
<a href="#">071021</a>	Shut-off coupling
<a href="#">071030</a>	Specific product details not available
<a href="#">075094</a>	Specific product details not available
<a href="#">075108</a>	Specific product details not available
<a href="#">71080</a>	Connection nipple
<a href="#">075159</a>	Specific product details not available
<a href="#">075167</a>	Specific product details not available
<a href="#">2066588</a>	Coupling with valve

<b>Product</b>	<b>Description</b>
<a href="#">2073578</a>	Specific product details not available
<a href="#">2073581</a>	Connecting Nipple
<a href="#">2028459</a>	Connecting Nipple
<a href="#">2028460</a>	Connecting Nipple
<a href="#">2039448</a>	Connecting nipple
<a href="#">274542</a>	Flat Ejector Pin, DLC Coated
<a href="#">2051410</a>	Flat ejector pin, coated with DLC
<a href="#">029734</a>	Connector
<a href="#">274844</a>	Helical nut
<a href="#">274348</a>	Helical spindle
<a href="#">HATF901AC40DC24-1-02</a>	Power Relay
<a href="#">2049883</a>	Locating uni
<a href="#">2048905</a>	Locating unit
<a href="#">2049542</a>	Coupling
<a href="#">708445</a>	Specific product details not available
<a href="#">708429</a>	RESET EQUIPMENT
<a href="#">2066022</a>	Rectangular guide unit
<a href="#">2000428</a>	Ejector sleeve, nitrided
<a href="#">196398</a>	Ejector pin, through hard
<a href="#">2082257</a>	Marking Insert
<a href="#">2082258</a>	Marking Insert
<a href="#">2082286</a>	Marking Insert
<a href="#">Z11/17/14</a>	BUSHING
<a href="#">Z 051/30</a>	Locating unit
<a href="#">A5720 /1</a>	Resetting tool
<a href="#">2032156</a>	Marking Insert
<a href="#">Z19/18x18x27</a>	Guide Block
<a href="#">Z18/20x18x50</a>	Guide Slide
<a href="#">Z81/9x10x1/VA</a>	Connecting Nipple
<a href="#">Z80/9/VA</a>	fitting
<a href="#">185710</a>	Digital Counter
<a href="#">029254</a>	Specific product details not available
<a href="#">2039719</a>	Specific product details not available
<a href="#">2039726</a>	Seal Plug
<a href="#">2039698</a>	Seal Plug
<a href="#">2039808</a>	Seal Plug
<a href="#">2039703</a>	Seal Plug
<a href="#">054461</a>	Specific product details not available
<a href="#">232408</a>	Seal Plug
<a href="#">232416</a>	Seal Plug - metric
<a href="#">232424</a>	Seal Plug - metric
<a href="#">232432</a>	Seal Plug - metric
<a href="#">NHBP-10257</a>	Bearing puller

<b>Product</b>	<b>Description</b>
<a href="#">A5000 /1</a>	Extraction tool kit
<a href="#">2073819</a>	Safety-eye bolt
<a href="#">A5730/47.5x38x24.5</a>	PRINT COUNTER
<a href="#">Z964</a>	Diverter
<a href="#">073091</a>	heating element
<a href="#">Z251/2</a>	Temperature measuring device
<a href="#">Z81/13/14X1.5</a>	Nipple
<a href="#">Z94/10X1</a>	Pipe plug
<a href="#">Z94/12X1.5</a>	Pipe plug
<a href="#">Z94/14X1.5</a>	Pipe plug
<a href="#">Z940/14X1.5</a>	Brass pressure plugs
<a href="#">Z81/13xR1/4x90</a>	connection nipple
<a href="#">070327</a>	Disc spring
<a href="#">348625</a>	Compression spring
<a href="#">585424</a>	Specific product details not available
<a href="#">HTW-516-08</a>	Breakover Torque Wrench
<a href="#">2028055</a>	Hot Runner Nozle Value Shot
<a href="#">Z 947 /1/10 X 400</a>	Heating Element
<a href="#">158992</a>	Heating element
<a href="#">158658</a>	Heating element
<a href="#">Z 061/30</a>	Locating unit
<a href="#">Z801/13x90</a>	Rapid Coupling, Stainless Steel, Open Flow, 90° Angled
<a href="#">382434</a>	Heater band
<a href="#">2067190</a>	Guiding elements
<a href="#">2080674</a>	Flat guide
<a href="#">2078644</a>	Sealing element
<a href="#">71072</a>	Shut-off coupling
<a href="#">581518</a>	Adapter
<a href="#">Z11/36x24 Art. Nr. 2067089</a>	Guide Bush
<a href="#">Z41/2.5x100</a>	Pusher Pin
<a href="#">Z1895/27</a>	Slide retainer, round
<a href="#">71765</a>	O ring
<a href="#">71900</a>	O ring
<a href="#">Z48715/10x22</a>	Signature Stamp
<a href="#">Z1540/16x315x1</a>	Rack
<a href="#">Z562/16</a>	Washer
<a href="#">276626</a>	Specific product details not available
<a href="#">Z051/10</a>	Locating unit, round
<a href="#">H107930/4x10x21</a>	Ejector Pin with Cylindrical Head
<a href="#">H107930/3x10x21</a>	Ejector Pin with Cylindrical Head
<a href="#">587717</a>	Standard Mold Base
<a href="#">581976</a>	Ejector pin, cylindrical head
<a href="#">2067119</a>	Guide bush, headed

Product	Description
<a href="#">57312</a>	
<a href="#">288942</a>	
<a href="#">198064</a>	
<a href="#">2065990</a>	Custom Ejector Pin
<a href="#">234010</a>	Custom Ejector Pin
<a href="#">57169</a>	Custom Ejector Pin
<a href="#">2066594</a>	Ejector Pin
<a href="#">194751</a>	Ejector Pin
<a href="#">57177</a>	Ejector Pin
<a href="#">2037200</a>	Shut-off Nipple with Valve
<a href="#">2049771</a>	Shut-off Nipple with Valve
<a href="#">2078617</a>	Shut-off Nipple with Valve
<a href="#">75221</a>	Shut-off nipple, with valve
<a href="#">2085252</a>	Latch Locking Device
<a href="#">75248</a>	Latch Locking Device
<a href="#">2085253</a>	Latch Locking Device
<a href="#">290483</a>	Latch locking device
<a href="#">2008910</a>	special ejector pins
<a href="#">Z37/20x30</a>	Spring plunger, slotted
<a href="#">75116</a>	Feedthrough/Hermetic Seal
<a href="#">2066870 (H6002/32x160)</a>	Conical Assembly
<a href="#">2078643</a>	Heavy-Duty Cartridge Heater, Cylindrical
<a href="#">HA-247</a>	Feedthru/Hermetic Seal
<a href="#">Z110/8x40x250</a>	Heavy-duty cartridge heater, cylindrical
<a href="#">Z01/24x80</a>	guide pillar (angle pin)
<a href="#">Z010/18x100</a>	Angled pillar, with inside thread
<a href="#">Z1105/19x30</a>	guide bush, headed, slide way
<a href="#">29734</a>	
<a href="#">Z1100W/36x14 / 2028251</a>	guide bush, headed, self-lubricating
<a href="#">Z174/80x167x0</a>	Latch locking unit, DLC
<a href="#">Z1880/25x80x100</a>	Centering Piece, Female
<a href="#">Z0511/12</a>	Centring piece, female
<a href="#">Z81 / 9 / 10x1</a>	Spigot
<a href="#">Z4913 / 12x12</a>	Air valve, pneumatically activated
<a href="#">Z4913 / 16x20</a>	Air valve, pneumatically activated
<a href="#">Z4913 / 8x12</a>	Air valve, pneumatically activated
<a href="#">Z48701/6x22</a>	Arrow-year insert
<a href="#">Z48701/8x22</a>	Arrow-year insert
<a href="#">Z48718/6x22</a>	Year-marking insert, Short type
<a href="#">Z03/196/60X175</a>	guide pillar, shouldered
<a href="#">Z03/196x60x175</a>	guide bush, headed
<a href="#">Z60/2X11</a>	Compression spring
<a href="#">Z1545/24X5</a>	Gear housing

Product	Description
<a href="#">Z1547/40X1200X5</a>	Gear rack unit
<a href="#">Z810/9XG1/4</a>	Connecting nipple, head screw, open flow
<a href="#">Z1731/18*140</a>	Pulling rod
<a href="#">Z173/38*71</a>	Round latch locking device
<a href="#">Z801/13</a>	Rapid coupling, open flow
<a href="#">Z878/9xG1/8</a>	Connecting Nipple
<a href="#">2082167</a>	Connecting Nipple, Open Flow
<a href="#">Z81/9XG1/4</a>	Connecting nipple, open flow
<a href="#">Z80/9X45</a>	Shut-off coupling, with valve
<a href="#">Z051/16</a>	Locating unit, round
<a href="#">75280</a>	
<a href="#">75272</a>	
<a href="#">75299</a>	
<a href="#">71102</a>	Connecting Nipple, Open Flow
<a href="#">194409</a>	Shut-off Coupling with Valve
<a href="#">2085254</a>	Latch Locking Device
<a href="#">2085237</a>	
<a href="#">2028447</a>	
<a href="#">75159</a>	
<a href="#">2082163</a>	Connecting Nipple, Open Flow
<a href="#">70211 / Z62/20x0,8x10,2</a>	Disc spring
<a href="#">Z82/13XG3/8</a>	Shut-off coupling, with valve
<a href="#">277991</a>	FITTINGS
<a href="#">2082158</a>	FITTINGS
<a href="#">2085324</a>	
<a href="#">232386</a>	of the equipment necessary for assembling HASCO plugs:
<a href="#">Z942/10</a>	Sealing plug
<a href="#">Z140/1</a>	Limit switch
<a href="#">Z81/19xG1/2</a>	Connecting nipple, open flow
<a href="#">Z110/10x60x400</a>	Heavy-duty cartridge heater, cylindrical
<a href="#">Z7500/100x125x10</a>	Locating ring, Adapter
<a href="#">Z67/10x1</a>	Circlip, external
<a href="#">H20215/25x56 (=Z20215)</a>	Value Shot hot runner nozzle
<a href="#">Z13W / 27 x 24</a>	guide bush, self-lubricating
<a href="#">Z21/30x19,5</a>	centering sleeve
<a href="#">2084119</a>	connection nipple
<a href="#">Z060/25x25</a>	Locating unit, trapezium
<a href="#">Z98/122x3</a>	ORING
<a href="#">Z98/93x3</a>	ORING
<a href="#">Z98/83x3</a>	ORING
<a href="#">Z171/1</a>	Latch cable, with lip
<a href="#">H109/14x45x0,7 (=Z109)</a>	filter insert
<a href="#">271152</a>	Circlip

<b>Product</b>	<b>Description</b>
<a href="#">Z267/1</a>	Cleaner Spray
<a href="#">Z9645</a>	reversing bridge
<a href="#">Z811/13xG3/8</a>	Shut-off nipple, with valve
<a href="#">Z01/20x200</a>	guide pillar (angle pin)
<a href="#">Z11/56x20</a>	guide bush, headed
<a href="#">Z11/27x20</a>	guide bush, headed
<a href="#">Z01/20x240</a>	guide pillar (angle pin)
<a href="#">Z38/16x20</a>	Shoulder screw
<a href="#">Z11/46x20</a>	guide bush, headed
<a href="#">2067041 / Z11 / 17x16</a>	guide bush, without centering lug
<a href="#">2067041</a>	guide bush, without centering lug
<a href="#">HAG212</a>	Swivel Eye Bolt
<a href="#">2048912</a>	Swivel Eye
<a href="#">Z721/20x30x1.7</a>	Swivel Eye
<a href="#">Z721/16x20x1.4</a>	Swivel Eye
<a href="#">Z2511/1</a>	Probe long version that can be bent
<a href="#">Z2511/2</a>	Area sensor
<a href="#">Z1892</a>	Slide retainer catch
<a href="#">2084478</a>	Slide retainer catch
<a href="#">2066060</a>	Screw Memory
<a href="#">2074648</a>	Status indicator
<a href="#">R68200</a>	Repair parts kit for 68200
<a href="#">CART1A80DC12-S-680-M</a>	Automotive Relay
<a href="#">Z941/G1/4/VA</a>	Hexagon socket pipe plug, SST, headed
<a href="#">2029526</a>	Spacer washer
<a href="#">Z1100W-96X 50</a>	Clamping Plate
<a href="#">2090115</a>	Ejector
<a href="#">Z962/12x5x0.5x315</a>	Junction tube
<a href="#">155195</a>	Taper roller bearing
<a href="#">276030</a>	Gear wheel
<a href="#">276014</a>	Gear wheel
<a href="#">2082460</a>	Clamping Plate
<a href="#">2082456</a>	Clamping Plate
<a href="#">2082464</a>	Ejector Pin
<a href="#">2080593</a>	Ejector Pin
<a href="#">2085326</a>	Ejector Pin
<a href="#">2089871</a>	Ejector Pin
<a href="#">2089482</a>	Ejector pin
<a href="#">2089507</a>	Ejector pin
<a href="#">2089527</a>	Ejector pin
<a href="#">2006445</a>	Ejector pin
<a href="#">Z1050 //2027695</a>	Gate Insert, Round with Rounded Tunnel
<a href="#">382400</a>	

Product	Description
<a href="#">Z811/9XG1/4</a>	Shut-off nipple, with valve
<a href="#">2066587</a>	Coupling with valve
<a href="#">276588</a>	rack
<a href="#">Z1550/10.5x125x14x1</a>	Threaded core
<a href="#">Z1540/16X630X1</a>	Rack
<a href="#">Z801/9</a>	Rapid coupling, open flow
<a href="#">Z81/13xG1/4 (10 pcs)</a>	Connecting nipple, open flow
<a href="#">2054897</a>	
<a href="#">2066020</a>	Rectangular guide unit
<a href="#">Z0511/42</a>	Centring piece, female
<a href="#">Z0512/42</a>	Centring piece, male
<a href="#">2082156</a>	Nipple
<a href="#">Z811/13xG3/8/VA</a>	Shut-off nipple, Stainless steel
<a href="#">2049892 / Z0511/30</a>	Centring piece
<a href="#">2049901 / Z0512/30</a>	Centring piece
<a href="#">Z1100W/36x16</a>	guide bush, headed, self-lubricating
<a href="#">2049997</a>	
<a href="#">579491</a>	Plug baffle
<a href="#">Z010/20X60</a>	Guide Pillar, Angle Pin
<a href="#">2073842</a>	Safety Eye Bolt
<a href="#">208211</a>	Guide Pillar
<a href="#">2090005</a>	Ejector Pin
<a href="#">2090019</a>	Ejector Pin
<a href="#">74101</a>	Plug baffle
<a href="#">347258</a>	Round punch, conical head
<a href="#">2065761</a>	Centring piece, male
<a href="#">2065760</a>	Centring piece, female
<a href="#">708402</a>	
<a href="#">Z185/16x12x90</a>	Guide strip
<a href="#">Z1851/16x16x125</a>	Guide strip
<a href="#">Z9641 8X26X30</a>	Diverting element, with elongated hole
<a href="#">Z942/1/4</a>	Sealing plug
<a href="#">Z942/3/8</a>	Sealing plug
<a href="#">Z811 13x16x1.5</a>	Shut-off nipple, with valve
<a href="#">Z 801 PL/9</a>	PUSH LOCK
<a href="#">Z110/12.5x80x200</a>	Cartridge heater
<a href="#">Z010/15x60</a>	Guide Pillar, Angle Pin
<a href="#">Z721/30x35x6.7</a>	Safety-eye bolt
<a href="#">Z98: 8x2</a>	O-ring
<a href="#">Z98: 16x2</a>	O ring
<a href="#">Z98: 25x2</a>	O-ring
<a href="#">Z98: 35x2</a>	O-ring
<a href="#">Z98: 240x4</a>	O ring

Product	Description
<a href="#">Z40/8X63</a>	Ejector pin, cylindrical head
<a href="#">Z40/2.6X100</a>	Ejector pin, cylindrical head
<a href="#">Z45/4x2x75</a>	Ejector Sleeve
<a href="#">Z451/4x2x75</a>	Ejector Sleeve with Collar
<a href="#">Z457/4x2x75</a>	Ejector Sleeve with Flange
<a href="#">Z458/4x2.5x100</a>	Ejector Sleeve with Flange
<a href="#">Z0512/20</a>	Round Latch Lock Unit
<a href="#">K20/446x596x176/1.2312</a>	Cavity plate
<a href="#">K40/446x596x116/1.1730</a>	Risers
<a href="#">K10/446x596x36/1.1730</a>	Clamping plate
<a href="#">K60/446x596x22/1.1730</a>	Ejector retainer plate
<a href="#">K70/446x596x27/1.2312</a>	Ejector base plate
<a href="#">Z1213/496x596x8.5x90</a>	Thermal insulating sheet, with hole
<a href="#">H104G/32X61</a>	torpedo
<a href="#">A5732/56</a>	Round Interlock
<a href="#">Z81/13x14x1.5</a>	GRAFTING
<a href="#">Z14772/2000</a>	Connection cable
<a href="#">Z0511/10</a>	Centring piece, female
<a href="#">A5805/16</a>	Screw Memory
<a href="#">380563</a>	Ejector pin
<a href="#">380687</a>	Ejector pin
<a href="#">380717</a>	Ejector pin
<a href="#">380768</a>	Ejector pin
<a href="#">380962</a>	Ejector pin
<a href="#">63460</a>	Ejector pin
<a href="#">63665</a>	Ejector pin
<a href="#">Z260/1000x1</a>	Heavy-duty lubricant
<a href="#">Z452/ 10x7x100/S</a>	Bucha
<a href="#">Z01/10x120</a>	Guide Pillar, Angle Pin
<a href="#">Z40/1.5x40</a>	Ejector Pin
<a href="#">DAC206</a>	High-Performance Lubricant Spray
<a href="#">Z0512/10</a>	Centering Piece, Round, Male Component
<a href="#">Z40/1.1x125</a>	Ejector Pin
<a href="#">Z40/1.4x40</a>	Ejector Pin
<a href="#">Z41/2x160</a>	Ejector Pin, Hardened, Nitrided
<a href="#">Z45-8x5x150</a>	STAPLER
<a href="#">Z1500/20x63/L/315</a>	Transmission Range
<a href="#">Z811/19xG1/2</a>	CONNECTOR
<a href="#">Z801/19</a>	CONNECTOR
<a href="#">Z8082/9</a>	Cooling Baffle
<a href="#">Z8081/9</a>	Spiral Cooling Baffle
<a href="#">Z961/50x125</a>	Spiral Core
<a href="#">A4200 50 / 80 / 15</a>	Flexible sealing element



Product	Description
<a href="#">Z3340/50X112</a>	Complete Nozzle Assembly
<a href="#">Z159/24x20</a>	Ejector Coupling Device
<a href="#">A57300/47,5x38x24,5</a>	Mechanical Cycle Counter
<a href="#">A5730HT/47,5x38x24,5</a>	High-Temperature Mechanical Cycle Counter
<a href="#">A57300HT/47,5x38x24,5</a>	High-Temperature Mechanical Cycle Counter
<a href="#">Z40/1,8x40</a>	Ejector Pin
<a href="#">Z40/3x40</a>	Ejector Pin, Cylindrical Head
<a href="#">Z9642/6x24</a>	Deflection element
<a href="#">Z40/7x100</a>	ejector pin
<a href="#">A5800/16</a>	Mould Memory
<a href="#">H332051/32x90 (=Z332051)</a>	Locating Unit, Square
<a href="#">H33215/40 (=Z33215)</a>	Locating Unit, Square
<a href="#">Z060/40x40</a>	Locating unit, square
<a href="#">Z40/3x40 special JIS head 4 mm</a>	Ejector Pin with Special JIS Head
<a href="#">Cut Line 10 Z40/... to drawing</a>	Custom Ejector Pin per Drawing
<a href="#">Cut Line 20 3,0x40... to drawing</a>	Custom Ejector Pin per Drawing
<a href="#">Z171/2</a>	Latch Locking Unit
<a href="#">A4200/50x80x6</a>	Flexible sealing element
<a href="#">A5850/21x94x4</a>	Flexible Sealing Element
<a href="#">H34205/32x80</a>	Guide Bush, Self-Lubricating
<a href="#">72210</a>	O-ring (teflon)
<a href="#">Z0511/20</a>	Centering Piece, Round, Female Component
<a href="#">Z11/76x32</a>	Guide Bush, Headed
<a href="#">120774</a>	Clamping plate
<a href="#">120863</a>	Cavity plate
<a href="#">121142</a>	intermediate plate, Back-up plate
<a href="#">2097364</a>	Risers
<a href="#">121207</a>	Ejector retainer plate
<a href="#">121215</a>	Ejector base plate
<a href="#">2097718</a>	Clamping plate
<a href="#">58572</a>	Centring sleeve
<a href="#">234524</a>	Centring sleeve
<a href="#">56871</a>	Locating guide bush, shouldered
<a href="#">Z10/22x18</a>	Locating Guide Bush, Shouldered
<a href="#">Z00/36x24x55</a>	Locating Guide Pillar, Shouldered
<a href="#">Z01/18x140</a>	Guide Pillar, Angle Pin
<a href="#">Z31/12x140</a>	Guide Pillar, Cylindrical
<a href="#">Z31/12x65</a>	Socket Head Cap Screw
<a href="#">Z31/12x55</a>	Socket Head Cap Screw
<a href="#">Z31/12x45</a>	Socket Head Cap Screw
<a href="#">Z31/10x25</a>	Socket Head Cap Screw
<a href="#">Z31/6x55</a>	Socket Head Cap Screw
<a href="#">Z31/6x50</a>	Socket Head Cap Screw

<b>Product</b>	<b>Description</b>
<a href="#">Z330/4x8</a>	Countersunk Screw with Torx®
<a href="#">Z55/18x3</a>	Flat Ejector
<a href="#">Z40/16x160</a>	Ejector Pin with Cylindrical Head
<a href="#">Z40/3x160</a>	Ejector Pin, Cylindrical Head
<a href="#">Z40/6x100</a>	Ejector pin, cylindrical head
<a href="#">Z90/13x150</a>	Extended Nipple, Open Flow
<a href="#">Z62/15x0,4x5,2</a>	Disc spring
<a href="#">63S207S</a>	Gland(F)
<a href="#">45S207S</a>	Gland (F)
<a href="#">63205</a>	V-packing(Teflon)
<a href="#">63S204S</a>	Gland (M)
<a href="#">45S204S</a>	Gland (M)
<a href="#">63S212S</a>	Displacement Rod
<a href="#">45S212S</a>	Displacement Rod
<a href="#">63224S</a>	Washer
<a href="#">45S224S</a>	Washer
<a href="#">63S214S</a>	Piston
<a href="#">459214S</a>	Piston
<a href="#">Z2000-PB</a>	Airless Spray Pump
<a href="#">Z051/20</a>	CENTERING UNIT
<a href="#">Z260 (1000g)</a>	Heavy-duty lubricant
<a href="#">HAT903CSAC120</a>	Electromechanical Relay
<a href="#">Z41/1,1x125</a>	Ejector Pin, Hardened, Nitrided
<a href="#">Z859PL/ 9x30000/1/S</a>	Push-Lock Hose, Type 1
<a href="#">Z859PL/ 9x30000/2/S</a>	Push-Lock Hose, Type 2
<a href="#">H1225/16/24/3000</a>	Power/signal connection cable
<a href="#">Z98/10x1</a>	O-Ring
<a href="#">Z477/3,5x100 (= T3150)</a>	Stamping Punch with Conical Head
<a href="#">Z62/34X2X16,3</a>	Disc Spring
<a href="#">Z801/13X45</a>	Rapid Coupling, 90° Angled
<a href="#">Z801/9x45</a>	Rapid Coupling, Open Flow
<a href="#">Z80/9</a>	Shut-off Coupling with Valve
<a href="#">Z48715/12X24</a>	Signature Stamp, Year and Month
<a href="#">Z48700/10x24</a>	Signature Stamp
<a href="#">Z48700/8x26</a>	Signature Stamp
<a href="#">Z48700/12X24</a>	Signature Stamp
<a href="#">H1295/1/4x12 (=Z1295)</a>	Thermocouple
<a href="#">Z25/3X18</a>	Dowel pin
<a href="#">Z40/3X40MM</a>	Ejector pin, cylindrical head
<a href="#">Z40/4X160MM</a>	Ejector pin, cylindrical head
<a href="#">Z412/ 3 X 100</a>	Ejector pin
<a href="#">Z42/1.7X100</a>	Ejector pin, conical head
<a href="#">Z 40 / 4 X 100</a>	Ejector pin, cylindrical head

Product	Description
<a href="#">Z25 / 2 X 6</a>	Dowel pin
<a href="#">Z40 / 5 X 100</a>	Ejector pin, cylindrical head
<a href="#">Z40 / 5 X 125</a>	Ejector pin, cylindrical head
<a href="#">Z40/8X160</a>	Ejector pin, cylindrical head
<a href="#">Z81/9xG1/4 ( 71080 )</a>	Connecting nipple, open flow
<a href="#">Z81/13XG1/4 (71129)</a>	Connecting nipple, open flow
<a href="#">A7002/1000</a>	NLGI 2 grade Zinc Dithiophosphate
<a href="#">Z98/13.9X2.4</a>	O ring
<a href="#">Z98/23.3X2.4</a>	O ring
<a href="#">2072379</a>	Pulling rod
<a href="#">2072371</a>	Round latch locking device
<a href="#">A5716/51x34x27</a>	
<a href="#">Z80/13/VA</a>	Shut-off coupling
<a href="#">PRO-NURI 551E</a>	
<a href="#">Repair Kit For PRO-551E</a>	
<a href="#">Z48630/3x5x25</a>	
<a href="#">Z808/19x24x1.5</a>	Rapid coupling, open flow
<a href="#">Z173/38x36</a>	
<a href="#">R55E200</a>	
<a href="#">Z1471/2X8X1</a>	Inductive proximity switch
<a href="#">Z1401/8X1X5000</a>	Connection cable, with straight plug
<a href="#">Z1475/2X8X8</a>	Inductive proximity switch
<a href="#">Z48718/8/25</a>	
<a href="#">Z01/10x40</a>	Guide pillar (Angle pin)
<a href="#">Z11/27x10</a>	Guide bush, headed
<a href="#">Z11/36x10</a>	Guide bush, Headed
<a href="#">Z011/10X60</a>	Guide pillar, with two fits
<a href="#">2084278</a>	
<a href="#">2084295</a>	
<a href="#">2084287</a>	
<a href="#">Z1402/8X1X5000</a>	CABLE WITH 90° CONNECTOR
<a href="#">Z1540/28x1000x2.5</a>	
<a href="#">Z41/8 x 400</a>	SPECIAL EJECTOR FOR HIGH PRESSURE INJECTION.
<a href="#">Z41/8X630</a>	EJECTOR