







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Hubbell

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|------------------|-----------------------------------|
| 2210-142CC13FMS | TYPE 2210 SPEED RESPONSIVE SWITCH |
| FSL1NP | Locking Plug |
| <u>HBL2521</u> | |
| <u>HBL5362I</u> | |
| <u>HBL2431SW</u> | Device-Kellems Plug |
| <u>HBL2811</u> | plugs |
| <u>HBL2621</u> | Plug |
| <u>HBL2623</u> | Connector Body |
| HBLDS3AC | Enclosed Disconnect Switch |
| HBLDS6SSAC2 | |
| <u>HBL4560</u> | HBL4560 Receptacle |
| <u>HBL4570C</u> | HBL4570C Plug |
| <u>HBL4579C</u> | HBL4579C Connctr |
| HBL4585C | HBL-4585C Recept |
| HBL430PS2W | Plug |
| HBL430RS2W | HBL430RS2W Recpt |
| HBL2620SW | Receptacle |
| <u>HXJ5EOR</u> | MODULAR JACK |
| SHC-1041-CR 1-IN | Cord Connector |
| <u>HJ1060G</u> | CORD CONNECTOR |
| SHC1039CR | |
| DRUBGFI15AC | DIN Rail Utility Box |
| <u>HBL2631</u> | Plug |
| <u>CR15I</u> | |
| HC48684001 | DISCHARGE SENSOR MODULE ASSY. |
| <u>CR20I</u> | WIRING DEVICE |
| <u>M5100B7R</u> | Wiring |
| <u>M5100C7R</u> | Electrical Connector Assembly |
| <u>M5200PS1</u> | |
| <u>M5200BS1R</u> | |
| <u>M5200CS1R</u> | |
| <u>M5100P7</u> | MALE PLUG |
| PS1009NGY | |
| <u>FSPB</u> | ADAPT PNL |
| FSPSCDS6OR | Adapter Panel |

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|--|---|
| DRUB15 | DIN rail utility box |
| 460P7W | PLUG |
| HBL2431 | PLUG |
| HBL6036 | Connector |
| HBL2433 | CONNECTOR |
| HBL2310SW | Wiring Device -Kellems Receptacle |
| HBL2311SW | Wiring devices Connector |
| | Willing devices Connector |
| <u>72531-033</u> | |
| SHC1042 | |
| SHC1044 | |
| SHC1065 | |
| ADS116N | |
| <u>HAS139N</u> | |
| C4060346 | |
| C4060348 | |
| <u>81231-033</u> | |
| <u>S6119</u> | |
| <u>FW60100</u> | |
| <u>FW6010055</u> | |
| HC0078545 SPEED SWITCH 2210- 312CC13M | |
| HBL5666C | Power Entry Connector |
| HBL430P9W | |
| MAGNET CONTROLLER 4295 SIZE 2 | MAGNET CONTROLLER |
| <u>FSL1FR</u> | |
| <u>FSL4FR</u> | Bryant Electric Twist Lock Plug |
| DRUBGFI20BFAC | DIN Rail Utility Box, Complete Unit- GFCI |
| <u>USB15X2W</u> | |
| <u>HBL1447</u> | plug |
| <u>B2125</u> | Conduit |
| <u>B2200</u> | Conduit |
| <u>P125NBK</u> | Fittings |
| HUBW P200NBK | 2IN STRT M L/T CONN |
| GFTWRST20W | Receptacle |
| <u>HBL3061</u> | Wiring Device- |
| HBL5666VY | |
| <u>HBL21414B</u> | Locking Devices |
| 20509002 | |
| <u>39EA15</u> | Receptacle |
| <u>39EA16</u> | Receptacle |
| 39EA17 | Receptacle |
| <u>39EA18</u> | Receptacle |
| <u>39EA19</u> | Receptacle |
| 39EA20 | Receptacle |
| | · |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|----------------------|-------------------------------|
| SS1 | WALLPLATE |
| SS2 | WALLPLATE |
| <u></u> | SWITCH PLATE |
| <u>SS8</u> | WALLPLATE |
| | COVER |
| SS82 | WALLPLATE |
| SS7 | |
| HBL8200I | |
| NP8I | Wall Plate |
| H320P | Wiring Device-Kellems |
| H320C | Power connector |
| HBL9965GCB | |
| HBL7310B | |
| HBL8215C | USA/JAPAN POWER PLUG |
| HBL8215CAT | |
| <u>HBL8215CT</u> | |
| <u>HBL8115V</u> | |
| <u>HBL8013V</u> | |
| <u>5320-0</u> | |
| <u>8-38683N</u> | Water heater element |
| <u>Type: 45105</u> | Plug |
| <u>Type: 45115</u> | Plug |
| <u>HBL5362</u> | WIRING DEVICE-KELLEMS |
| <u>HBL2731</u> | |
| HBL332SSX | |
| <u>HBL332CSW 32A</u> | Female connector |
| HBL2730SW | Socket insert |
| <u>AB203055</u> | Housing for 480V socket |
| GFR5362SGGY | Socket 125V / 20A GFCI |
| <u>WP26V</u> | |
| HBLDS3 | Disconnect Switch |
| HBL60CM33W | |
| <u>HBL20443</u> | |
| <u>HBL26410</u> | |
| <u>HBL2730SR</u> | |
| HBL2620A | Panel Mount 3 Terminal 1 Port |
| GFP3C20MTL | |
| GFP6C15M | |
| HBL8451C | ELECTRICAL AC POWER CONNECTOR |
| MC-42 | |
| BR15WHI | |
| CS120W | |
| P038NGYA | Liquidtight Fittings |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom! RADWARD LTD United Kingdom





| Product | Description |
|------------------------------------|--|
| P050NGYA | Straight Connector |
| P075NGYA | PolyTuff® Non-Metallic Liquidtight Fittings |
| PS0389NGY | |
| PS0509NGY | |
| PS0759NGY | |
| G1038 (roll 1x30.5 m = 100 ft) | PolyTuff® I Non-Metallic Liquidtight Conduit |
| G1050 (roll 1x30.5 m = 100 ft) | |
| G1075 (roll 1x30.5 m = 100 ft) | PolyTuff® I Non-Metallic Liquidtight Conduit |
| NP720GY | |
| <u>70630FR</u> | |
| HBBBHR19KT | |
| HBBB14224B | |
| HRMS 04501 | |
| <u>20-3</u> | WIRING DEVICE-KELLEMS |
| WP2 | weatherproof device |
| <u>203-3</u> | |
| GF5362SGGY | |
| HBL5100R9W | |
| MPS4-50ML-CW-EDU | luminair |
| GFR8300HGYLA | |
| <u>HBL530P5W</u> | Wiring Device |
| HBLS530C5W | Wiring Device |
| <u>HBL27435W</u> | |
| PSB37550GY | 1g weatherproof non-metallic box (3) 1/2 or 3/4" outlet gray |
| HBL60CM33V | W/PROOF DEVICE BOOT |
| HBL61CM64 | Straight Blade Device |
| <u>HC00710417</u> | SPEED RESPONSIVE SWITCH |
| <u>HBL2411</u> | Insulgrip Spec Grade Ground Twist Lock Plug |
| <u>HC59495003</u> | BULL 5210,SIZE 5 300A 1P |
| <u>HC68011009</u> | COMPLETE AUX AY #5NO DBL |
| <u>G1075</u> | |
| <u>HC00710415</u> | SPD SWITCH |
| <u>HC00710416</u> | TYPE 2210 SPEED RESPONSIVE SWITCH |
| <u>BD-05</u> | Tool Balancer |
| EXB-16168 N34 SU-1 | Includes stainless steel plate and screws. |
| EXB-24248 N34 SU-1 | includes plate and screws in stainless steel. |
| <u>GFRST83GY</u> | |
| <u>5030-0</u> | SINGLE GANG RAYNTITE® FLIP COVERS |
| HBL77CM17 | DEVICE BOOT |
| <u>7835850826</u> | Straight Blade Devices |
| <u>HBL29W48</u> | Industrial Grade Watertight Locking Connector |
| <u>HBL1223W</u> | |
| <u>HBL1388</u> | |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF, United Kingdom! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Hubbell Page 4 / 14





| Product | Description |
|-----------------------|---------------------------------------|
| HBL3032 | · · · · · · · · · · · · · · · · · · · |
| HBL5262W | |
| HBL430MI7W | IEC Mechanical Interlock |
| HBL430P7W | IEC Device |
| HBL332CRCX | |
| HBL60CM33 | |
| HBL2721S | Plug |
| HBL2720SW | <u> </u> |
| HBL5669C | Electrical Connector Assembly |
| POREPF44R800W | , |
| FCH1023 | connector |
| RACO 590 | |
| HC18402000 | CONTACT STATIONARY |
| HC17279000 | SET CONTACTS |
| GFTRST20GY | |
| PR4X205E | Remote Access Interface |
| GF8300SGGY | |
| HBL63CM69 | Locking Receptacle |
| M4100R12 | · |
| M5100R9 | |
| HC14193100582 | Contacter |
| HBLMITL | Device-Kellems Disconnect Switch |
| HBL1223 | |
| HBL1221 | |
| <u>HBL420I</u> | Receptacle |
| HBL2523 | |
| GF5262SGW | Ground Fault Circuit Interrupter |
| CWP26CRW | Weatherproof lift cover |
| <u>HBL4586C</u> | |
| <u>49997-0000-005</u> | Floodlight |
| NYWW25 | |
| NYWW32 | |
| NYWW20 | |
| <u>SSW20</u> | |
| <u>HARBM0619</u> | |
| HBL400MBK | |
| HBL400MW | |
| HBL400MGN | |
| HBL400MR | |
| HBL400MBL | |
| HBL400MBN | |
| HBL400MO | |
| HBL400MY | |
| - | |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|--------------------|---|
| HBL400FBK | |
| HBL400FW | |
| HBL400FGN | |
| HBL400FR | |
| HBL400FBL | |
| HBL400FBN | |
| HBL400FO | |
| HBL400FY | |
| HBL300MBK | |
| HBL300MW | |
| HBL300MGN | |
| HBL300MR | |
| HBL300MBL | |
| HBL300MBN | |
| HBL300MO | |
| HBL300MY | |
| HBL300FBK | |
| HBL300FW | |
| HBL300FGN | |
| HBL300FR | |
| HBL300FBL | |
| HBL300FBN | |
| HBL300FO | |
| HBL300FY | |
| <u>8300GY</u> | |
| <u>HBL2811S</u> | |
| <u>GO567-LOK</u> | |
| <u>HBL2316</u> | |
| <u>HBL2311</u> | |
| HBL2310 | |
| HBL2313 | |
| 2210-132CC13MS | overspeed detector |
| 2210-132CC13MSS | overspeed detector |
| 60-38683SSN | Electric Heater Immersion Heating Element |
| HBL5262BK | Wiring Device-Kellem |
| NP8GY | Wallplate and Box Cover |
| HBL530R9W | Pin and Sleeve Receptacles, IEC Watertight Series |
| 70-38683SSN | W 11 (0) 1 2 2 |
| <u>5324-0</u> | Weatherproof Single-Gang-Box |
| HCTA-4215 | Matana a fair |
| HBL460P5W | Waterproof pin and sleeve plug |
| HBL420R7W | Wiring Device-Kellems |
| VTC-5K-G-U-W1-G-GR | luminary |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





| Product | Description |
|-----------------------------|--|
| HBLHR5050 | · |
| XCS-2S2A1 | Control Station |
| HBLDS33ACNK | |
| HC14193221522 | CONTACT |
| A-444D | Gleason Reel |
| TYPE 700 P/N 14-193-100-582 | |
| HBL7102C | Male Lock Plug |
| HBL7101C | Locking Plug-Nema |
| SB8 | WIRING DEVICE-KELLEMS |
| <u>HBL5461I</u> | |
| HBL3393 | |
| <u>NP7OW</u> | |
| HBL26W81 | wiring device-kellems |
| <u>HBL27W81</u> | wiring device-kellems |
| HBL5206WO | Connector Cap |
| <u>SE2730A</u> | Plug Enclosures |
| HBLDS6AC | 600V AC Enclosed Single Throw Disconnect Switch 3PST |
| HBL530MI7W | Mechanical Interlock,480VAC,30A |
| GFR5262SGGY | |
| GFR5262ITR | |
| HBL530P7W | plug |
| HBL5966VBLK | vasile plug |
| FEUR48LCDM | · |
| FEUR24LCDSM | • |
| <u>HBL21420</u> | |
| <u>UGP15231</u> | |
| <u>M4100B12R</u> | |
| HBLDS10AC | Nonfusible Enclosed Disconnect Switch |
| <u>HC1804A24V</u> | Solenoid |
| <u>074-09-3514</u> | Liquid Tight Conduit Fitting with Grip |
| <u>HBL26418</u> | |
| <u>GFRST15GY</u> | |
| HBL5361GRY | |
| RMP-CMP-7M-BK | Male Plug |
| RMP-CMP-7M-OR | Male Plug |
| RMP-CMP-7M-R | Male Plug |
| RMP-CMP-7M-BL | Male Plug |
| RMP-CMP-7F-BK | Female Plug |
| RMP-CMP-7F-OR | Female Plug |
| RMP-CMP-7F-R | Female Plug |
| RMP-CMP-7F-BL | Female Plug |
| RMP-CMR-BK | Coupler |
| RMP-CMR-OR | Coupler |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|--------------------|--|
| HC68056-001 | |
| HC59345-009 | |
| <u>HBL4P160A</u> | Surge Protective Devices |
| SHC1011CR | |
| HBL2030AP | Outlet Box Covers |
| DRUBGFI15 | |
| SHC1021 | |
| HXJ5EOW | |
| <u>IFP11OW</u> | |
| <u>HBL26419</u> | |
| HBL430MI9W | socket outlet blue 3f 30A 220v |
| <u>HBL7464V</u> | Midget Locking Connector |
| HCFD5STD | |
| GFRST20 | |
| <u>HBLVP6385</u> | |
| <u>HBLVP3485</u> | |
| HBL460C9W | |
| <u>HBL21415B</u> | Plug |
| <u>VHC1023</u> | Liquid tight cord connector |
| NHC1023 | Liquid Tight Cord Connector |
| SHC1020 | Liquid Tight Connector |
| NHC1020 | Liquid Tight Cord Connector |
| <u>CS8169</u> | Locking Receptacle |
| <u>CS8165C</u> | |
| <u>HBL5266C</u> | HUBBELL WIRING DEVICES HBL5266C POWER PLUG 15A 125V 2P3W NEMA 5-15P NYL |
| HBL5269C | HUBBELL WIRING DEVICES HBL5269C POWER PLUG CONNECTOR, 15A, 125VAC, PA, BLACK |
| <u>HBL14W47</u> | ELASTOGRIP W/T PLUG |
| <u>HBL15W47</u> | ELASTOGRIP W/T CONN |
| <u>HBL5965VY</u> | plug |
| HBL5969VY | |
| <u>HBL2613</u> | |
| <u>HBL2616</u> | |
| <u>HBL2610</u> | |
| HBL5378C | |
| HBL5369C | |
| HBL5352 | |
| DRUBGFI20 | Blade Plug |
| <u>HBL4100RS1W</u> | |
| <u>HBL4100PS1W</u> | |
| <u>GF5262SG</u> | Extra Heavy Duty Industrial GFCI Receptacles |
| <u>GFTRST15W</u> | |
| GFTRST20W | |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Hubbell Page 8 / 14





| Product Description HBL2320 HBL5462 HC14193770566 contactor HC14183319505 contactor coil ETX042-6S-XX HBL13R2D GS33672 Ground Clamp HBL320C6W Connector HBL320F6W Plug USB20AC5BKWR Plug M1K23 Fuselink M2K23 Fuselink M2EX23 Fuselink HBL2810SW HBL2810SW HBL360R7W Locking Plug-NEMA L18-20R HBL3765C Locking Plug HBL3764C Locking Connector HBL3764C Locking Connector HBL2721 HBL2720 SS720 wallplate SS720 wallplate NP26GY Connector HBL15MW Connector HBL15MS Connector HBL15MS Connector HBL15FQ HBL15FQ HBL15FQ Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray PN: 253 |
|--|
| HC14193770566 contactor HC14183319505 contactor coil ETX042-6S-XX HBL13R22D G33672 Ground Clamp HBL320C6W Connector HBL320F6W Plug USB20AC5BKWR MIK23 Fuselink M2K23 Fuselink M2K23 Fuselink HBL2810SW HBL4810SW HBL480F7W HBL460R7W HBL3765C Locking Plug NEMA L18-20R HBL3764C Locking Connector HBL3721 HBL2721 HBL2720 SS720 wallplate 5180-1 HBL23901HG Locking Device NP26GY HBL15MW Connector HBL15MBN Connector HBL15MBN Connector HBL15FW HBL15FW HBL15FCN HBL15FCN HBL053SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HC14193770566 contactor HC14183319505 contactor coil ETX042-6S-XX HBL13R2D G33672 Ground Clamp HBL320C6W Connector HBL320F6W Plug USB20AC5BKWR M1K23 Fuselink M2K23 Fuselink M2K23 Fuselink HBL2810SW HBL4810SW HBL480STW HBL460R7W HBL460R7W HBL3765C Locking Plug HBL3764C Locking Connector HBL2721 HBL2720 SS720 wallplate 5180-1 HBL23901HG Locking Device NP26GY HBL15MW Connector HBL15MBN Connector HBL15MBN Connector HBL15FW HBL15FW HBL15FW HBL15FCN HBL15SSSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HC14183319505 Contactor coil |
| ### ETX042-6S-XX HBL13R22D Ground Clamp ### Ground Clamp ### Ground Clamp ### Connector ### HBL320C6W Plug ### USB20AC5BKWR ### M1K23 Fuselink ### M2K23 Fuselink ### M2K23 Fuselink ### HBL2810SW ### HBL2810SW ### HBL2810SW ### HBL2441 Locking Plug-NEMA L18-20R ### HBL3765C Locking Plug ### HBL3765C Locking Connector ### HBL3720 ### SS720 wallplate ### SS720 wallplate ### SS720 wallplate ### HBL2301HG Locking Device ### NP26GY ### HBL15MW Connector ### HBL15MW Connector ### HBL15MGN Connector ### HBL15MGN Connector ### HBL15MGN ### HBL15FGN ### HBL15FGN ### HBL15FGN ### HBL15FGO ### HBL15SSSVFD Enclosed Disconnect Switch ### ML450G ### 1g weatherproof expandable in-use cover gray #### Plus SSSSVFD ### Enclosed Disconnect Switch #### ML450G ### 1g weatherproof expandable in-use cover gray #### Plus SSSVFD ### Enclosed Disconnect Switch #### ML450G #### 1g weatherproof expandable in-use cover gray ##### Plus SSSVFD #### Enclosed Disconnect Switch ######## ML450G #################################### |
| HBL13R22D G33672 Ground Clamp HBL320C6W Connector HBL320P6W Plug USB20AC5BKWR M1K23 Fuselink M2K23 Fuselink M2K23 Fuselink HBL2810SW HBL2810SW HBL2441 Locking Plug-NEMA L18-20R HBL3765C Locking Plug HBL3764C Locking Connector HBL3721 HBL2720 SS720 wallplate 5180-1 HBL23901HG Locking Device NP26GY HBL15MW Connector HBL15MCN Connector HBL15FQN HBL15FQN HBL15FQN HBL15FQN HBL15FQN HBL15FQN HBL15SQSSYFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL320C6W Connector HBL320P6W Plug USB20AC5BKWR M1K23 Fuselink M2K23 Fuselink M25K23 Fuselink HBL2810SW HBL460R7W Locking Plug-NEMA L18-20R HBL3765C Locking Plug HBL3764C Locking Connector HBL2721 HBL2720 SS720 wallplate 5180-1 Locking Device NP26GY HBL15MW Connector HBL15MW Connector HBL15MW Connector HBL15MBN HBL15MO HBL15FGN HBL15FGN HBL15FO HBL0S3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL320C6W Connector HBL320P6W Plug USB20AC5BKWR M1K23 Fuselink M2K23 Fuselink M25K23 Fuselink HBL2810SW HBL460R7W Locking Plug-NEMA L18-20R HBL3765C Locking Plug HBL3764C Locking Connector HBL2721 HBL2720 SS720 wallplate 5180-1 Locking Device NP26GY HBL15MW Connector HBL15MW Connector HBL15MW Connector HBL15MBN HBL15MO HBL15FGN HBL15FGN HBL15FO HBL0S3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| USB20AC5BKWR |
| M1K23 Fuselink M2K23 Fuselink M25K23 Fuselink HBL2810SW HBL460R7W HBL2441 Locking Plug-NEMA L18-20R HBL3765C Locking Plug HBL3764C Locking Connector HBL2721 HBL2721 HBL2720 wallplate SS720 wallplate 5180-1 Locking Device NP26GY Connector HBL15MW Connector HBL15MON Connector HBL15MO HBL15MO HBL15FON HBL15FON HBL15FON Enclosed Disconnect Switch MBL0S3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| M2K23 Fuselink M25K23 Fuselink HBL2810SW HBL460R7W HBL2441 Locking Plug-NEMA L18-20R HBL3765C Locking Plug HBL3764C Locking Connector HBL2721 HBL2720 SS720 wallplate 5180-1 HBL23901HG Locking Device NP26GY HBL15MW Connector HBL15MGN Connector HBL15MBN HBL15MBN HBL15FO HBL15FO HBL15FO HBL15FO HBL15FO HBL15FO HBL053SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| M25K23 Fuselink HBL2810SW HBL460R7W LBL2441 Locking Plug-NEMA L18-20R HBL3765C Locking Plug HBL3764C Locking Connector HBL2721 HBL2720 SS720 wallplate 5180-1 Locking Device NP26GY HBL15MW Connector HBL15MGN Connector HBL15MBN HBL15MO HBL15FW HBL15FQN HBL15FQN HBL15FQ HBL058SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL2810SW |
| HBL460R7W |
| HBL2441 Locking Plug NEMA L18-20R HBL3765C Locking Connector HBL3764C Locking Connector HBL2721 HBL2720 Wallplate 5180-1 Locking Device NP26GY HBL15MW Connector HBL15MGN Connector HBL15MBN HBL15MBN HBL15FW HBL15FGN HBL15FGN HBL15FO HBL15FO HBL053SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL3765C Locking Plug |
| HBL3764C Locking Connector HBL2721 HBL2720 Wallplate 5180-1 HBL23901HG Locking Device NP26GY HBL15MW Connector HBL15MGN Connector HBL15MBN HBL15MBN HBL15FGN HBL15FGN HBL15FO HBL0S3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL2721 |
| HBL2720 wallplate 5180-1 Locking Device NP26GY Locking Device HBL15MW Connector HBL15MGN Connector HBL15MBN HBL15MO HBL15FW HBL15FQ HBL15FO HBL15FO HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| SS720 wallplate 5180-1 Locking Device NP26GY Locking Device HBL15MW Connector HBL15MGN Connector HBL15MBN HBL15MO HBL15FW HBL15FW HBL15FGN HBL15FGN HBL15FO Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| 5180-1 Locking Device NP26GY Connector HBL15MW Connector HBL15MBN Connector HBL15MBN HBL15MO HBL15FW HBL15FQ HBL15FQ HBL15FQ HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL23901HG Locking Device NP26GY Connector HBL15MW Connector HBL15MGN Connector HBL15MBN HBL15MO HBL15FW HBL15FGN HBL15FGN HBL15FO HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| NP26GY Connector HBL15MW Connector HBL15MGN Connector HBL15MBN HBL15MO HBL15FW HBL15FW HBL15FGN HBL15FO HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL15MW Connector HBL15MGN Connector HBL15MBN HBL15MO HBL15FW HBL15FGN HBL15FO HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL15MGN Connector HBL15MBN HBL15MO HBL15FW HBL15FGN HBL15FO HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL15MBN HBL15MO HBL15FW HBL15FGN HBL15FO HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL15MO HBL15FW HBL15FGN HBL15FO HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL15FW HBL15FGN HBL15FO HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL15FGN HBL15FO HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBL15FQ HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| HBLDS3SSVFD Enclosed Disconnect Switch ML450G 1g weatherproof expandable in-use cover gray |
| ML450G 1g weatherproof expandable in-use cover gray |
| |
| P/N: 2530015592 Type: HBI DS6VED repair switch |
| 1714. 20000 10002, Type. HDLDOOVI D |
| P/N: 2530015582, Type: repair switch |
| <u> </u> |
| 69WA4G |
| <u>EVP0024003001</u> ARRESTOR |
| HBL1795 Wallplate |
| FSC-1 Electrical Box |
| VFBGG-2-100PX light fixture |
| HC00785688 |
| HBL2663 Connector |
| HBL2730AR Angle Locking Receptacle |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|--------------------------------|-------------------------------------|
| HBL520C6W | Connector |
| HBL5656 | Panel Mount Power Connectors |
| HBL2621S | connector |
| HBL7774WO | Weatherproof Lift Cover |
| P720I | Single Receptacle Wall Plate, Ivory |
| HBL26CM10 | Device-Kellems |
| HBL63CM70 | Device-Kellems |
| HBL77CM74WO | Device-Kellems |
| HBLPOB1D | |
| PFBR826GYA | |
| HBL60W47 | socket |
| <u>HBL60W33</u> | socket |
| <u>HBL69W47</u> | socket |
| <u>HBL60W49</u> | socket |
| <u>HBL60W48</u> | socket |
| HBL26CM13V | Device-Kellem |
| EMCL81090LT | TERMINAL LUG |
| HBL2811ST | |
| HBL530C6W | |
| HBL5100C6W | |
| HC59673-004 | ARC CHUTE KIT, SIZE 3 N.O. CO |
| HBL328DCR | Locking Yel Single Receptacle |
| <u>HBL4100B9W</u> | Pin and Sleeve Inlet |
| <u>HBL4100R9W</u> | Pin and Sleeve Receptacle |
| <u>CS8175</u> | Locking Flanged Inlet |
| <u>HBL460B7W</u> | Pin and Sleeve Inlet |
| HC69JF8LY | |
| <u>HBL5242</u> | Straight Blade Device |
| <u>HBL7765C</u> | plug |
| <u>54BB23EB</u> | Watertight Limit Switch |
| HBL460R9W | Watertight Receptacle |
| <u>HBL2810</u> | Plug |
| HBL432MI3W | Wiring Device-Kellem |
| <u>P0509NGY</u> | |
| P100NGYA | |
| P200NBK | |
| HBL460P7W | plug |
| HBL460C7W | plug |
| 20320047 | |
| 300/400A series / 783585511979 | Angled Terminals, |
| WP1 | Weatherproof Cover |
| HBL5662I | Duplex Industrial Grade Receptacle |
| <u>SD112-S</u> | Quadrant Strain Clamp |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





| Product | Description |
|------------------------------|---|
| <u>SA1013</u> | Socket Eye |
| AS25 | Anchor Shackle |
| 55-4E-2SP-WB-40 / GR62653202 | SWITCH 2P STD DUAL 55-4E-2SP-WB-40 |
| <u>VP3485</u> | plug |
| VPR3465 | plug |
| SHC1036 | Cord Connectors |
| SHC1033 | Cord Connectors |
| PR205EB | PANEL SAFE |
| HBL328DCC | Connector |
| HBLEV30B | |
| HBLEV30BHW | |
| <u>CS6364L</u> | connector |
| GFRST20GY | Receptacle |
| <u>215BI</u> | insert |
| <u>55-7E-2SP-WL-40</u> | Limit Switch |
| <u>HBL2813</u> | Grounding Locking Connector |
| <u>HBL316P6W</u> | Plug |
| <u>HBL4792</u> | |
| HBLS330C4W | |
| HBLS332R4W | |
| HBLS460C12W | |
| HBL460P12W | |
| HBLS460R12W | |
| HBLS330R4W | |
| HBL2323BK | connectors |
| <u>C4002538</u> | MEII Cleaner Wipes |
| <u>C4033178</u> | Hot Stick Tester |
| <u>C4002364</u> | Moisture Eater II Cleaner |
| <u>HBL2653</u> | Plug Multipolar |
| <u>HBL2743</u> | Locking Connector |
| <u>GFTWRST15W</u> | |
| SHC1008ZP | fittings |
| A19AAB-26 | SPST thermostat |
| <u>9-38683N</u> | |
| <u>5386-0</u> | |
| <u>P4X155E</u> | Signal and Control Combination Outlet |
| HBLDS3ACNK | |
| HBL8315CAT | Extra Heavy Duty Hospital Grade Duplex Receptacle |
| 238D/09L/LE | 238 Ex db LED Highbay |
| 1002 | LockNut for Threaded RMC/IMC |
| 1402 | Insulating Bushing |
| XEDS-30 SU-40 | |
| BSD20100 | Static Discharge Reel |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





| EXB-12188-N34 52AX40 (Model 3416) | |
|--------------------------------------|---|
| | quant enclosure |
| | Liquid-Tight Conduit Fitting |
| 3LL10 (Model 3518) | Liquid-Tight Conduit Fitting |
| HJMS03120 | Mini-Quick Jumper 3P 16/3 20Ft |
| TSL-720-4K-UHV-W | · · · · · · · · · · · · · · · · · · · |
| HBLDS3PAC | |
| HBLFRR | |
| HBLFRBL | |
| HBLFRW | |
| HBLFRGN | |
| HBL7962 | |
| HBL9420 | Electrical Box Covers |
| 5362BI | Electric Plugs & Receptacles |
| C4060416 | CHANCE® Grounding Ball Stud Cover |
| HBL9368 | Straight Blade Plug |
| HBLS560C5W | J J |
| HBL2430SW | |
| HBLRFT1 | Mounting Kit |
| PTC100GY | Cover and Switch for Weatherproof Box, PVC |
| 5122-0 | Cover and Switch for Weatherproof Box, Aluminum, incl. Switch |
| CSB315GY | Three Way Toggle Switch, 15A 120/277V AC |
| CR15ITR | USA Double Outlet CR15ITR Nema 5-15R, 15A, 125V, Ivory |
| <u>SO-6449</u> | Fitting 1/2" HUBBELL P050NGYA Non-metallic for Junction Boxes |
| HBL460R5W | |
| HC48424001 | Timer |
| HBL2310SR | Locking Receptacle |
| <u>HBL6080</u> | |
| <u>HBLMRW</u> | |
| HBLMRGN | |
| <u>HBLMRBN</u> | |
| <u>HBLMRO</u> | |
| <u>HBLMRY</u> | |
| AFGF20TRW | |
| <u>G3369</u> | Ground Clamp Bus Bar |
| <u>PDV-100</u> | |
| HBL2320SW | Insulgrip Twist-Lock Plug |
| <u>HBL2611SW</u> | Watertight Safety-Shroud Plug |
| <u>GDW440</u> | |
| <u>HBLMRBBN</u> | Receptacle |
| <u>HBLMRBO</u> | Receptacle |
| <u>HBLMRBY</u> | Receptacle |
| <u>GDW2010A</u> | |
| <u>T6000806</u> | Clamp w/ Eye Screw |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product | Description |
|-----------------------------|---|
| HBL5364VY | connector |
| HBL67W48BK | |
| CBRS15BLKWRTR | |
| HC14183296502 | CONTACT |
| HC14192890523 | BLOCK, AUXILIARY CONTACT |
| HC14192908801 | MAIN CONTACT |
| HC14192908802 | SPARK HOLDER |
| TYPE 4292 P/N: HC4292003301 | Contactor |
| LC53AXB | Connector |
| HC4292003301 (Modified) | Contactor |
| C4030342 | Hinged Style Grip-All Clamp Stick |
| C4030343 | Hinged-Style Grip-All Clamp Stick |
| DFPCSCSCD3MM | patch cord |
| <u>11-38683N</u> | ' |
| 213705-7202 | IEEE Heavy Duty / IEC Distribution High Polymer Housed Surge Arrester |
| HBLMRBK | , , , , , , , , , , , , , , , , , , , |
| HBLMRR | |
| HBLMRBL | |
| IPE2500A-MLS | |
| L3149B | |
| ITR2000A | |
| IPE2500A | |
| ITA2000A | |
| RMP-PMR-1F-BK | Single hole Female panel mount Receptacle |
| RMP-PMR-1F-W | Single hole Female panel mount Receptacle |
| RMP-PMR-1F-R | Single hole Female panel mount Receptacle |
| RMP-CMP-6M-BK | Cable End Assembly Plug |
| RMP-CMP-6M-W | Cable End Assembly Plug |
| RMP-CMP-6M-R | Cable End Assembly Plug |
| HBLDS6 | Disconnect Switch |
| HBLDS10 | Disconnect Switch |
| HBLB7NFD13A | Non-Fused Hazardous Location Disconnect |
| HBLB7NFD13AA | Non-Fused Hazardous Location Disconnect |
| HBLAC1 | |
| PWB035 | Dynamic Brake Module |
| RMP-CMP-7F-W | · |
| RMP-CMR-R | |
| RMP-CMR-W | |
| RMP-CMP-7M-W | CAMLOCK TYPE CONNECTORS |
| RMPIII-PMR-2-F-BK | Socket Receptacle |
| RMPIII-PMR-2-F-R | Female Receptacle |
| <u>SM-SC-535-R</u> | ADAPTERS |
| HBLFRSY | Device-Kellems |
| | |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





| Product | Description |
|-----------------------------|-------------------------------|
| <u>HBLFRSW</u> | Device-Kellems |
| <u>HBLFRSGN</u> | device-Kellems |
| NEMA L22-30R 480V HBL2820ST | Twist-Lock Edge Series |
| HCMD0004SS | |
| SHC1038 | |
| <u>GFRTW20W</u> | Wiring Device-Kellem |
| <u>54BB23ED</u> | Limit Switch Gear |
| G3Y11540ACD6F3B | |
| <u>G3Y11540ACC6F3B</u> | |
| <u>GFR20W</u> | Wiring Device GFCI Receptacle |
| <u>2236</u> | Conduit Strap |
| GFRTR15BLK | |
| <u>HBL3W50</u> | |
| HBL5260SA | |
| <u>NS611W</u> | |
| <u>NS612W</u> | |
| <u>NS616W</u> | |
| NSJ6W | |
| <u>P8W</u> | |
| <u>RR15W</u> | |
| RW57300 | |
| SFHC14W | |
| <u>SFSPGBKW</u> | |
| <u>SFSPGRW</u> | |
| USB15C5WWR | |