



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Hubbell

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

| Product                          | Description                       |
|----------------------------------|-----------------------------------|
| <a href="#">2210-142CC13FMS</a>  | TYPE 2210 SPEED RESPONSIVE SWITCH |
| <a href="#">FSL1NP</a>           | Locking Plug                      |
| <a href="#">HBL2521</a>          |                                   |
| <a href="#">HBL5362I</a>         |                                   |
| <a href="#">HBL2431SW</a>        | Device-Kellems Plug               |
| <a href="#">HBL2811</a>          | plugs                             |
| <a href="#">HBL2621</a>          | Plug                              |
| <a href="#">HBL2623</a>          | Connector Body                    |
| <a href="#">HBLDS3AC</a>         | Enclosed Disconnect Switch        |
| <a href="#">HBLDS6SSAC2</a>      |                                   |
| <a href="#">HBL4560</a>          | HBL4560 Receptacle                |
| <a href="#">HBL4570C</a>         | HBL4570C Plug                     |
| <a href="#">HBL4579C</a>         | HBL4579C Connctr                  |
| <a href="#">HBL4585C</a>         | HBL-4585C Recept                  |
| <a href="#">HBL430PS2W</a>       | Plug                              |
| <a href="#">HBL430RS2W</a>       | HBL430RS2W Recpt                  |
| <a href="#">HBL2620SW</a>        | Receptacle                        |
| <a href="#">HXJ5EOR</a>          | MODULAR JACK                      |
| <a href="#">SHC-1041-CR 1-IN</a> | Cord Connector                    |
| <a href="#">HJ1060G</a>          | CORD CONNECTOR                    |
| <a href="#">SHC1039CR</a>        |                                   |
| <a href="#">DRUBGFI15AC</a>      | DIN Rail Utility Box              |
| <a href="#">HBL2631</a>          | Plug                              |
| <a href="#">CR15I</a>            |                                   |
| <a href="#">HC48684001</a>       | DISCHARGE SENSOR MODULE ASSY.     |
| <a href="#">CR20I</a>            | WIRING DEVICE                     |
| <a href="#">M5100B7R</a>         | Wiring                            |
| <a href="#">M5100C7R</a>         | Electrical Connector Assembly     |
| <a href="#">M5200PS1</a>         |                                   |
| <a href="#">M5200BS1R</a>        |                                   |
| <a href="#">M5200CS1R</a>        |                                   |
| <a href="#">M5100P7</a>          | MALE PLUG                         |
| <a href="#">PS1009NGY</a>        |                                   |
| <a href="#">FSPB</a>             | ADAPT PNL                         |
| <a href="#">FSPSCDS6OR</a>       | Adapter Panel                     |



| Product  | Description                               |
|--|---|
| <a href="#">DRUB15</a>                               | DIN rail utility box                      |
| <a href="#">460P7W</a>                               | PLUG                                      |
| <a href="#">HBL2431</a>                              | PLUG                                      |
| <a href="#">HBL6036</a>                              | Connector                                 |
| <a href="#">HBL2433</a>                              | CONNECTOR                                 |
| <a href="#">HBL2310SW</a>                            | Wiring Device -Kellems Receptacle         |
| <a href="#">HBL2311SW</a>                            | Wiring devices Connector                  |
| <a href="#">72531-033</a>                            |   |
| <a href="#">SHC1042</a>                              |   |
| <a href="#">SHC1044</a>                              |   |
| <a href="#">SHC1065</a>                              |   |
| <a href="#">ADS116N</a>                              |   |
| <a href="#">HAS139N</a>                              |   |
| <a href="#">C4060346</a>                             |   |
| <a href="#">C4060348</a>                             |   |
| <a href="#">81231-033</a>                            |   |
| <a href="#">S6119</a>                                |   |
| <a href="#">FW60100</a>                              |   |
| <a href="#">FW6010055</a>                            |   |
| <a href="#">HC0078545 SPEED SWITCH 2210-312CC13M</a> |   |
| <a href="#">HBL5666C</a>                             | Power Entry Connector                     |
| <a href="#">HBL430P9W</a>                            |   |
| <a href="#">MAGNET CONTROLLER 4295 SIZE 2</a>        | MAGNET CONTROLLER                         |
| <a href="#">FSL1FR</a>                               |   |
| <a href="#">FSL4FR</a>                               | Bryant Electric Twist Lock Plug           |
| <a href="#">DRUBGFI20BFAC</a>                        | DIN Rail Utility Box, Complete Unit- GFCI |
| <a href="#">USB15X2W</a>                             |   |
| <a href="#">HBL1447</a>                              | plug                                      |
| <a href="#">B2125</a>                                | Conduit                                   |
| <a href="#">B2200</a>                                | Conduit                                   |
| <a href="#">P125NBK</a>                              | Fittings                                  |
| <a href="#">HUBW P200NBK</a>                         | 2IN STRT M L/T CONN                       |
| <a href="#">GFTWRST20W</a>                           | Receptacle                                |
| <a href="#">HBL3061</a>                              | Wiring Device-                            |
| <a href="#">HBL5666VY</a>                            |   |
| <a href="#">HBL21414B</a>                            | Locking Devices                           |
| <a href="#">20509002</a>                             |   |
| <a href="#">39EA15</a>                               | Receptacle                                |
| <a href="#">39EA16</a>                               | Receptacle                                |
| <a href="#">39EA17</a>                               | Receptacle                                |
| <a href="#">39EA18</a>                               | Receptacle                                |
| <a href="#">39EA19</a>                               | Receptacle                                |
| <a href="#">39EA20</a>                               | Receptacle                                |

| Product                       | Description                   |
|-------------------------------|-------------------------------|
| <a href="#">SS1</a>           | WALLPLATE                     |
| <a href="#">SS2</a>           | WALLPLATE                     |
| <a href="#">SS3</a>           | SWITCH PLATE                  |
| <a href="#">SS8</a>           | WALLPLATE                     |
| <a href="#">SS26</a>          | COVER                         |
| <a href="#">SS82</a>          | WALLPLATE                     |
| <a href="#">SS7</a>           | WALLPLATE                     |
| <a href="#">HBL8200I</a>      |                               |
| <a href="#">NP8I</a>          | Wall Plate                    |
| <a href="#">H320P</a>         | Wiring Device-Kellems         |
| <a href="#">H320C</a>         | Power connector               |
| <a href="#">HBL9965GCB</a>    |                               |
| <a href="#">HBL7310B</a>      |                               |
| <a href="#">HBL8215C</a>      | USA/JAPAN POWER PLUG          |
| <a href="#">HBL8215CAT</a>    |                               |
| <a href="#">HBL8215CT</a>     |                               |
| <a href="#">HBL8115V</a>      |                               |
| <a href="#">HBL8013V</a>      |                               |
| <a href="#">5320-0</a>        |                               |
| <a href="#">8-38683N</a>      | Water heater element          |
| <a href="#">Type: 45105</a>   | Plug                          |
| <a href="#">Type: 45115</a>   | Plug                          |
| <a href="#">HBL5362</a>       | WIRING DEVICE-KELLEMS         |
| <a href="#">HBL2731</a>       |                               |
| <a href="#">HBL332SSX</a>     |                               |
| <a href="#">HBL332CSW 32A</a> | Female connector              |
| <a href="#">HBL2730SW</a>     | Socket insert                 |
| <a href="#">AB203055</a>      | Housing for 480V socket       |
| <a href="#">GFR5362SGGY</a>   | Socket 125V / 20A GFCI        |
| <a href="#">WP26V</a>         |                               |
| <a href="#">HBLDS3</a>        | Disconnect Switch             |
| <a href="#">HBL60CM33W</a>    |                               |
| <a href="#">HBL20443</a>      |                               |
| <a href="#">HBL26410</a>      |                               |
| <a href="#">HBL2730SR</a>     |                               |
| <a href="#">HBL2620A</a>      | Panel Mount 3 Terminal 1 Port |
| <a href="#">GFP3C20MTL</a>    |                               |
| <a href="#">GFP6C15M</a>      |                               |
| <a href="#">HBL8451C</a>      | ELECTRICAL AC POWER CONNECTOR |
| <a href="#">MC-42</a>         |                               |
| <a href="#">BR15WHI</a>       |                               |
| <a href="#">CS120W</a>        |                               |
| <a href="#">P038NGYA</a>      | Liquidtight Fittings          |

| Product  | Description  |
|--|--|
| <a href="#">P050NGYA</a>                       | Straight Connector   |
| <a href="#">P075NGYA</a>                       | PolyTuff® Non-Metallic Liquidtight Fittings                  |
| <a href="#">PS0389NGY</a>                      |  |
| <a href="#">PS0509NGY</a>                      |  |
| <a href="#">PS0759NGY</a>                      |  |
| <a href="#">G1038 (roll 1x30.5 m = 100 ft)</a> | PolyTuff® I Non-Metallic Liquidtight Conduit                 |
| <a href="#">G1050 (roll 1x30.5 m = 100 ft)</a> |  |
| <a href="#">G1075 (roll 1x30.5 m = 100 ft)</a> | PolyTuff® I Non-Metallic Liquidtight Conduit                 |
| <a href="#">NP720GY</a>                        |  |
| <a href="#">70630FR</a>                        |  |
| <a href="#">HBBBHR19KT</a>                     |  |
| <a href="#">HBBB14224B</a>                     |  |
| <a href="#">HRMS 04501</a>                     |  |
| <a href="#">20-3</a>                           | WIRING DEVICE-KELLEMS  |
| <a href="#">WP2</a>                            | weatherproof device  |
| <a href="#">203-3</a>                          |  |
| <a href="#">GF5362SGGY</a>                     |  |
| <a href="#">HBL5100R9W</a>                     |  |
| <a href="#">MPS4-50ML-CW-EDU</a>               | luminair   |
| <a href="#">GFR8300HGYLA</a>                   |  |
| <a href="#">HBL530P5W</a>                      | Wiring Device  |
| <a href="#">HBL530C5W</a>                      | Wiring Device  |
| <a href="#">HBL27435W</a>                      |  |
| <a href="#">PSB37550GY</a>                     | 1g weatherproof non-metallic box (3) 1/2 or 3/4" outlet gray |
| <a href="#">HBL60CM33V</a>                     | W/PROOF DEVICE BOOT  |
| <a href="#">HBL61CM64</a>                      | Straight Blade Device  |
| <a href="#">HC00710417</a>                     | SPEED RESPONSIVE SWITCH                                      |
| <a href="#">HBL2411</a>                        | Insulgrip Spec Grade Ground Twist Lock Plug                  |
| <a href="#">HC59495003</a>                     | BULL 5210,SIZE 5 300A 1P                                     |
| <a href="#">HC68011009</a>                     | COMPLETE AUX AY #5NO DBL                                     |
| <a href="#">G1075</a>                          |  |
| <a href="#">HC00710415</a>                     | SPD SWITCH   |
| <a href="#">HC00710416</a>                     | TYPE 2210 SPEED RESPONSIVE SWITCH                            |
| <a href="#">BD-05</a>                          | Tool Balancer  |
| <a href="#">EXB-16168 N34 SU-1</a>             | Includes stainless steel plate and screws.                   |
| <a href="#">EXB-24248 N34 SU-1</a>             | includes plate and screws in stainless steel.                |
| <a href="#">GFRST83GY</a>                      |  |
| <a href="#">5030-0</a>                         | SINGLE GANG RAYNTITE® FLIP COVERS                            |
| <a href="#">HBL77CM17</a>                      | DEVICE BOOT  |
| <a href="#">7835850826</a>                     | Straight Blade Devices                                       |
| <a href="#">HBL29W48</a>                       | Industrial Grade Watertight Locking Connector                |
| <a href="#">HBL1223W</a>                       |  |
| <a href="#">HBL1388</a>                        |  |



| Product                        | Description                      |
|--------------------------------|----------------------------------|
| <a href="#">HBL3032</a>        |                                  |
| <a href="#">HBL5262W</a>       |                                  |
| <a href="#">HBL430MI7W</a>     | IEC Mechanical Interlock         |
| <a href="#">HBL430P7W</a>      | IEC Device                       |
| <a href="#">HBL332CRCX</a>     |                                  |
| <a href="#">HBL60CM33</a>      |                                  |
| <a href="#">HBL2721S</a>       | Plug                             |
| <a href="#">HBL2720SW</a>      |                                  |
| <a href="#">HBL5669C</a>       | Electrical Connector Assembly    |
| <a href="#">POREPF44R800W</a>  |                                  |
| <a href="#">FCH1023</a>        | connector                        |
| <a href="#">RACO 590</a>       |                                  |
| <a href="#">HC18402000</a>     | CONTACT STATIONARY               |
| <a href="#">HC17279000</a>     | SET CONTACTS                     |
| <a href="#">GFTRST20GY</a>     |                                  |
| <a href="#">PR4X205E</a>       | Remote Access Interface          |
| <a href="#">GF8300SGGY</a>     |                                  |
| <a href="#">HBL63CM69</a>      | Locking Receptacle               |
| <a href="#">M4100R12</a>       |                                  |
| <a href="#">M5100R9</a>        |                                  |
| <a href="#">HC14193100582</a>  | Contacter                        |
| <a href="#">HBLMITL</a>        | Device-Kellems Disconnect Switch |
| <a href="#">HBL1223</a>        |                                  |
| <a href="#">HBL1221</a>        |                                  |
| <a href="#">HBL420I</a>        | Receptacle                       |
| <a href="#">HBL2523</a>        |                                  |
| <a href="#">GF5262SGW</a>      | Ground Fault Circuit Interrupter |
| <a href="#">CWP26CRW</a>       | Weatherproof lift cover          |
| <a href="#">HBL4586C</a>       |                                  |
| <a href="#">49997-0000-005</a> | Floodlight                       |
| <a href="#">NYWW25</a>         |                                  |
| <a href="#">NYWW32</a>         |                                  |
| <a href="#">NYWW20</a>         |                                  |
| <a href="#">SSW20</a>          |                                  |
| <a href="#">HARBM0619</a>      |                                  |
| <a href="#">HBL400MBK</a>      |                                  |
| <a href="#">HBL400MW</a>       |                                  |
| <a href="#">HBL400MGN</a>      |                                  |
| <a href="#">HBL400MR</a>       |                                  |
| <a href="#">HBL400MBL</a>      |                                  |
| <a href="#">HBL400MBN</a>      |                                  |
| <a href="#">HBL400MO</a>       |                                  |
| <a href="#">HBL400MY</a>       |                                  |



| Product                            | Description                                       |
|------------------------------------|---|
| <a href="#">HBL400FBK</a>          |   |
| <a href="#">HBL400FW</a>           |   |
| <a href="#">HBL400FGN</a>          |   |
| <a href="#">HBL400FR</a>           |   |
| <a href="#">HBL400FBL</a>          |   |
| <a href="#">HBL400FBN</a>          |   |
| <a href="#">HBL400FO</a>           |   |
| <a href="#">HBL400FY</a>           |   |
| <a href="#">HBL300MBK</a>          |   |
| <a href="#">HBL300MW</a>           |   |
| <a href="#">HBL300MGN</a>          |   |
| <a href="#">HBL300MR</a>           |   |
| <a href="#">HBL300MBL</a>          |   |
| <a href="#">HBL300MBN</a>          |   |
| <a href="#">HBL300MO</a>           |   |
| <a href="#">HBL300MY</a>           |   |
| <a href="#">HBL300FBK</a>          |   |
| <a href="#">HBL300FW</a>           |   |
| <a href="#">HBL300FGN</a>          |   |
| <a href="#">HBL300FR</a>           |   |
| <a href="#">HBL300FBL</a>          |   |
| <a href="#">HBL300FBN</a>          |   |
| <a href="#">HBL300FO</a>           |   |
| <a href="#">HBL300FY</a>           |   |
| <a href="#">8300GY</a>             |   |
| <a href="#">HBL2811S</a>           |   |
| <a href="#">GO567-LOK</a>          |   |
| <a href="#">HBL2316</a>            |   |
| <a href="#">HBL2311</a>            |   |
| <a href="#">HBL2310</a>            |   |
| <a href="#">HBL2313</a>            |   |
| <a href="#">2210-132CC13MS</a>     | overspeed detector                                |
| <a href="#">2210-132CC13MSS</a>    | overspeed detector                                |
| <a href="#">60-38683SSN</a>        | Electric Heater Immersion Heating Element         |
| <a href="#">HBL5262BK</a>          | Wiring Device-Kellem                              |
| <a href="#">NP8GY</a>              | Wallplate and Box Cover                           |
| <a href="#">HBL530R9W</a>          | Pin and Sleeve Receptacles, IEC Watertight Series |
| <a href="#">70-38683SSN</a>        |   |
| <a href="#">5324-0</a>             | Weatherproof Single-Gang-Box                      |
| <a href="#">HCTA-4215</a>          |   |
| <a href="#">HBL460P5W</a>          | Waterproof pin and sleeve plug                    |
| <a href="#">HBL420R7W</a>          | Wiring Device-Kellems                             |
| <a href="#">VTC-5K-G-U-W1-G-GR</a> | luminary  |



| Product                                     | Description  |
|---|--|
| <a href="#">HBLHR5050</a>                   |  |
| <a href="#">XCS-2S2A1</a>                   | Control Station                                      |
| <a href="#">HBLDS33ACNK</a>                 |  |
| <a href="#">HC14193221522</a>               | CONTACT  |
| <a href="#">A-444D</a>                      | Gleason Reel   |
| <a href="#">TYPE 700 P/N 14-193-100-582</a> |  |
| <a href="#">HBL7102C</a>                    | Male Lock Plug                                       |
| <a href="#">HBL7101C</a>                    | Locking Plug-Nema                                    |
| <a href="#">SB8</a>                         | WIRING DEVICE-KELLEMS                                |
| <a href="#">HBL5461I</a>                    |  |
| <a href="#">HBL3393</a>                     |  |
| <a href="#">NP7OW</a>                       |  |
| <a href="#">HBL26W81</a>                    | wiring device-kellems                                |
| <a href="#">HBL27W81</a>                    | wiring device-kellems                                |
| <a href="#">HBL5206WO</a>                   | Connector Cap  |
| <a href="#">SE2730A</a>                     | Plug Enclosures                                      |
| <a href="#">HBLDS6AC</a>                    | 600V AC Enclosed Single Throw Disconnect Switch 3PST |
| <a href="#">HBL530MI7W</a>                  | Mechanical Interlock,480VAC,30A                      |
| <a href="#">GFR5262SGGY</a>                 |  |
| <a href="#">GFR5262ITR</a>                  |  |
| <a href="#">HBL530P7W</a>                   | plug   |
| <a href="#">HBL5966VBLK</a>                 | vasile plug  |
| <a href="#">FEUR48LCDM</a>                  | .  |
| <a href="#">FEUR24LCDSM</a>                 | .  |
| <a href="#">HBL21420</a>                    |  |
| <a href="#">UGP15231</a>                    |  |
| <a href="#">M4100B12R</a>                   |  |
| <a href="#">HBLDS10AC</a>                   | Nonfusible Enclosed Disconnect Switch                |
| <a href="#">HC1804A24V</a>                  | Solenoid   |
| <a href="#">074-09-3514</a>                 | Liquid Tight Conduit Fitting with Grip               |
| <a href="#">HBL26418</a>                    |  |
| <a href="#">GFRST15GY</a>                   |  |
| <a href="#">HBL5361GRY</a>                  |  |
| <a href="#">RMP-CMP-7M-BK</a>               | Male Plug  |
| <a href="#">RMP-CMP-7M-OR</a>               | Male Plug  |
| <a href="#">RMP-CMP-7M-R</a>                | Male Plug  |
| <a href="#">RMP-CMP-7M-BL</a>               | Male Plug  |
| <a href="#">RMP-CMP-7F-BK</a>               | Female Plug  |
| <a href="#">RMP-CMP-7F-OR</a>               | Female Plug  |
| <a href="#">RMP-CMP-7F-R</a>                | Female Plug  |
| <a href="#">RMP-CMP-7F-BL</a>               | Female Plug  |
| <a href="#">RMP-CMR-BK</a>                  | Coupler  |
| <a href="#">RMP-CMR-OR</a>                  | Coupler  |





| Product                     | Description  |
|-----------------------------|--|
| <a href="#">HC68056-001</a> |  |
| <a href="#">HC59345-009</a> |  |
| <a href="#">HBL4P160A</a>   | Surge Protective Devices   |
| <a href="#">SHC1011CR</a>   |  |
| <a href="#">HBL2030AP</a>   | Outlet Box Covers  |
| <a href="#">DRUBGFI15</a>   |  |
| <a href="#">SHC1021</a>     |  |
| <a href="#">HXJ5EOW</a>     |  |
| <a href="#">IFP11OW</a>     |  |
| <a href="#">HBL26419</a>    |  |
| <a href="#">HBL430MI9W</a>  | socket outlet blue 3f 30A 220v   |
| <a href="#">HBL7464V</a>    | Midget Locking Connector   |
| <a href="#">HCFD5STD</a>    |  |
| <a href="#">GFRST20</a>     |  |
| <a href="#">HBLVP6385</a>   |  |
| <a href="#">HBLVP3485</a>   |  |
| <a href="#">HBL460C9W</a>   |  |
| <a href="#">HBL21415B</a>   | Plug   |
| <a href="#">VHC1023</a>     | Liquid tight cord connector  |
| <a href="#">NHC1023</a>     | Liquid Tight Cord Connector  |
| <a href="#">SHC1020</a>     | Liquid Tight Connector   |
| <a href="#">NHC1020</a>     | Liquid Tight Cord Connector  |
| <a href="#">CS8169</a>      | Locking Receptacle   |
| <a href="#">CS8165C</a>     |  |
| <a href="#">HBL5266C</a>    | HUBBELL WIRING DEVICES HBL5266C POWER PLUG 15A 125V 2P3W NEMA 5-15P NYL      |
| <a href="#">HBL5269C</a>    | HUBBELL WIRING DEVICES HBL5269C POWER PLUG CONNECTOR, 15A, 125VAC, PA, BLACK |
| <a href="#">HBL14W47</a>    | ELASTOGRIP W/T PLUG  |
| <a href="#">HBL15W47</a>    | ELASTOGRIP W/T CONN  |
| <a href="#">HBL5965VY</a>   | plug   |
| <a href="#">HBL5969VY</a>   |  |
| <a href="#">HBL2613</a>     |  |
| <a href="#">HBL2616</a>     |  |
| <a href="#">HBL2610</a>     |  |
| <a href="#">HBL5378C</a>    |  |
| <a href="#">HBL5369C</a>    |  |
| <a href="#">HBL5352</a>     |  |
| <a href="#">DRUBGFI20</a>   | Blade Plug   |
| <a href="#">HBL4100RS1W</a> |  |
| <a href="#">HBL4100PS1W</a> |  |
| <a href="#">GF5262SG</a>    | Extra Heavy Duty Industrial GFCI Receptacles                                 |
| <a href="#">GFTRST15W</a>   |  |
| <a href="#">GFTRST20W</a>   |  |



| Product  | Description                                  |
|--|--|
| <a href="#">HBL2320</a>                            |  |
| <a href="#">HBL5462</a>                            |  |
| <a href="#">HC14193770566</a>                      | contactor                                    |
| <a href="#">HC14183319505</a>                      | contactor coil                               |
| <a href="#">ETX042-6S-XX</a>                       |  |
| <a href="#">HBL13R22D</a>                          |  |
| <a href="#">G33672</a>                             | Ground Clamp                                 |
| <a href="#">HBL320C6W</a>                          | Connector                                    |
| <a href="#">HBL320P6W</a>                          | Plug   |
| <a href="#">USB20AC5BKWR</a>                       |  |
| <a href="#">M1K23</a>                              | Fuselink                                     |
| <a href="#">M2K23</a>                              | Fuselink                                     |
| <a href="#">M25K23</a>                             | Fuselink                                     |
| <a href="#">HBL2810SW</a>                          |  |
| <a href="#">HBL460R7W</a>                          |  |
| <a href="#">HBL2441</a>                            | Locking Plug-NEMA L18-20R                    |
| <a href="#">HBL3765C</a>                           | Locking Plug                                 |
| <a href="#">HBL3764C</a>                           | Locking Connector                            |
| <a href="#">HBL2721</a>                            |  |
| <a href="#">HBL2720</a>                            |  |
| <a href="#">SS720</a>                              | wallplate                                    |
| <a href="#">5180-1</a>                             |  |
| <a href="#">HBL23901HG</a>                         | Locking Device                               |
| <a href="#">NP26GY</a>                             |  |
| <a href="#">HBL15MW</a>                            | Connector                                    |
| <a href="#">HBL15MGN</a>                           | Connector                                    |
| <a href="#">HBL15MBN</a>                           |  |
| <a href="#">HBL15MO</a>                            |  |
| <a href="#">HBL15FW</a>                            |  |
| <a href="#">HBL15FGN</a>                           |  |
| <a href="#">HBL15FO</a>                            |  |
| <a href="#">HBLDS3SSVFD</a>                        | Enclosed Disconnect Switch                   |
| <a href="#">ML450G</a>                             | 1g weatherproof expandable in-use cover gray |
| <a href="#">P/N: 2530015592, Type: HBLDS6VFD</a>   | repair switch                                |
| <a href="#">P/N: 2530015582, Type: HBLDS33ACNK</a> | repair switch                                |
| <a href="#">69WA4G</a>                             |  |
| <a href="#">EVP0024003001</a>                      | ARRESTOR                                     |
| <a href="#">HBL1795</a>                            | Wallplate                                    |
| <a href="#">FSC-1</a>                              | Electrical Box                               |
| <a href="#">VFBGG-2-100PX</a>                      | light fixture                                |
| <a href="#">HC00785688</a>                         |  |
| <a href="#">HBL2663</a>                            | Connector                                    |
| <a href="#">HBL2730AR</a>                          | Angle Locking Receptacle                     |

| Product  | Description                        |
|--|------------------------------------|
| <a href="#">HBL520C6W</a>                      | Connector                          |
| <a href="#">HBL5656</a>                        | Panel Mount Power Connectors       |
| <a href="#">HBL2621S</a>                       | connector                          |
| <a href="#">HBL7774WO</a>                      | Weatherproof Lift Cover            |
| <a href="#">P720I</a>                          | Single Receptacle Wall Plate,Ivory |
| <a href="#">HBL26CM10</a>                      | Device-Kellems                     |
| <a href="#">HBL63CM70</a>                      | Device-Kellems                     |
| <a href="#">HBL77CM74WO</a>                    | Device-Kellems                     |
| <a href="#">HBLPOB1D</a>                       |                                    |
| <a href="#">PFBR826GYA</a>                     |                                    |
| <a href="#">HBL60W47</a>                       | socket                             |
| <a href="#">HBL60W33</a>                       | socket                             |
| <a href="#">HBL69W47</a>                       | socket                             |
| <a href="#">HBL60W49</a>                       | socket                             |
| <a href="#">HBL60W48</a>                       | socket                             |
| <a href="#">HBL26CM13V</a>                     | Device-Kellem                      |
| <a href="#">EMCL81090LT</a>                    | TERMINAL LUG                       |
| <a href="#">HBL2811ST</a>                      |                                    |
| <a href="#">HBL530C6W</a>                      |                                    |
| <a href="#">HBL5100C6W</a>                     |                                    |
| <a href="#">HC59673-004</a>                    | ARC CHUTE KIT, SIZE 3 N.O. CO      |
| <a href="#">HBL328DCR</a>                      | Locking Yel Single Receptacle      |
| <a href="#">HBL4100B9W</a>                     | Pin and Sleeve Inlet               |
| <a href="#">HBL4100R9W</a>                     | Pin and Sleeve Receptacle          |
| <a href="#">CS8175</a>                         | Locking Flanged Inlet              |
| <a href="#">HBL460B7W</a>                      | Pin and Sleeve Inlet               |
| <a href="#">HC69JF8LY</a>                      |                                    |
| <a href="#">HBL5242</a>                        | Straight Blade Device              |
| <a href="#">HBL7765C</a>                       | plug                               |
| <a href="#">54BB23EB</a>                       | Watertight Limit Switch            |
| <a href="#">HBL460R9W</a>                      | Watertight Receptacle              |
| <a href="#">HBL2810</a>                        | Plug                               |
| <a href="#">HBL432MI3W</a>                     | Wiring Device-Kellem               |
| <a href="#">P0509NGY</a>                       |                                    |
| <a href="#">P100NGYA</a>                       |                                    |
| <a href="#">P200NBK</a>                        |                                    |
| <a href="#">HBL460P7W</a>                      | plug                               |
| <a href="#">HBL460C7W</a>                      | plug                               |
| <a href="#">20320047</a>                       |                                    |
| <a href="#">300/400A series / 783585511979</a> | Angled Terminals,                  |
| <a href="#">WP1</a>                            | Weatherproof Cover                 |
| <a href="#">HBL5662I</a>                       | Duplex Industrial Grade Receptacle |
| <a href="#">SD112-S</a>                        | Quadrant Strain Clamp              |

| Product                                      | Description                                       |
|--|---|
| <a href="#">SA1013</a>                       | Socket Eye  |
| <a href="#">AS25</a>                         | Anchor Shackle                                    |
| <a href="#">55-4E-2SP-WB-40 / GR62653202</a> | SWITCH 2P STD DUAL 55-4E-2SP-WB-40                |
| <a href="#">VP3485</a>                       | plug  |
| <a href="#">VPR3465</a>                      | plug  |
| <a href="#">SHC1036</a>                      | Cord Connectors                                   |
| <a href="#">SHC1033</a>                      | Cord Connectors                                   |
| <a href="#">PR205EB</a>                      | PANEL SAFE  |
| <a href="#">HBL328DCC</a>                    | Connector   |
| <a href="#">HBLEV30B</a>                     |   |
| <a href="#">HBLEV30BHW</a>                   |   |
| <a href="#">CS6364L</a>                      | connector   |
| <a href="#">GFRST20GY</a>                    | Receptacle  |
| <a href="#">215BI</a>                        | insert  |
| <a href="#">55-7E-2SP-WL-40</a>              | Limit Switch                                      |
| <a href="#">HBL2813</a>                      | Grounding Locking Connector                       |
| <a href="#">HBL316P6W</a>                    | Plug  |
| <a href="#">HBL4792</a>                      |   |
| <a href="#">HBLS330C4W</a>                   |   |
| <a href="#">HBLS332R4W</a>                   |   |
| <a href="#">HBLS460C12W</a>                  |   |
| <a href="#">HBL460P12W</a>                   |   |
| <a href="#">HBLS460R12W</a>                  |   |
| <a href="#">HBLS330R4W</a>                   |   |
| <a href="#">HBL2323BK</a>                    | connectors  |
| <a href="#">C4002538</a>                     | MEII Cleaner Wipes                                |
| <a href="#">C4033178</a>                     | Hot Stick Tester                                  |
| <a href="#">C4002364</a>                     | Moisture Eater II Cleaner                         |
| <a href="#">HBL2653</a>                      | Plug Multipolar                                   |
| <a href="#">HBL2743</a>                      | Locking Connector                                 |
| <a href="#">GFTWRST15W</a>                   |   |
| <a href="#">SHC1008ZP</a>                    | fittings  |
| <a href="#">A19AAB-26</a>                    | SPST thermostat                                   |
| <a href="#">9-38683N</a>                     |   |
| <a href="#">5386-0</a>                       |   |
| <a href="#">P4X155E</a>                      | Signal and Control Combination Outlet             |
| <a href="#">HBLDS3ACNK</a>                   |   |
| <a href="#">HBL8315CAT</a>                   | Extra Heavy Duty Hospital Grade Duplex Receptacle |
| <a href="#">238D/09L/LE</a>                  | 238 Ex db LED Highbay                             |
| <a href="#">1002</a>                         | LockNut for Threaded RMC/IMC                      |
| <a href="#">1402</a>                         | Insulating Bushing                                |
| <a href="#">XEDS-30 SU-40</a>                |   |
| <a href="#">BSD20100</a>                     | Static Discharge Reel                             |



| Product                             | Description   |
|-------------------------------------|---|
| <a href="#">EXB-12188-N34</a>       | quant enclosure   |
| <a href="#">52AX40 (Model 3416)</a> | Liquid-Tight Conduit Fitting                                  |
| <a href="#">3LL10 (Model 3518)</a>  | Liquid-Tight Conduit Fitting                                  |
| <a href="#">HJMS03120</a>           | Mini-Quick Jumper 3P 16/3 20Ft                                |
| <a href="#">TSL-720-4K-UHV-W</a>    |   |
| <a href="#">HBLDS3PAC</a>           |   |
| <a href="#">HBLFRR</a>              |   |
| <a href="#">HBLFRBL</a>             |   |
| <a href="#">HBLFRW</a>              |   |
| <a href="#">HBLFRGN</a>             |   |
| <a href="#">HBL7962</a>             | Plugs & Receptacles   |
| <a href="#">HBL9420</a>             | Electrical Box Covers   |
| <a href="#">5362BI</a>              | Electric Plugs & Receptacles                                  |
| <a href="#">C4060416</a>            | CHANCE® Grounding Ball Stud Cover                             |
| <a href="#">HBL9368</a>             | Straight Blade Plug   |
| <a href="#">HBL560C5W</a>           |   |
| <a href="#">HBL2430SW</a>           |   |
| <a href="#">HBLRFT1</a>             | Mounting Kit  |
| <a href="#">PTC100GY</a>            | Cover and Switch for Weatherproof Box, PVC                    |
| <a href="#">5122-0</a>              | Cover and Switch for Weatherproof Box, Aluminum, incl. Switch |
| <a href="#">CSB315GY</a>            | Three Way Toggle Switch, 15A 120/277V AC                      |
| <a href="#">CR15ITR</a>             | USA Double Outlet CR15ITR Nema 5-15R, 15A, 125V, Ivory        |
| <a href="#">SO-6449</a>             | Fitting 1/2" HUBBELL P050NGYA Non-metallic for Junction Boxes |
| <a href="#">HBL460R5W</a>           |   |
| <a href="#">HC48424001</a>          | Timer   |
| <a href="#">HBL2310SR</a>           | Locking Receptacle  |
| <a href="#">HBL6080</a>             |   |
| <a href="#">HBLMRW</a>              |   |
| <a href="#">HBLMRGN</a>             |   |
| <a href="#">HBLMRBN</a>             |   |
| <a href="#">HBLMRO</a>              |   |
| <a href="#">HBLMRY</a>              |   |
| <a href="#">AFGF20TRW</a>           |   |
| <a href="#">G3369</a>               | Ground Clamp Bus Bar  |
| <a href="#">PDV-100</a>             |   |
| <a href="#">HBL2320SW</a>           | Insulgrip Twist-Lock Plug                                     |
| <a href="#">HBL2611SW</a>           | Watertight Safety-Shroud Plug                                 |
| <a href="#">GDW440</a>              |   |
| <a href="#">HBLMRBBN</a>            | Receptacle  |
| <a href="#">HBLMRBO</a>             | Receptacle  |
| <a href="#">HBLMRBY</a>             | Receptacle  |
| <a href="#">GDW2010A</a>            |   |
| <a href="#">T6000806</a>            | Clamp w/ Eye Screw  |

| Product                                     | Description   |
|---|---|
| <a href="#">HBL5364VY</a>                   | connector   |
| <a href="#">HBL67W48BK</a>                  |   |
| <a href="#">CBRS15BLKWRTR</a>               |   |
| <a href="#">HC14183296502</a>               | CONTACT   |
| <a href="#">HC14192890523</a>               | BLOCK, AUXILIARY CONTACT  |
| <a href="#">HC14192908801</a>               | MAIN CONTACT  |
| <a href="#">HC14192908802</a>               | SPARK HOLDER  |
| <a href="#">TYPE 4292 P/N: HC4292003301</a> | Contactora  |
| <a href="#">LC53AXB</a>                     | Connector   |
| <a href="#">HC4292003301 (Modified)</a>     | Contactora  |
| <a href="#">C4030342</a>                    | Hinged Style Grip-All Clamp Stick                                     |
| <a href="#">C4030343</a>                    | Hinged-Style Grip-All Clamp Stick                                     |
| <a href="#">DFPCSCSCD3MM</a>                | patch cord  |
| <a href="#">11-38683N</a>                   |   |
| <a href="#">213705-7202</a>                 | IEEE Heavy Duty / IEC Distribution High Polymer Housed Surge Arrester |
| <a href="#">HBLMRBK</a>                     |   |
| <a href="#">HBLMRR</a>                      |   |
| <a href="#">HBLMRBL</a>                     |   |
| <a href="#">IPE2500A-MLS</a>                |   |
| <a href="#">L3149B</a>                      |   |
| <a href="#">ITR2000A</a>                    |   |
| <a href="#">IPE2500A</a>                    |   |
| <a href="#">ITA2000A</a>                    |   |
| <a href="#">RMP-PMR-1F-BK</a>               | Single hole Female panel mount Receptacle                             |
| <a href="#">RMP-PMR-1F-W</a>                | Single hole Female panel mount Receptacle                             |
| <a href="#">RMP-PMR-1F-R</a>                | Single hole Female panel mount Receptacle                             |
| <a href="#">RMP-CMP-6M-BK</a>               | Cable End Assembly Plug   |
| <a href="#">RMP-CMP-6M-W</a>                | Cable End Assembly Plug   |
| <a href="#">RMP-CMP-6M-R</a>                | Cable End Assembly Plug   |
| <a href="#">HBLDS6</a>                      | Disconnect Switch   |
| <a href="#">HBLDS10</a>                     | Disconnect Switch   |
| <a href="#">HBLB7NFD13A</a>                 | Non-Fused Hazardous Location Disconnect                               |
| <a href="#">HBLB7NFD13AA</a>                | Non-Fused Hazardous Location Disconnect                               |
| <a href="#">HBLAC1</a>                      |   |
| <a href="#">PWB035</a>                      | Dynamic Brake Module  |
| <a href="#">RMP-CMP-7F-W</a>                |   |
| <a href="#">RMP-CMR-R</a>                   |   |
| <a href="#">RMP-CMR-W</a>                   |   |
| <a href="#">RMP-CMP-7M-W</a>                | CAMLOCK TYPE CONNECTORS   |
| <a href="#">RMPIII-PMR-2-F-BK</a>           | Socket Receptacle   |
| <a href="#">RMPIII-PMR-2-F-R</a>            | Female Receptacle   |
| <a href="#">SM-SC-535-R</a>                 | ADAPTERS  |
| <a href="#">HBLFRSY</a>                     | Device-Kellems  |



| Product                                     | Description            |
|---|------------------------|
| <a href="#">HBLFRSW</a>                     | Device-Kellems         |
| <a href="#">HBLFRSGN</a>                    | device-Kellems         |
| <a href="#">NEMA L22-30R 480V HBL2820ST</a> | Twist-Lock Edge Series |
| <a href="#">HCMD0004SS</a>                  |                        |
| <a href="#">SHC1038</a>                     |                        |
| <a href="#">GFRTW20W</a>                    | Wiring Device-Kellem   |
| <a href="#">54BB23ED</a>                    | Limit Switch Gear      |
| <a href="#">G3Y11540ACD6F3B</a>             |                        |
| <a href="#">G3Y11540ACC6F3B</a>             |                        |