







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





| Product             | Description                                      |
|---------------------|--|
| CMS0400406689       | Single-phase safety transformer                  |
| OTTC1001000849      |  |
| CCM040060M291       |  |
| OCMC60070F348       | Trasf. OCM                                       |
| OTT0400600252       | transformer                                      |
| CTCFM00160CC09      | Transformer                                      |
| OCM0500806890       |  |
| CTOMX3206001226     |  |
| <u>2923310275L</u>  | transformer                                      |
| CTOCM0250300488     | single-phase transformer                         |
| OCM0320507652       | Transformer                                      |
| OM X02202502052     |  |
| <u>0AM028300899</u> | Transformer                                      |
| <u>CFM001004048</u> | Transformer                                      |
| CFM001K05708        | Transformer                                      |
| <u>CFM003K0L977</u> | Transformer                                      |
| OCM0220309965       |  |
| OTTC1001501042      | Three phase Control Transformers in box approved |
| OTTC1001721100      | Three phase Control Transformers in box approved |
| CTOCM040050N638     | electrical transformer                           |
| CTOCM050100M593     | transformer                                      |
| CTCFM000302178      |  |
| OMX02204001366      |  |
| CFM001K29671        |  |
| OCM040080P776       | Voltage transformer                              |
| CT OCM0250301024    | Transformer                                      |
| CFM005201828        |  |
| CTCFM001K0CC07      | Single phase Isolating Transformer               |
| OMX03205002073      |  |
| OMX05008002074      |  |
| <u>CFM006006516</u> |  |
| OCM025030L536       |  |
| CTOMT0320601988     | Transformer                                      |
| OMX0220250AA07      | Isolation Transformer                            |
| CTABM005000015      | TRANSFORMER                                      |
| <u>Z90774002738</u> | transformer                                      |
| <u>CFM00500L892</u> |  |
| CTOCM064150F582     | TRANSFORMER                                      |
| OCMC60120P526       | TRANSFORMER                                      |
| OCM064080F581       | TRANSFORMER                                      |
| <u>CFM00050L525</u> | Transformer                                      |
| CFM00250CC08- I     |  |
| FRIEND80-1T         |  |
|                     |  |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product                      | Description                                    |
|------------------------------|--|
| CTOCM0500603048              | transformer                                    |
| AFT005K02095                 | Three phase Autotransformer                    |
| AFT001K52096                 | Three phase Autotransformer                    |
| AFT002K32097                 | Three phase Autotransformer                    |
| AFT003K02098                 | Three phase Autotransformer                    |
| AFT005K02100                 | Three phase Autotransformer                    |
| AFT010K02101                 | Three phase Autotransformer                    |
| CFM006309626                 | Single Phase Safety and insulating Transformer |
| OMT032040EE02                | , , ,  |
| OCM040080N569                |  |
|                              | TRANSFORMER                                    |
| CFM00080M194                 | TRANSFORMER                                    |
| CFM00100H462                 |  |
| OMT0320602026                |  |
| OCM0220306419                | transformer                                    |
| OCM0500808178                |  |
| OCM025030P415                | TRASFORMER                                     |
| CFM00250N480                 | Transformer                                    |
| CTCSB20-00540                | Bipolar line switch                            |
| CFM00030H970                 | transformer                                    |
| CFM000458639                 |  |
| 353/528027                   |  |
| <u>IESFM00100CC04</u>        | transformer                                    |
| OMX03206001780               | Transformer                                    |
| CCM040040F693                | Transformer                                    |
| CCM050080F691                | Transformer                                    |
| CTOCM032040F344              | TRANSFORMER                                    |
| CTOCM064100F773              | APPROVED SINGLE-PHASE ISOLATION TRANSFORMER    |
| OCM032060P660                | Transformer                                    |
| OAT0601203038                |  |
| CTCFM00150H732               |  |
| OCM025030BB02                |  |
| CTCFM002004902               |  |
| 777/ATT30K/027               |  |
| OCM028030S269CTOCM028030S269 |  |
| CFM001006790                 |  |
| OCM032060BB02                |  |
| <u>91ATRM2K5-2</u>           |  |
| <u>AFT012K51260</u>          |  |
| OCM064100S325                |  |
| CFM00400CC15-I               | transformer                                    |
| <u>CFM001600610</u>          | Trasforme                                      |
| CFM00630L909                 |  |





| Product                | Description                             |
|------------------------|---|
| <u>CFT002K05610</u>    |   |
| OCM0320605141          |   |
| CTCFM001009418         | trasformatore                           |
| OCM032060R506          |   |
| OAT0400751090          | AUTOTRANSFORMER                         |
| OCM0641003950          | TRANSFORMER                             |
| OTT0500801787          | THREE PHASE TRANSFORMER                 |
| <u>91ATRM500-8</u>     |   |
| OCM040080L606          |   |
| CBM001K6CC08           | <del>-</del>                            |
| OCM0320508176          |   |
| CFM003K78599           | Transformer                             |
| OCM040080N006          | SINGLE PHASE CONTROL TRASFORMER         |
| SFM00063CC04           |   |
| CFM00050BB02           |   |
| OMX0500800CC07         | TV1 component                           |
| OMT0640642117          | transformer                             |
| OMX0500800CC02         | TV2 component                           |
| CTOCM0641002238        |   |
| OIM000090050138        |   |
| CMA001000010           |   |
| CTOCM032050M266        |   |
| CTCBM000250238         |   |
| CFM000151340           |   |
| CTOAT0230401630        | 3 phase transformer                     |
| 0TA0230401630          |   |
| CTOCM0501003030        | transformer                             |
| CTAFT003K0CC           | three-phase auto transformer            |
| CTOMX2503501178        |   |
| CTOCM032040S674        |   |
| CTOMT0250302039        |   |
| CTOMX0400500226        | SINGLE-PHASE SAFETY CONTROL TRANSFORMER |
| CTCIMAV1               |   |
| CTOF000P1003018        |   |
| CTOATC07K901190        |   |
| CT371/TT6K/043         |   |
| OCM064080F346          | TRANSFORMER                             |
| CT93TRMI2K5-4          | THE WAST OF WILLT                       |
| CTOCM050080F345        | TRANSFORMER                             |
| CTOAM0250400978        | TRANSFORMER                             |
| CTCF3P150750959        | THANOI OTHVIETT                         |
| CTIPB00100CC12         | Single-phase transformer                |
| CTOCM032050N637        | Single-priase transformer               |
| <u>UTUUNU3ZUSUNB37</u> |   |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product   | Description                     |
|---|---------------------------------|
| CTOCM028030S511                                 | · ·                             |
| CTCFM001K0H733                                  |                                 |
|   |                                 |
| CTSTCYBED190339                                 |                                 |
| CT92TRMS063-39                                  |                                 |
| CTCFM001808992                                  | TRANSFORMER                     |
| CTOATC500901849                                 | TRANSFORMER                     |
| CTOCMC70120R608                                 |                                 |
| <u>IW1421000</u>                                | FUSE                            |
| CTCFM001007148                                  | transformer                     |
| CTOCM050100M566                                 | transformer                     |
| CTCMS022030F166                                 | Transformer                     |
| CTOCMC60060M351                                 |                                 |
| CTCFM003K07786                                  |                                 |
| CTCF5P150600957                                 |                                 |
| CTCF6P310370958                                 |                                 |
| CTCF8P450400955                                 |                                 |
| CTCF10P30300956                                 |                                 |
| CTCCM0280408146                                 | transformer                     |
| CT353/528027 (CFM 50VA)                         | transformer                     |
| CT353/528027 / CFM 50VA P=230/400V S=24V MAMMUT | SINGLE PHASE SAFETY TRANSFORMER |
| CTAFT0115K0295                                  |                                 |
| CT777/ATT30K003                                 | autotransformer                 |
| CTOAM0501000911                                 |                                 |
| CTIM00260120114                                 |                                 |
| CTOCMC60060P011                                 |                                 |
| OCM040050N611                                   |                                 |
| <u>OMX04007001947</u>                           |                                 |
| OCM0320400206                                   |                                 |
| <u>OIM000140050139</u>                          | electrical ballast              |
| CTCCM005000341                                  | transformer                     |
| CTOCM032050R901                                 | transformer                     |
| CTOCM0400500434                                 |                                 |
| CTOTT0701004121                                 | Three-phase transformer         |
| OCM0320404893                                   |                                 |
| <u>OTT0400506252</u>                            |                                 |
| CTOCMC50080M128                                 | transformer                     |
| CTCFM00060T242                                  | TRANSFORMER                     |
| CTCFM00100CC02-                                 | SINGLE-PHASE TRANSFORMER        |
| <u>CB16001290000</u>                            |                                 |
| CTCFM00100CC04                                  | SINGLE-PHASE TRANSFORMER        |
| CTOMX0220400108                                 |                                 |
| OCM0500803850                                   |                                 |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product                   | Description              |
|---------------------------|--------------------------|
| CTCFM00400CC15            |                          |
| <u>CBM00400CC09</u>       |                          |
| 92TRMS030-18              |                          |
| CTOCM0320606003           |                          |
| CTOCMC600601794           |                          |
| CTOMX0250403451           | Transformer              |
| CFM006305279              |                          |
| CFM002004638              |                          |
| CTCFM001K06503            |                          |
| CTCFM001K0BB01            | transformer              |
| CTCFM00450BB07            | transformer              |
| CFM001K0CC15              |                          |
| OCM064150S562             |                          |
| CTOTT800801584            |                          |
|                           |                          |
| CTSTCTBED180313           |                          |
| CTKIT-STAB                |                          |
| CTAFM003000508            |                          |
| CTCBM000360755            |                          |
| CTOMX2804001469           | Single-phase transformer |
| CTOCM022030T979           | Primary Transformer      |
| CTCFM00500CC07 -R         | TRANSFORMER 500VA        |
| CTCFM00100CC04-I          | Transformer              |
| CTOTT0300503990           |                          |
| <u>CT353/528048</u>       |                          |
| CTOCM0400601674           | Transformer              |
| CTOCM050080M409           |                          |
| CTCFM002K03589            | Voltage Transformer      |
| CTOCM040070S309           | mono phase transformer   |
| CTCFM00100L340            | control transformer      |
| CTCFM004001742            |                          |
| CTCFM000631754            |                          |
| CTOCM064130CC11           |                          |
| CTAFT006K32719            | transformer              |
| CTCFM001008004            | Power Supply Transformer |
| <u>IP44 610X460X720 R</u> | HOMOLOG CASE. HOME       |
| <u>IP44 450X360X620 R</u> | HOMOLOG CASE.            |
| CTOCM050060F718           |                          |
| OCM0500809553             |                          |
| CTCFM00100CC12            |                          |
| CTCFM001504039            |                          |
| CTOTT0601202717           |                          |
| CTCFM00500CC15-           |                          |

! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





| Product            | Description           |
|--------------------|-----------------------|
| CTOTT0700805762    |                       |
| CFM00050CC04-I     |                       |
| CTOCM032050M723    |                       |
| CTOIM0000900501138 | Single-Phase Inductor |
| CTOIM0090050138    | Single Phase Inductor |