



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## KTR

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

Product	Description
<a href="#">010281000000</a>	COUPLING SLEEVE
<a href="#">020285101800 / ROTEX 28 ST</a>	coupling
<a href="#">020285103800 / ROTEX 28 ST</a>	hub
<a href="#">20421000042</a>	Coupling tire
<a href="#">100 FLE-PA</a>	FLANGE Ø296 Ø235 DO = Z = + 0.2 12XØ13
<a href="#">206-25X50</a>	
<a href="#">213150010000 (DSM 315S/M)</a>	Damping rail L = 0614.0 mm
<a href="#">550091000002</a>	Zahnkranz
<a href="#">550097150350</a>	clamp hub
<a href="#">010480792416- BoWex 48- HE3/HE4 Elastomer T57 Sh</a>	Flector drag
<a href="#">T50 Sh 6 1/2" (010480710050)</a>	plug-in coupling
<a href="#">D55014500 / ROTEX Kupplung GS 14</a>	clutch
<a href="#">KTR 203-70X110</a>	CLAMPEX
<a href="#">BoWex 48 M-HUELSE</a>	Elastic Coupling
<a href="#">POLY-NORM 125</a>	ELASTOMERRING NBR 78 SHORE
<a href="#">P/N: S02024581A241A24 Type: ROTEX 24</a>	
<a href="#">ROTEX 42 GG 92°1 A Ø45 - 1A Ø55</a>	sprocket
<a href="#">P/N: 020901000042, Type ROTEX 90 (Shore A)</a>	Sprocket
<a href="#">550141000002</a>	sprocket
<a href="#">550147151649 / GS 14 AL-H</a>	COUPLING / ROTEX GS 14
<a href="#">D55019500</a>	ROTEX clutch Gs 19
<a href="#">ROTEX 48 / 020481000042</a>	Coupling
<a href="#">RADEX-NC 20KPL.</a>	
<a href="#">A600 RU 0 - 1TF x 2 - Ø20H7 Nut n. DIN6885/3</a>	RUFLEX GR.0
<a href="#">PT100-M3-KTR</a>	Temperature switch
<a href="#">ROTEX 42 ZS-DKM-H</a>	ROTEX® flexible jaw couplings
<a href="#">POLY-NORM 55 GG 1.0 Ø38 - 1.0 Ø55</a>	
<a href="#">431884</a>	DH-Klemmnabe
<a href="#">431909</a>	DKM-H MITTELSTÜCK
<a href="#">482283</a>	DH-Klemmnabe
<a href="#">695539</a>	Zahnkranz
<a href="#">58874</a>	NABE
<a href="#">58877</a>	NABE
<a href="#">537240</a>	ELASTOMERRING
<a href="#">KTR 105-10X20</a>	Fastener Elements

Product	Description
<a href="#">NVT-E-60-2NT-M12</a>	HYDRAULIKZUBEHÖR
<a href="#">BOWEX Kupplung M-65 (D01065003)</a>	BOWEX COUPLING
<a href="#">MINEX 75/10 (650759701020)</a>	MINEX 75/10
<a href="#">D01065003) BOWEX Kupplung M-65</a>	BOWEX Kupplung M-65
<a href="#">S020383710351A42</a>	
<a href="#">ROTEX 28</a>	sprocket
<a href="#">BOWEX Kupplung M-28</a>	Kupplung
<a href="#">020285100040</a>	
<a href="#">720100101001</a>	Coopling
<a href="#">720250103201</a>	
<a href="#">010481601550 (BoWex 48)</a>	coupling
<a href="#">BoWex 80 HE1/HE2 G80</a>	
<a href="#">106626039000 / PK 660/3/90</a>	pump carrier
<a href="#">303300170000 / D 330/17</a>	Damping ring Ver.
<a href="#">AR 220 Flanschnabe Ø140H7 Nut nach DIN</a>	
<a href="#">POLY-NORM 260 AR</a>	Torsionally flexible, fail-safe shaft coupling
<a href="#">DSM 315L</a>	Dämpfungsschiene
<a href="#">BoWex M-19 1.0 Ø12 - 1.0 Ø17</a>	
<a href="#">BoWex M-14 1.0 Ø12 - 1.0 Ø14</a>	
<a href="#">081005075115 / CLAMPEX KTR 100-75X115</a>	Clamping Set
<a href="#">BoWex M-48 C</a>	
<a href="#">BOWEX Kupplung M-42 C</a>	
<a href="#">P/N: D01038013 Type: BoWex M-38 C</a>	curved tooth coupling
<a href="#">BoWex M-32 C</a>	
<a href="#">950601000201</a>	ELASTOMER RING
<a href="#">730480290001</a>	RIGIFLEX 48 LAMELLENPAKET GR.48 KPL
<a href="#">303300230000 / D 330/23</a>	Damping ring Ver.
<a href="#">010551603140</a>	
<a href="#">D55038580 , type GS 38 DKM</a>	ROTEX Kupplung
<a href="#">S550197225152519</a>	ROTEX GS 19 Alu 98° 2.5 Ø15 - 2.5 Ø19
<a href="#">PK 400/5/13 (104026051300)</a>	PUMPENTRÄGER
<a href="#">ROTEX 42 GG 92° 1.0 Ø32 - 1A Ø55</a>	
<a href="#">ROTEX Kupplung 42 GG</a>	
<a href="#">ROTEX Kupplung 48 GG</a>	
<a href="#">POLY-NORM AR 55 / D95055001</a>	
<a href="#">020381000042</a>	Sprocket
<a href="#">POLY-NORM AR 28</a>	Coupling for NTT 32-200/01 Pump s/n: 6029380
<a href="#">POLY-NORM AR 38</a>	Couplings for NTT 40-160/02 s/N: 6029363
<a href="#">ROTEX 19 Stahl</a>	Kupplung
<a href="#">N 50 AUSF. NN</a>	KUPPLUNG
<a href="#">ADR 48</a>	POLY-NORM ADR 48
<a href="#">KTR 225</a>	Lock
<a href="#">EHP-700-600-G2-0-1X230V</a>	TANKHEIZUNGEN

Product	Description
<a href="#">Rotex Size GDP 38</a>	coupling
<a href="#">D-4440</a>	
<a href="#">S020425710201020</a>	
<a href="#">020425002000</a>	
<a href="#">TRSASOFTEX2838A28</a>	
<a href="#">TRSFLECTORSR2838</a>	
<a href="#">TRSASOFTEX2838K</a>	
<a href="#">020381000045</a>	Coupling Rubber
<a href="#">S02028581A241B38</a>	Rotex-28-St-98-1b-Ø38-1a-Ø24
<a href="#">S02024571A191A28</a>	Coupling set
<a href="#">PK 250/6/6</a>	
<a href="#">070109901601</a>	
<a href="#">KTR150 12X15</a>	KTR150 12X15
<a href="#">KTR150 17x21</a>	
<a href="#">KTR150 13x16</a>	
<a href="#">BoWex 65</a>	Coupling plastic
<a href="#">M-24</a>	Coupling
<a href="#">BoWex 42 (010420700004)</a>	Elastomer T40 Shore for HE1/HE2/HEW
<a href="#">400-110X155 (p/n. 084005110155)</a>	Crimping bracelet
<a href="#">400-130X180 (p/n. 084005130180)</a>	Crimping bracelet
<a href="#">D02028001 / ROTEX Kupplung 28 STAHL</a>	
<a href="#">010141101200 (PA-Steckh)</a>	
<a href="#">010141001200</a>	
<a href="#">P/N: A323002 Type: OPC300-25D-0.75kW-A-F10-TB</a>	Oil-air cooler
<a href="#">TOOLFLEX 38</a>	
<a href="#">S02019571A201A24 Type ROTEX 19 Stahl</a>	
<a href="#">20901000042</a>	Star coupling
<a href="#">103526060400 / PK 350/6/4</a>	pump mounting bracket
<a href="#">BoWex M-28 1.0 Ø25 - 1.0 Ø28 (S010282010251028)</a>	
<a href="#">ROTEX 65 ST / 020655007500</a>	
<a href="#">PL 250/1/3-00 PN 102516010300</a>	BELLHOUSING
<a href="#">S020423710251A48</a>	
<a href="#">020245102800</a>	Coupling
<a href="#">020285131710</a>	coupling
<a href="#">020241000042</a>	Coupling tire
<a href="#">S02028571A181A28</a>	Coupling
<a href="#">ROTEX GS 19 Alu 98° 2.5 Ø10 - 2.5 Ø14</a>	ROTEX GS,schaft coupling
<a href="#">A63 KTR-SI (SK 4.5 T1 Ø30 -20Nm)</a>	
<a href="#">A63 KTR-SI (Compact 0 Spring T1)</a>	Spring
<a href="#">A63 KTR-SI (Compact 0 Spring T2)</a>	Spring
<a href="#">S550097110101010</a>	Coupling
<a href="#">S020423710351045</a>	Coupling
<a href="#">D01038003 M-38</a>	Coupling

Product	Description
<a href="#">PL 300/1/8 - DP 300</a>	BELLHOUSING
<a href="#">DP 300</a>	seal
<a href="#">104026051400</a>	BELLHOUSING
<a href="#">PL 250/1/3 102516010300</a>	LANTERNE D'ACCOUPEMENT
<a href="#">D02024001</a>	coupling
<a href="#">TEK-536-M-2WB-FW-1-2</a>	Oil-water cooler
<a href="#">P/N086205038072 Type:KTR 620-38X72</a>	CLAMPEX
<a href="#">92 Sh-A =T-PUR@= orange (ROTEX 48)</a>	Sprocket
<a href="#">92 Sh-A =T-PUR@= orange (ROTEX 90)</a>	Sprocket
<a href="#">GS 13 Compact</a>	
<a href="#">010801000015 / BoWex 80</a>	sleeve for Bowex coupling
<a href="#">BoWex 80 (010801000030)</a>	SPEZ.I HUELSE
<a href="#">021101000042</a>	sprocket
<a href="#">550281000002</a>	ROTEX GS 28
<a href="#">BoWex 32</a>	threaded couplings
<a href="#">KTR 400-25X50</a>	
<a href="#">KTR 200-25X50</a>	
<a href="#">N 42 AUSF. NN (D71042001)</a>	Coupling
<a href="#">KTR-48 1b/1b-92 Sh-A</a>	Coupling
<a href="#">ROTEX28 (Type 1a/1a)</a>	Elastic coupling
<a href="#">Coupling rubber (95/98 Sh-A) for ROTEX28</a>	Coupling rubber (95/98 Sh-A) for ROTEX28
<a href="#">KTR-75(CHNR389264)</a>	Coupling
<a href="#">SPiDER 98(T-PUR) SHORE A RED</a>	Coupling rubber
<a href="#">ROTEX 15 AL-H Ø7H7</a>	coupling
<a href="#">ROTEX 15 AL-H Ø11H7</a>	coupling
<a href="#">ROTEX 15 92 Sh-A gelb</a>	Sprocket
<a href="#">103526060202</a>	Pump Bracket
<a href="#">113506300000</a>	Bottom Flange
<a href="#">K29040002</a>	Spacer rings (set) A40x55x10
<a href="#">S020423110401A48</a>	Flexible Coupling
<a href="#">K29048006</a>	Spacer Ring
<a href="#">KO 02</a>	oil container
<a href="#">KOT 02</a>	OIL LEVEL INDICATOR KOT 02
<a href="#">950751000201 (POLY-NORM 75)</a>	coupling element
<a href="#">S02028581A351A35</a>	ELASTIC COUPLING ROTEX
<a href="#">1017737</a>	BoWex M-48 1.0 Ø32 - 1.0 Ø32
<a href="#">Type D02110043</a>	elastic clutch
<a href="#">010420700004</a>	Elastomer
<a href="#">S55028726L206L30</a>	Coupling
<a href="#">RIGIFLEX N 75 A74075.40</a>	Mating
<a href="#">GS 38 98SHA</a>	ROTEX GS 38 spider 98 Sh A-Red Spare tire
<a href="#">532390</a>	
<a href="#">580090100602</a>	

Product	Description
<a href="#">GS 48 (D55048500)</a>	clutch
<a href="#">S550127220102010</a>	CLUTCH
<a href="#">POLY-NORM 38 (950381000201)</a>	elastomer ring
<a href="#">010651603141</a>	connector
<a href="#">p/n: 010422045712, type: BoWex 42 SINT</a>	clamping hub
<a href="#">MINEX SB 60/8</a>	Permanent-magnetic coupling
<a href="#">081055008018; CLAMPEX KTR 105-8X18</a>	
<a href="#">010480793141</a>	
<a href="#">KTR-020241000045</a>	Flexible jaw couplings
<a href="#">BoWex 80 (DA=Ø314,25)</a>	
<a href="#">020285100900</a>	COUPLING 9MMID 65MMOD 35MML
<a href="#">06481780</a>	
<a href="#">00850360</a>	Clutch complete
<a href="#">00850000</a>	
<a href="#">550071000002</a>	
<a href="#">020651000042 / ROTEX 65</a>	Sprocket
<a href="#">POLY-NORM 65</a>	ELASTOMERRING NBR 78 SHORE
<a href="#">ROTEX GS 24 Alu 98° 1.0 Ø12 - 1.0 Ø24</a>	Coupling
<a href="#">POLY-NORM 42</a>	ELASTOMERIC RING NBR 78 SHORE
<a href="#">KTR 400-35X60</a>	
<a href="#">ROTEX 55 GG 92° 1.0 Ø50 - 1A Ø60</a>	Elastic joint
<a href="#">B02048300H7</a>	sprocket
<a href="#">ROTEX GS 24 Alu 98° 2.5 Ø18 - 2.5 Ø24</a>	
<a href="#">ROTEX GS 24 Alu 98° 2.5 Ø32 - 2.5 Ø32</a>	
<a href="#">082005030055 / KTR200-30X55</a>	
<a href="#">082005060090 / KTR200-60X90</a>	
<a href="#">082005050080 / KTR200-50X80</a>	
<a href="#">082005100145 / KTR200-100X145</a>	
<a href="#">KTR-BA010192071200</a>	
<a href="#">850285031710</a>	
<a href="#">850280512461</a>	MONOLASTIC 28
<a href="#">BoWex 65 (010651603141)</a>	FLE-PA FLANGE 10" Ø314.25H8 DO=Ø295.3 >
<a href="#">BOWEX Kupplung M-28 (D01028003)</a>	coupling
<a href="#">BOWEX ELASTIC 48 (D01048500)</a>	
<a href="#">BoWex 65 (FLE-PA-FLANSCH 10" Ø314.25h8)</a>	
<a href="#">P/N: 10481601500, Type: BoWex 48 FLE-PA-FLANSCH Ø150</a>	Coupling
<a href="#">RADEX COUPLING N 105 VERSION NN</a>	COUPLING
<a href="#">KTR 100-130X180</a>	CLAMPEX
<a href="#">ROTEX GS 28 (550281000002)</a>	sprocket
<a href="#">011251000020</a>	BoWeX 125 AS Sleeve
<a href="#">720350204000</a>	
<a href="#">550281000002 / ROTEX® GS 28-98</a>	coupling element
<a href="#">720350100050</a>	

Product	Description
<a href="#">KTR 200-60X90</a>	CLAMPEX
<a href="#">KTR 206-80X120</a>	CLAMPEX
<a href="#">D01048003 (BOWEX Kupplung M-48)</a>	BOWEX coupling
<a href="#">RADEX-N 186 ST (A71186.40)</a>	
<a href="#">ROTEX 38 Sprocket 92</a>	Sprocket 92 Sh-A =T-PUR® = orange
<a href="#">D02048130</a>	
<a href="#">010651000000 / Bowex M-65</a>	joint
<a href="#">GS 48 St 92 Sh 6.0 Ø42 6.0 Ø42</a>	Coupling Rotex
<a href="#">RADEX-NC 35 (720350202804)</a>	Type DK 2.5 Ø28H7/2.5 Ø30H7
<a href="#">RADEX-NC 36 (A72036DK2525)</a>	Type DK 2.5 Ø28H7/2.5 Ø30H7
<a href="#">POLY-NORM 55</a>	ELASTOMERIC RING NBR 78 SHORE
<a href="#">KTR 603-75X138</a>	CLAMPEX
<a href="#">KTR-SI GR.1</a>	CPL. SR-FT-T3 Ø25H7 NND set 80Nm
<a href="#">010481602151</a>	
<a href="#">A72.40</a>	
<a href="#">ROTEX 19 Stahl 92° 1A Ø16 - 1A Ø25 (S02019571A161A25)</a>	
<a href="#">010480710050</a>	
<a href="#">BoWex 65 ST (010655045916)</a>	HUB 16/32PITCH Z=23 CODE PD-S EXPR
<a href="#">ROTEX GS 38 (550381000002)</a>	Sprocket 98 SH-A-GS red
<a href="#">010481602410 (BoWex 48 FLE-PA-FLANSCH Ø241,2H8 DO=Ø222,25)</a>	coupling
<a href="#">BoWex 48 (FLE-PA-FLANSCH Ø241,2H8)</a>	
<a href="#">BoWex 65 SINT (010652003200)</a>	HUB Ø32H7 nND L=55mm
<a href="#">V044827</a>	PUMP CARRIER
<a href="#">V043606</a>	ROTEX 28 Alu 92° 1.0 Ø25 - 1A Ø38
<a href="#">BoWex jun M-14 1.0 Ø11 - 1.0 Ø14</a>	
<a href="#">PK 300/5/10</a>	PUMP CARRIER
<a href="#">S010482010381B42</a>	
<a href="#">020383104200</a>	
<a href="#">020755116500</a>	
<a href="#">010651000000</a>	
<a href="#">010652015500</a>	
<a href="#">S010652010421048</a>	
<a href="#">S01042201B281B42</a>	
<a href="#">S010652010481055</a>	
<a href="#">010241000000</a>	Coupling
<a href="#">45810 EN</a>	
<a href="#">p/n: 010481603140, type: BoWex 48</a>	flange
<a href="#">Kupplung 28 (D02028001)</a>	Coupling
<a href="#">ROTEX 75 GG 92° 1.0 Ø60 - 1.0 Ø80 (S020753710601080)</a>	Coupling
<a href="#">ROTEX 75 (020751000045)</a>	sprocket 92 Sh-A =T-PUR
<a href="#">084005060090 / KTR 400-60X90</a>	
<a href="#">S550245260226022</a>	ROTEX GS 24 STAHL 98° 6.0 Ø22 - 6.0 Ø22
<a href="#">ROTEX GS 24 STAHL 64° 6.0 (S550245560226022)</a>	ROTEX GS 24 STAHL 64° 6.0 Ø22 - 6.0 Ø22

Product	Description
<a href="#">RADEX-N 220</a>	intermediate piece WK 32000NM LH=406
<a href="#">TE-PT-100-100</a>	temperature probe
<a href="#">D01080570</a>	BoWeX HEW Compact 80-225 according to Zg.729716
<a href="#">A71090.40, RADEX-N 90</a>	
<a href="#">550191000002 / 98-Sh A-GS</a>	Coupling
<a href="#">950421000201 / POLY-NORM 42</a>	Flexible element (elastomer) for coupling
<a href="#">082255050080 / KTR 225 50X80</a>	Coupling
<a href="#">010240102200 BoWex 24</a>	.
<a href="#">020423000040</a>	Coupling
<a href="#">S010241010111015</a>	COUPLING REDUCER
<a href="#">ROTEX GS 55 (550551000002 )</a>	
<a href="#">BSK40 A/E</a>	CONTAINER
<a href="#">010481601400 / BoWex 48</a>	
<a href="#">550121000025 \ ROTEX GS 12</a>	Hytrell 64 SH-D-H-GS sprocket green
<a href="#">550421000005 \ ROTEX GS 42</a>	Sprocket 64 SH-D-GS green inner Ø18.5
<a href="#">D02019020, ROTEX 19</a>	
<a href="#">020241000042 / Rotex 24</a>	
<a href="#">P/N: D94075003, Type: KX-D 75</a>	
<a href="#">S550247210221022</a>	Coupling With Clamping Hub
<a href="#">GS 24 Alu 98° 2.6 Ø22 - 2.6 Ø22</a>	Coupling With Clamping Hub
<a href="#">GS 28 Alu 98° 2.6 Ø32 - 2.6 Ø32</a>	Coupling With Clamping Hub
<a href="#">GS 38 Alu 64° 2.6 Ø32 - 2.6 Ø40</a>	Coupling With Clamping Hub
<a href="#">950853105500</a>	
<a href="#">950853106500</a>	
<a href="#">PK 450/12/96 / 104526129600</a>	pump mounting bracket
<a href="#">302300120000 / D 230/12</a>	damping ring
<a href="#">114506200000 / PTFS 450</a>	
<a href="#">214500900000 / DSFS 450</a>	
<a href="#">020481000001</a>	
<a href="#">020483004000</a>	hub
<a href="#">550280151880 \ ROTEX GS 28</a>	Clamping ring hub 6.0 Ø18H7
<a href="#">DT 660</a>	damping ring
<a href="#">950851000201</a>	
<a href="#">S010282010201020</a>	
<a href="#">020245103000</a>	
<a href="#">020245102000</a>	
<a href="#">010481601550 / Bowex 48 FLE-PA (Ø155 DO=Ø125 Z=3XØ13)</a>	
<a href="#">BA550147151449</a>	
<a href="#">Type D01028003</a>	threaded coupling
<a href="#">010650663141</a>	
<a href="#">550141000001</a>	Coupling
<a href="#">RADEX-NC-10-EK</a>	coupling
<a href="#">M-28</a>	BoWex Curved Tooth Gear Coupling



Product	Description
<a href="#">42PB-BS</a>	GEAR
<a href="#">48FL-PA-Q241.2</a>	
<a href="#">BoWex 65 SINT (010652014800)</a>	
<a href="#">BOWEXM48-COMPLETE</a>	
<a href="#">261220270100 / NVT-22-2-70-D3</a>	
<a href="#">BOWEX Kupplung I-80 / D01080006</a>	
<a href="#">P/N: D02038143, Type: 38 RU 2</a>	coupling
<a href="#">010241101200</a>	plug-in coupling
<a href="#">081005160210 / KTR 100-160X210</a>	
<a href="#">010481601351</a>	
<a href="#">243500000000 / DT 350</a>	damping ring
<a href="#">NVT-E-50-2NT-M12 -- 263500020000</a>	Level and temperature sensor
<a href="#">010280102800 / BoWex 28</a>	
<a href="#">10242002000</a>	
<a href="#">10241000030</a>	sleeve
<a href="#">SYNTEX GR.PA</a>	
<a href="#">syntex 25-DK-D2</a>	
<a href="#">PTFS 350 / 113506200000</a>	Foot flange
<a href="#">PK350/10/12-03 / 103526101203</a>	BELLHOUSING
<a href="#">ROTEX 38 GG 98° 1A Ø40 - 1A Ø42 / S02038381A401A42</a>	
<a href="#">PN: 084005140190 type 400</a>	Clamping Set
<a href="#">942401400001</a>	Elastomer for Coupling Model KX305D
<a href="#">941701400001</a>	Elastomer for Coupling Model KX170D
<a href="#">941051400001</a>	Elastomer for Coupling Model KX105D
<a href="#">KTR-BA020246001900</a>	
<a href="#">KTR-BA020246071901</a>	
<a href="#">RIGIFL.N 50</a>	
<a href="#">M6X25 DIN912-12.9</a>	cyl. screw
<a href="#">Bowex 48 FLE-PA-FLANSCH Ø263,45</a>	
<a href="#">BoWex 48</a>	
<a href="#">BoWex 125</a>	
<a href="#">020383032240</a>	hub cone
<a href="#">010282002500</a>	Coupling
<a href="#">550147150452</a>	Coupling ROTEX GS 14
<a href="#">KTR-SI GR.4</a>	Coupling
<a href="#">90 GG</a>	coupling
<a href="#">BOWEXM48-SLEEVE-PB</a>	BoWex M gear coupling sleeve
<a href="#">010481602410</a>	
<a href="#">KTR 203-25X50</a>	lock
<a href="#">010422045519</a>	
<a href="#">010651653521</a>	
<a href="#">FA 50 (42CRMO4+QT) - 030500998013</a>	Gearex Coupling
<a href="#">48 FLE-PA / 010481602520</a>	

Product	Description
<a href="#">D01024001 / BOWEX clutch JUN. 24</a>	
<a href="#">011001662651</a>	Flange
<a href="#">D02028001</a>	Coupling
<a href="#">020281000042</a>	Coupling tire
<a href="#">ROTEX-28 St 98 Sh A (D02028001)</a>	ROTEX COUPLING 28 STEEL
<a href="#">ROTEX-38 St 98 Sh A</a>	
<a href="#">020289100040</a>	
<a href="#">ROTEX 24 98 SH-A</a>	Coupling
<a href="#">S550387126302630</a>	Coupling Kit
<a href="#">ROTEX 28 92 SH-A</a>	
<a href="#">ROTEX 38 64 SH-D / 020381000020</a>	
<a href="#">ROTEX 42 98 SH-A</a>	
<a href="#">ROTEX 48 92 SH-A</a>	
<a href="#">D01032003 (with HUBØ32H7 NnD)</a>	SLEEVE COUPLING
<a href="#">D01032003 (with HUBØ17H7NnD)</a>	
<a href="#">GS 38 Alu 98° 2.6 Ø25 - 2.6 Ø28</a>	
<a href="#">010421000000 / BoWex 42</a>	shaft coupling
<a href="#">BoWex 48</a>	
<a href="#">81315032050 / CLAMPEX KTR 131-32X50</a>	Internal clamping set
<a href="#">BOWEX junior 14</a>	coupling
<a href="#">020241000002</a>	Coupling tire
<a href="#">010282002800</a>	hub
<a href="#">020245131742</a>	hub
<a href="#">084005065095</a>	clamping set
<a href="#">082035040065</a>	clamping set
<a href="#">BoWex 48 / 010481000000</a>	
<a href="#">ROTEX 65 / 020651000088</a>	
<a href="#">ROTEX 65 / 020651000045</a>	
<a href="#">ROTEX 48 / 020481000020</a>	coupling
<a href="#">BoWex 65 / FLE-PA FLANSCH Ø180 DO=Ø155 Z=4XØ11</a>	
<a href="#">KTR 400-65X95</a>	Clamping set
<a href="#">D02028040 / ROTEX 28 Sinter Bauart SH</a>	
<a href="#">010280102800</a>	BoWex 28 PA-Steckh. Ø28H7 NnD EINLEGETEIL
<a href="#">BoWex 80 HE3/HE4 Elastomer T50 Sh 10</a>	High Flexible Flange Coupling
<a href="#">020245131710</a>	Rotex 24 part
<a href="#">010481603140 / BoWex 48</a>	coupling
<a href="#">ROTEX 28 Stahl 92° 1A Ø18 - 1A Ø28</a>	Coupling
<a href="#">KTR-250-20x28</a>	clamping set
<a href="#">GEARex 30</a>	Coupling
<a href="#">KTR 201-70X110</a>	CLAMPING ELEMENT
<a href="#">POLY-NORM AR 125 (Not machined)</a>	
<a href="#">KTR 201-100X145</a>	Tapered Coupling
<a href="#">010420750065</a>	

Product	Description
<a href="#">Polynorm AR 125  (Machined ø50H7/ø90H7)</a>	
<a href="#">ROTEX GS 19 550381000002</a>	Spider
<a href="#">550381000002/ GS 38</a>	Clamping ring hub
<a href="#">BoWex 14</a>	
<a href="#">20574</a>	KLM06
<a href="#">550141000003</a>	
<a href="#">550141000025</a>	
<a href="#">550287152850 GS 28 AL-H</a>	METRIC BORES joint
<a href="#">011000700070</a>	
<a href="#">20903007500</a>	
<a href="#">OPC 300-12D-0</a>	Oil cooler
<a href="#">Rotex 28 Coupling</a>	
<a href="#">ROTEX GS 19 /1.0 - Ø20 / 1.0 - Ø20</a>	Coupling Kit
<a href="#">ROTEX 125 SD</a>	
<a href="#">NVT-37-2-70-DM12 --261370270200</a>	HYDRAULIC ACCESSORIES
<a href="#">10652045906</a>	
<a href="#">P/N: 10652045710, Type: BoWex 65 SINT</a>	
<a href="#">114006200000 / PTFS 400</a>	foot flange
<a href="#">RADEX-NC 16 / 720160211602</a>	
<a href="#">OAC200EXG-03-4-A-0-0</a>	
<a href="#">BoWex 80 FLE-PA flange Ø352,3</a>	coupling track
<a href="#">S550147320102010</a>	Torsionally flexible coupling
<a href="#">S550147120122012</a>	Torsionally flexible coupling
<a href="#">S550147111161216</a>	Torsionally flexible coupling
<a href="#">FLE-PA Ø225h8</a>	
<a href="#">D230/14</a>	
<a href="#">010650702416</a>	
<a href="#">0207530000050</a>	coupling
<a href="#">9424000000008</a>	Steering pin
<a href="#">10004161</a>	
<a href="#">020755045709</a>	
<a href="#">550387152550</a>	
<a href="#">550387154250</a>	
<a href="#">KTR 603-400x680</a>	
<a href="#">KTR 400-340x425</a>	Clampex clamping element
<a href="#">KTR 203-35X60</a>	CLAMPEX 203 EXPANDABLE SLEEVE
<a href="#">020483004500 / ROTEX 48 GG</a>	Clutch hub
<a href="#">020483106000 / ROTEX 48 GG</a>	Clutch hub
<a href="#">D01065004</a>	
<a href="#">010651000020</a>	
<a href="#">020385004000</a>	coupling
<a href="#">020385003500</a>	coupling
<a href="#">254491000001-- PRD 393 NBR</a>	CLEANING LID

Product	Description
<a href="#">550481000060</a>	
<a href="#">081005070110</a>	
<a href="#">082505028039</a>	
<a href="#">081505038044</a>	
<a href="#">950551000201 -POLY-NORM 55</a>	NBR 78 SHORE ELASTOMER RING
<a href="#">P/N: 010420720040, Type: BoWex 42</a>	HEW Compact Elastomer T 40 Shore A
<a href="#">011001000020</a>	nylon ring
<a href="#">S550147121122114 / ROTEX GS 14 Alu 92° 2.1 Ø12 - 2.1 Ø14</a>	Coupling
<a href="#">S550387210381042</a>	
<a href="#">020481000045</a>	coupling
<a href="#">B02048310H7</a>	
<a href="#">B02048311H7</a>	
<a href="#">ROTEX GS 19 Alu 92° 1.0 Ø12 - 1.0 Ø17</a>	
<a href="#">BoWex 48 FLE-PA (10481602790)</a>	transmission joint
<a href="#">S550147221102113</a>	
<a href="#">BEK 150/E/E</a>	Container
<a href="#">010481601500</a>	
<a href="#">010651000005</a>	
<a href="#">010482004800</a>	
<a href="#">020245102400</a>	
<a href="#">020242112800</a>	
<a href="#">010650700040</a>	
<a href="#">020191000042</a>	
<a href="#">020196001400</a>	
<a href="#">020242100040</a>	
<a href="#">ROTEX 15 Sprocket 92 Sh-A yellow</a>	
<a href="#">05171970</a>	
<a href="#">02567829</a>	
<a href="#">S020553710521055</a>	
<a href="#">D01050016</a>	coupling
<a href="#">S010142010101011 / BoWex M-14 1.0 Ø10 - 1.0 Ø11</a>	
<a href="#">P/N: 020483105500, Type: ROTEX 48 GG</a>	Coupling set
<a href="#">NVT-E-37-6-M12-PRG2</a>	
<a href="#">ROTEX 90</a>	
<a href="#">KTR 250 / 40X53</a>	
<a href="#">P/N: 020191000045, Type: ROTEX 19</a>	
<a href="#">S550287225152532</a>	
<a href="#">104526026000 / PK 450/02/60-00</a>	PUMP CARRIER
<a href="#">REVOLEX KX</a>	
<a href="#">PK-400/5/4</a>	
<a href="#">020383003800</a>	
<a href="#">S550147220142016</a>	
<a href="#">S550247225222525</a>	

Product	Description
<a href="#">S550287225322532</a>	
<a href="#">270355300000 / BEK 35/E/E</a>	
<a href="#">OPC600-32D-2.2kW</a>	air oil cooling station
<a href="#">ROTEX 28 ST / 020285145513</a>	coupling
<a href="#">951603100050</a>	
<a href="#">Type BOWEX M-24</a>	
<a href="#">GS24</a>	
<a href="#">550247152549 -ROTEX GS 24 AL-H</a>	
<a href="#">550387154049</a>	Coupling
<a href="#">950651000201</a>	
<a href="#">P/N: 20247940001, Type: ROTEX 24</a>	
<a href="#">020483003500</a>	
<a href="#">P/N: 149300080002, Type: PHE-300-80S</a>	OIL/WATER COOLER
<a href="#">P/N: 149005000005, Type: BH 200/300-80</a>	OIL/WATER COOLER
<a href="#">S020389810251025</a>	COUPLING
<a href="#">P/N: 10004021, Type: EVOLASTIC 280 E MN</a>	Elastic coupling
<a href="#">10004021</a>	Couplings
<a href="#">D02019001</a>	Couple
<a href="#">600100201200</a>	
<a href="#">KTR 201 90X130</a>	HEATER
<a href="#">941200000007</a>	
<a href="#">TAK/T-2332</a>	OIL/WATER COOLER
<a href="#">148130030000</a>	
<a href="#">BoWex 80 / 010801603520</a>	
<a href="#">NTV-E204M12</a>	Sensor
<a href="#">NVT-22-1-60-D3</a>	Sensor
<a href="#">D94105003</a>	
<a href="#">D01080500 / BOWEX Kupplung ELASTIC 80 HE</a>	coupling
<a href="#">D870200011 / SINULASTIC 20 AK/AL Flange-Ø 11.5"</a>	coupling
<a href="#">BOWEX M32</a>	coupling
<a href="#">Type 010651603141</a>	Coupling
<a href="#">P/N: 010420702424, Type: BoWex 42</a>	steel connection flange
<a href="#">S951253110701010</a>	
<a href="#">951251000201</a>	
<a href="#">CLAMPEX - KTR 250 / 20x28</a>	
<a href="#">D55042500</a>	
<a href="#">D55042500- (550421000002+550425003200+550425005500 )</a>	
<a href="#">BoWex 48 SINT</a>	
<a href="#">084005090130 / KTR 400 - 90x130</a>	
<a href="#">RADEX-NC 36 (720360202802)</a>	
<a href="#">D71070011</a>	coupling
<a href="#">D01024003 / BOWEX coupling M-24</a>	coupling
<a href="#">FH 35 E=250, 1.0-85/1.0-115</a>	Gear coupling

Product	Description
<a href="#">ROTEX GS 42/ 98 Sh-A-GS</a>	
<a href="#">ROTEX GS 24 (550241000002)</a>	Sprocket 98 Sh-a-gs red
<a href="#">D02090002</a>	COVER
<a href="#">KTR 201 /55X85</a>	CONICAL COUPLING
<a href="#">ROTEX(R) GS 24-98</a>	Backlash-free jaw coupling element (spider)