



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Lap KbKeap

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

IBRAND'SPBOUCT'

P Kropd	Nubp acdaKe
p0n2 75Ö7L, Fype2 crmXCÖL0RN0FS0E	Article no. 75 Ö7L
p0n2 757CL, Fype2 crmXÖG0110FS0E	N_2 53ÖL 4R-2 ²L6AU I6AT2 7T7LL6A
p0n2 GLL7Ö, Fype2 OBFGA3706C7	angled connector with cable 7 m
p0n2 GLLÖÖ, Fype2 OBFGA3G06C7	sensor cable
p0n2 GLLL7, Fype2 OBFG83706C7	straight plug with 7 m cable
p0n2 GLLCÖ, Fype2 OBFG83G06C7	operating mode
p0n2 GL7CC, Fype2 ISA37	Sontrol3Adapter
77Ö7L 0 6RSXCÖL0RN0FS	Nltrasonic approach switch
p0n2 77Ö7C, Fype2 micXCÖL0RN0FS0E	sensor
p0n2 77CLL, Fype2 micX7G010FS	Bensor
p0n2 77/7L, Fype2 micXÖ/L0RN0FS	ultrasonic sensor
p0n2 777LL, Fype2 micXÖG010FS	ultrasonic sensor
p0n2 77GCL, Fype2 micXVLL0110FS	YroPimity Bwitch
p0n2 77/77, Fype2 mic3Ö/L0RN06	ultrasonic sensor
p0n2 77GL7, Fype2 mic3VLL0106	Nltrasonic sensor
p0n2 77G77, Fype2 mic3VLL0RN06	
p0n2 77ÖCL, Fype2 micXCÖL0110FS	sensor
p0n2 77CGL, Fype2 micX7G0E0FS	sensor
Kws3CG0_E0 6AMC.7_²L.Ö9N//3AC7L	Nltrasonic proPimity switch
p0n2 C²LL5, Fype2 Kws3CG0S10 Gms.a	proPimity switch
p0n2 C5LLL, Fype2 ucs3CG0S110/6	
dbk3/0Empf0S110-06C²	
p0n2 C²LC/, Fype2 Kws37/0SN0/B	
p0n2 77GLL, Fype2 micXVLL010FS	
p0n2 77CCL, Fype2 micX7G0110FS	Nltrasonic sensor
p0n2 7²7CL, Fype2 lcs3ÖG0110/Y	ultrasonic sensor
Kws37G0SN0/B	sensor
p0n2 CVV7L, Fype2 dbkX/06C²0ÖS1106C² EXB	Rntelligente Bensen
p0n2 CVVÖL, Fype2 dbkX/06C70ÖS1106C² EXB	
dbkXG0ÖS1106C² EXB	dbkXG double sheet control
dbk3/0Bender06C²0Q7	
micX7G0RN0FS	
micXÖ/L0110FS	
p0n2 77GÖL, Fype2 micXVLL01RN0FS	micX ultrasonic sensor
p0n2 GLCV7, Fype2 BoundYipe KwsC	Waveguide tube for attachment to Kws series sensor

Product	Description
10344100	
10345100	
0042020 (roll x100 meters)	
1032068	Flexible oil-resistant codor -data cable
1032069 (roll x100 meters)	Cable
P/N: 61803300 Type: KRF 150/12 (pack x25)	cable shoe
61805420 (roll x50 meters)	Kabelschutzschlauch LTP 16
55510230 (pack x10)	Schlauchverschraubung
0028164 (roll x50 meters)	Cable
0012843 (roll x50 meters)	
1119018	Cable souple
1119018	CABLE 18G0,5 OLFLEX CLASSIC
1119207 (roll x50 meters)	Control cable 7X1 OLFLEX CLASSIC 110
70002735	Spiral cable 18G0,75 OLFLEX SPIRAL 400 P
2170886 (roll x100 meters)	Cable
00420083 (roll x 500 meters)	Cable
0027564 (roll x50 meters)	Cable
1119105 (roll x50 meters)	Cable 5G0,75 OLFLEX CLASSIC 110
73220113	TERMO KILIFLI SPIRAL KABLO 1M. 3X0,75
64400030 (roll x100 meters)	
64400060 (roll x100 meters)	
0034310 (roll x50 meters)	
0028318 (roll x100 meters)	
0034415 (roll x100 meters)	
4510022 / H05V-K 1X0,75 BU	wiring cable
4520042	Single Core Cable
0022760 (roll x50 meters)	control cable
1119644	cable
61805410 (roll x50 meters)	LIQUID TIGHT SPIRAL
61805400 (roll x50 meters)	LIQUID TIGHT SPIRAL
61813737	PEW 8.186 Crimping Tool
0034525	DATA CABLE 25X0,34 UNITRONIC
1119754	Control cable
1135305 (roll x50 meters)	Cabel
1135405 (roll x50 meters)	Cable
1119005/ OLFLEX(R) CLASSIC 110	Control cable
1119007 (roll x100 meters)	Cable
0028176 (roll x 50 meters)	ROBOT CABLE 12G1.0 OLFLEX ROBOT 900 P
1313207 (roll x 50 meters)	CABLE 7G1.0 OLFLEX CLASSIC 400 CP
0028172 (roll x50 meters)	ROBOT CABLE 4G1.0 OLFLEX ROBOT 900 P
53111020 (pack x100)	WATER SUPPLY CABLE GLAND (METRIC)
0026127 (roll x50 meters)	CABLE 25G0,75 OLFLEX CLASSIC FD 810
0060001 (roll x100 meters)	CABLE HEAT RESISTANT -SIYAH-1x70-180SC

Product	Description
0041078 (roll x100 meters)	FLAT CABLE 4G2,5 OLFLEX CRANE CF (BLEN
P/N: 0091316 Type: ÖLFLEX HEAT 260 MC 4G1,5 (roll x100 meters)	Cable, PTFE, Flame-Retardant
61713560 (pack x100)	
FD 855 P (1x100 meter)	GREY CABLE
61805410	
61805400	
55510200 (pack x10)	REKOR
55510210 (pack x10)	REKOR
75007810 (pack x20)	
52104520 (pack x100)	Cable gland reducer M20 -> M12 x 1.5mm
4160500 (roll x100 meters)	Single core cable green/yellow 2.5mm ² - 300mm
10530000 / EPIC H-A 16 SS DR PH1	
10631900 / EPIC H-A 48 TG 29	
5200 1880	Cable Gland
4510142 (roll x100 meters)	
4510012	Connection and control cable
4521011 (roll x20 meters)	
4520014 (roll x50 meters)	
53015020 (pack x100)	
53019020 (pack x100)	
53015050 (pack x50)	
53019050 (pack x50)	
53112640 (pack x25)	
1136125	
P/N: 0034525, Type: LiYCY 25 x 0.34	Shielded data line
4510141S (roll x250 meters)	
4510141 (roll x100 meters)	
4510141X (roll x600 meters)	
52021385	Fiberproof Cable Protection Conduit
302408S	CBL UNITRON 300 S 24/8C 1=100FT
1312852	control cable
1135403 (roll x50 meters)	Power cable 3x2.5mm ² Ø 10.3mm
0038602 / UNITRONIC LiHCH(TP) 2X2X0,5	
2170214 / UNITRONIC BUS LD FD P 2X2X0,25	KABEL STUTTGART UNITRUNCIC
7038865	SENSOR CABLE
00100893	Cable
2170332	PROFIBUS CABLE
61742404	PROTECT shrink tube
61742403	PROTECT shrink tube
61742405	Macaron / SHRINK TUBE PROTECT
0026667	Signal cable orange
61721940 / AHI N 6/12 BK	Insulated cable lug (cable ferrule)
2170186 / UNITRONIC LAN 250 U/UTP CAT.6	network cable

Product	Description
2170222 / UNITRONIC BUS PB FD P 1X2X0.64	Bus cable
0026271 / ÖLFLEX® CLASSIC FD 810 CY	Control cable
2170488 / ETHERLINE FD P CAT.6 4X2XAWG26	ETHERNET CABLE
1119305 / ÖLFLEX CLASSIC 110 5G1.5	Control line
2027504	Cable
1600516 / NSSHÖU-J 3G1.5	(3x1,5mm) Cable
760204	
221612	
221618	
S2112	
911371	
S2234	
911372	
S2134	
P/N: 0027952, Type: ÖLFLEX® SERVO FD 796 CP	Servo cable
1119208	control line
0026171	control line
61742430	Shrink hose
0032821	Cable
1119407	Cable
1119907 / ÖLFLEX® CLASSIC 110	CABLE
0026525	control line
0026524	control line
0026156	Cable
P/N: 0026157, type: ÖLFLEX® CLASSIC FD 810	cable
0012650 / ÖLFLEX® EB CY	Cable
P/N: 2170220, Type: UNITRONIC® BUS PB	cable
0026281	
00100654	Control line
19082000 / H-B 16 TS M25 (pack x5)	
10072000 / H-B 16 AG (pack x5)	
10195000 / H-BE 16 BS (pack x5)	
10194000 / H-BE 16 SS (pack x5)	
10171000 / H-BS 6 BS (pack x5)	
10170000 / H-BS 6 SS (pack x5)	
10072900 / EPIC H-B 16 AG-LB (pack x5)	
10082900 / EPIC H-B 16 TS-RO 21 ZW (pack x5)	
10381400 / EPIC MCR 16 S A-E (pack x5)	
10399100 / EPIC MCB 4 CM (pack x10)	
10383400 / 20EPIC MCS 10 CG (pack x10)	
10383500 / EPIC MCB 10 CG (pack x10)	
19082000 / EPIC H-B 16 TS M25 ZW (pack x5)	
10072000 / EPIC H-B 16 AG (pack x5)	

Product	Description
10195100 / EPIC H-BE 16 BS (pack x5)	
10194100 / EPIC H-BE 16 SS (pack x5)	
10171000 / EPIC H-BS 6 BS DR (pack x5)	
10170000 / EPIC H-BS 6 SS DR (pack x5)	
10381500 / EPIC MCR 16 B A-E	
10382500 / EPIC MCB 10 CM (pack x10)	
10399900 / EPIC MCB 3 CM-HV (pack x10)	
10399800 / EPIC MCS 3 CM-HV (pack x10)	
1125304 (roll of 50 meters)	Control cable
1119014	Control cable
1119021 / OLFLEX CLASSIC 110 21G0,5	control line
1119752	Control cable
1119035	Control cable
1119007	Control cable
2170216 (roll x300 meters)	Cable
4510042	cable
4510023 (H05V-K 1X1 BU)	
61806631	Cable Protector
61806621	Cable Protector
1119403 / ÖLFLEX® CLASSIC 110	control line
28901	
4533113 (roll x100 meters)	H07 RNF 12G1,5MM2 FLEXIBLE CABLE
1119325 (reel x100 meters)	OLFLEX-25G1.5 FLEXIBLE CABLE
00100644	
00100664	
2170891	
0034604	
1119404 / OLFLEX CLASSIC 100, 4G2,5	Control cable
1020010	
0035800	
1235104	
1235001 \ HEAT 125 SC	
4510141S / H05V-K 1X0,5 DBU	Wire H05V-K dark blue 0,5MM
53019030	
0033218	data line
p/n: 21700501, Type: ED-PB-90-PG-FC	connector
00101153	PVC power and control cable (FLEXIBLE CABLE)
10196000	
4510013	Cable H05V-K 1X1MM,
53112000	
11139608	
2170206	PROFIBUS CABLE
1600198 / H07RN-F	Cable

Product	Description
0026661	
1026549	
1135502	
1135602	
1135605	
1135402	
EPIC H-DD 24 SCM \ 11285000	plug
EPIC H-DD 24 BCM \ 11286000	contact
Art.No. 7038907	Flexible cable for sensor/actuator wiring
0027969 / ÖLFLEX® SERVO FD 796 CP	Servo cable 4G1.5+2X (2X0,75) OLFLEX
P/N: 1119804 Type: ÖLFLEX CLASSIC 110 4X0.75	Cable
0015112	
0015405	
0015107	
0015105	
0046013	silicone cable
P/N: 53112100, Type: MSR-M	Brass cable gland
24441340	cable
24441343	cable
24441341	cable
00430283 / 4 G 70.0	cable
0035822	cable
1600103	wires
75009710	connector
0036911	
0026338	
0026339	
REI1062917	Chain
16001233 / H07RN-F-4G1.5	Wire
H07V-K 1.50	coil
2170824	cable
4160314	Cabel
53112040	Cable gland
52104313	Reduction of threads for glands
0091330 / heat260 C MC 3G0,75	
0091334 / heat260 C MC 3G1.5	
1119225 / CLASSIC 110 25Gx1.0	Wire
1119214 / CLASSIC 110 14Gx1.0	
0031363	cable UNITRONIC LI2YCYV (TP) 8X2X0,5
2170464	ethernet cable
1119625	PVC control cable
0034060 / Li2YCY PIMF	data cable
4160309	pilotage

Product	Description
P/N: 61721710, Type: FPS 13X17 GREY	
ÖLFLEX 440 CP / 0012904	
0034506	Wire
0035821	cable
44423073	circular connectors
4160102	pilotage
4160114	pilotage
0046506	Silicone cable with increased mechanical characteristics
4160344	pilotage
P/N: 2170143, Type: LAN500 S/FTP CAT 6A	wires
4160310	Connection and control line
61751750	
55502469	Conduit fitting
21700124	Switch Ethernet
21700647	connectors
1026725	PVC connection and control cable
0027925	Wire
52107010	cable gland
0026617	Electrical Cable
75009706	connector
73000000	connector
0027950	Servo cable
7038900 / UNITRONIC SENSOR LiFY 3x0.34 BK	PVC sensor cable
P/N: 1135303, Type: ÖLFLEX® CLASSIC 110 CY	
0028307	pilotage
0028310	pilotage
0028325	pilotage
0028332	pilotage
0034404	pilotage
0034407	pilotage
61806660	Hose
15331066	Railway cable
52107000	cable screw connection
1136304 / ÖLFLEX® CLASSIC 115 CY 4 G 1.5	control line
1020042	Servo cable
72400000	MALE RESOLVER
4160114K	2.1M standard single-pole cable
4160214K	2.1M standard single-pole cable
4160314K	2.1M standard single-pole cable
61713007	
61713005	
61713000	
61713016	

Product	Description
61713021	
61713022	
10194000 / H-BE 16 SS DR	Connector
15331052	railway line
15331001	railway line
52107010 / SKINDICHT SHVE-M 25X1.5/21/16/13	metric brass cable gland
1020022	
0041047	flat cable
0041052	flat cable
0037012	Motor connection cable
1119316	control line
0027615 / ÖLFLEX® FD 855 CP	Cable
52106950	Cable gland
52107000	Cable gland
H05V-K 0.5	
302003STP	Low frequency data line
54115240	Cable gland
0035812	Low frequency data line
0028603	pilotage
0027641 / ÖLFLEX FD 855 CP 18G1	wires
0027610 / ÖLFLEX FD 855 CP 12G0,5	wires
0027641 ÖLFLEX FD 855 P 18*1 MM	wires
1020121	Encoder line
1026516	Single core line
19111000	grommet housing
19123000	grommet housing
53112116	cable screw connection
0037704	data cable
10019933	control line
10019971	low voltage cable
70002702	pilotage
1591150	cable
0031321 / Li2YCY	
130 H 5G0,75 (1000m)	
130 H 12G0,75	
130 H 7G0,75	
ASI LD (G) YE 2x2.5	
ASI LD (G) BK 2x2.5	
130 H 5G0,75 (600m)	
6180 6640	parallel-corrugated slotted protective hose
2170270 / UNITRONIC(R) BUS CAN (2X2X0.75)	bus line
52020523	aperture
7038895	

Product	Description
UNITRONIC BUS PB 1X2X0.64 /50m	Fieldbus cable
Ölflex Classic 110CY 3G x 1	control line
61724510	retainer
61716700	HOTY shrink tube
P/N: 53112681, Type: SKINTOP® MS-M BRUSH / SKINTOP® MS-M BRUSH XL	cable screw
P/N: 53112500, Type: SKINTOP® MS-M BRUSH / SKINTOP® MS-M BRUSH XL	cable screw
P/N: 61803360, Type: KRF tubular cable lugs	cable shoe
P/N: 61803330, Type: KRF tubular cable lugs	cable shoe
P/N: 52101979, Type: SKINDICHT® MR-M hex.	Reducing
0041042	Cable
0042003	Medium/high voltage cable Low voltage cable
P/N: 1119304, Type: ÖLFLEX® CLASSIC 110	control line
0034405	data cable
0026324	Control cable
1119318	Control cable
0028662	data cable
00124823	Connection cable
P/N: 1313241, Type: ÖLFLEX® CLASSIC 400 CP	control line
0127062	Ölflex Classic 110 CY 2x1 sold by the metre
0122318	Ölflex FD 855 CP 4G1.5 sold by the metre
0127105	Ölflex Classic 110 3x0.5 100 meters
7500022	H07V-K 1x16 GNYE 100 meters
10344100 / MCS-HC 2	high-power module
10345100 / MCB-HC 2	high-power module
1119605	Wire
53111530	Cable gland
53019050	Nut
53119050	Nut
29430089	
P/N: 10439000, Type: EPIC® H-A 10 TBF-LB	Cable coupler hood
52032520	CHROME CABLE GLAND
52032540	CHROME PLATED TOW GLAND
0034508	Low frequency data line
4510011	cable
53111020	cable gland
53119023	locknuts
16001313 / H07RN-F-5G6	wires
0022408	pilotage
27960 / FD796 CP 4G2.5+(2x1.5)mm2	
44429311 EPIC LS 1.5D6	CABLE CONNECTOR
0027553	OLFLEX CABLE
4150500	wires

Product	Description
4150605	wires
4150901	wires
4151301	wires
4510041	low voltage cable
P/N: 1121235, Type: ÖLFLEX® CLASSIC 110 CY BLACK 0,6/1 kV	Cable
P/N: 1121397, Type: ÖLFLEX® CLASSIC 110 CY BLACK 0,6/1 kV	wires
1123140 - ÖLFLEX® CLASSIC 130 H 3G2,5	wires
1119118	wires
EPIC MH 4/ 44423216	industrial socket
0091311	pilotage
0026351 / ÖLFLEX FD CLASSIC 810 P 4G1,5	
0027872 / UNITRONIC FD 4x0,34	Low-frequency data cable
0027856 / UNITRONIC FD 3x0,25	Low-frequency data cable
2170894	Cable
Unitronic Li2YCY(TP)2x2x0,5	Cable
1027922	control cable
1121391 / OLFLEX CLASSIC 110 CY BK 0,6/1KV 4G70	Cable
0034402	Wire
1125303	control line
0027970	Servo cable
LIF2Y11Y / 73220351	
4515052/ H05V2-K	
4519012/ H07V2-K	
4519042/ H07V2-K	
0028663/ UNITRONIC® FD P plus A	
0044732/ UNITRONIC® LIYCY A	
0028406/ UNITRONIC® LiYY	
0028667/ UNITRONIC® FD P plus A	
53112534	Cable gland
53015150/ SKINTOP® ST / SKINTOP® STR	Cable gland
61713040	tape
720224FX	Power entry connector
0029625	PUR ROBOT CABLE
0028654	DATA CABLE (CONTROL CABLE)
4510021	CABLE
0034804 / LIYCY 4X1	data line
52006130	blind plug
53111030	cable fitting
00460093 / ÖLFLEX® HEAT 180 SiHF	
0046014 / ÖLFLEX® HEAT 180 SiHF	
00460153 / ÖLFLEX® HEAT 180 SiHF	
1119902	control line
1120342	control line

Product	Description
10035067	control line
1135804 / ÖLFLEX® CLASSIC 110 CY 4X0.75	PVC control cable, shielded, with transparent external coating
4160700 / ÖLFLEX® WIRE MS 2.1	Cable
4160402 / ÖLFLEX® WIRE MS 2.1	
4160406 / ÖLFLEX® WIRE MS 2.1	
4160403 / ÖLFLEX® WIRE MS 2.1	ÖLFLEX LAPP cable
4520014 / H07V-K 1X6 BK	ÖLFLEX LAPP cable
4521018 / H07V-K 1X185 BK	single core
4161006 / ÖLFLEX® WIRE MS 2.1	Power cable
4160600 / ÖLFLEX® WIRE MS 2.1	control cable
2170893	Ethernet line
1600198 / HO7RN-F	connection line
52103320 / SKINDICHT® SM-PE-M	Nut
0035832 / UNITRONIC® LiYCY (TP)	
4725043	Cable
4725091K	Cable
4725111K	Cable
4725141K	Cable
4725121	Cable
4725031	Cable
4726042	Cable
4726043	Cable
4726003	Cable
4725003	Cable
4725001K	Cable
4126006S	CONTROL CABLE (DATA CABLE)
4126001S	CONTROL CABLE (DATA CABLE)
4126003S	CONTROL CABLE (DATA CABLE)
1119205/ ÖLFLEX(R) CLASSIC 110	Control cable
0158507 NiCr/Ni	
H05VVC4V5-K	
H05VV5-F (3x1.5)	
H05VV5-F (5x 1.5 mm)	
61711710/ SILVYN(R) FPS 16X21 25M GY	
61711670/ SILVYN(R) FPS 15X19 25M GY	
ÖLFLEX CLASSIC 110 CY 7G0.5	multicore cable
ÖLFLEX CLASSIC 110 CY BK 0,6/1KV 4G1,5	multicore cable
2170272	
2170270	
1119512	Control cable
0045225	
1119403	wires
2170222	

Product	Description
0026235	Control cable
0028145	Robotic cable
0091315	connection line
700540 / TOPGEBER(R) 512 PUR - Siemens green 3x(2x0,14)+4x0,14+4x0,25+2x0,5 mm²	Cable
2027505	POWER AND CONTROL CABLE
1123232	Cable
0027547	Cable
ÖLFLEX® CLASSIC 110 / 1119210	Control cable
ÖLFLEX® CLASSIC 110 / 1119303	Control cable
ÖLFLEX® CLASSIC 110 / 1119236	Control cable
ÖLFLEX® CLASSIC 110 / 1119212	Control cable
53015010 // PG9	cable fitting
53015020 // PG11	cable fitting
53015030 // PG13,5	cable fitting
53015040 // PG16	cable fitting
53015050 // PG21	cable fitting
53015060 // PG29	cable fitting
53015070 // PG36	cable fitting
4512423S	pilotage
0047000/ OLFLEX(R) HEAT 180 SiF	
52103125	
70002634	Cables: spiral; ÖLFLEX® SPIRAL 400 P; 4G0.75mm ² ; PUR
10090000 / H-B 16 TG 29	
1135205 / OLFLEX CLASSIC 110 CY 5G1	Control cable
1135203 / OLFLEX CLASSIC 110 CY 3G1	Control cable
1135207 / OLFLEX CLASSIC 110 CY 7G1	Control cable
0026152/ OLFLEX(R) CLASSIC FD 810	Control cable
1119209/ OLFLEX(R) CLASSIC 110	Control cable
21700605 / ED-IE-AX-5-PN-20-FC	data connector
1600120 / H07RN-F-3G6	cable
61735820	stripper