







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





## **Optex**

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

## **BRAND'S PRODUCTS**

Product	Description
AX-200TF	front covers for manifold
<u>AX-650TF</u>	Ersatz-IR-Sender und Empfänger
<u>BA-30TA-S</u>	non-contact thermometer
<u>BC-2</u>	
CD33-120CNV	LASER
<u>DM-18TN(E)</u>	Sensor
FTN-ST	
OA-AXIS II	Infrared Sensor
<u>SA-80T-4A</u>	Thermometer
<u>VXI-ST</u>	
OA-Axis T	
<u>SIP-100</u>	
<u>SL-650-QN</u>	Light barrier
<u>SA-80T-2A</u>	High Speed Temperature Sensor
<u>OM-106C</u>	Radar unidirectional (with directional detection)
D2RF-TCP4	
BGS-DL10TCN	Laser sensor
<u>OA-203C-2</u>	Sensor
<u>DR-500CP(E)</u>	
<u>DM-18TP(E)</u>	RGB Color Sensor PNP 2 Meter Cable Type
OA-AXIS I SILVER	automatic door
<u>C2DP-11P</u>	Sensor
BGS-S08N	BGS-POT RED LED 80MM NPN 2M CABLE
<u>SL-350QDM</u>	Photoelectric detector smartline series
<u>LSH20CFG</u>	Battery lithium saft
<u>BGS-2V50P</u>	Background Suppression 150 to 500mm PNP 2M cable
p/n: 27310035; Type: AX-130 TN	photocell
p/n: 27310022, Type: AX-200TN	photocell
<u>VIBRO-WH</u>	shock detector
<u>LS-100CP</u>	OPTEX 2D DISP LZR 100MM+-25 4-20MA PNP
<u>OM-105C</u>	Sensor
BGS-DL70CN	Optical Sensor
<u>CD33-250NV</u>	Sensor
M8-FS4-PVC-2M	RAMCO QD CABLE STRAIGHT M8 LOCKING FEMALE
<u>41020310</u>	door sensor

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom





Product	Description
ZR-350N-B	Polarized Retro-reflective
BGS-DL70P	
BGS-2V50N-5-F03	CABLE
OP-08C	PIR door sensor
p/n: 27310030, Type: AX-70TN	photocell
BGS-ZL30N	Laser Sensor
LX-402	
LX-802	PIR detector
SIP-3020/5	
JT-S1000P	THRUBEAM 10M PNP INFRARED CABLE
JCN-10S	M8 Connector Cable - 10 meter
M8-FS4-PVC-10M	Ramco Molded Cordset
<u>DM-18TCP(E)</u>	COLOR MARK LASER
ZR-L1000CN	Meter Retro Laser
<u>JR-S300P</u>	Photoelectric sensor
BGS-Z30CP	Sensor
<u>BX-80N</u>	
BX-80NCL	
BX-80NR	
CDX-AM	
FTN-AM	
FTN-R	
FTN-RAM	
<u>HX-40</u>	motion detector
HX-40AM	
HX-40DAM	motion detector
HX-40RAM	
<u>HX-80N</u>	
<u>HX-80NRAM</u>	
LSH20	
<u>SP-2</u>	
<u>VX-402</u>	replacement cover with lens
<u>VX-DAM</u>	
<u>VXI-R</u>	
<u>VXI-RDAM</u>	
<u>VXI-T</u>	
<u>VXI-AM</u>	
<u>VXI-RAM</u>	
OPTEReaction2 Optex Reaction2	
<u>SL-650QDM</u>	PHOTOELECTRIC DETECTOR
RLS2020I	Laser
BGS-2S30P	Background Suppression
OP-08CBL	

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Optex Page 2 / 6





Product	Description
CD33-250CNV	Self-Contained CMOS Displacement Laser Measurement Sensor
BGS-HL25T2	
BGS-ZL30CP	Background Suppression Laser
BGS-2V100CP	
BGS-30P	Background Suppression
<u>KR-Q50P</u>	Pol Retro-reflective for Clear Targets 500mm
<u>Z3D-L09N</u>	sensor
<u>KR-Q50N</u>	Sensor
BGS-D10CP	Digital Background suppression from 50 to 100mm M8 QD NPN
BGS-DL10CN(E)	Digital Background suppression from 50 to 100mm M8 QD NPN
FA DM-18TN	Color sensor
<u>BEF-W100-B</u>	
<u>NF25-TH-5</u>	
D1RF-TC	Fiber Optic Amplifier
BGS-S08CP 1745F	
<u>YR-140P</u>	Retroreflective photocell
CDD-11P-IR	PHOTOCELL SENSOR
<u>CDD-11P-R</u>	
<u>SL-350QN</u>	Light barrier
<u>SL-200QN</u>	Light barrier
CDD-11N-IR	Sensor
<u>CDD-11N-R</u>	Photoelectric Red Led Beam
BGS-S08N (10 to 80mm NPN 2M cable)	Background Suppression
BGS-S08N-5(10 to 80mm NPN 5M cable)	Background Suppression
<u>JR-H300P</u>	PHOTO SENSOR
<u>42010830</u>	Passive infrared door opening sensor
BGS-DL25TN	LASER SENSOR
<u>v4t-7000</u>	Thrubeam 70m SPDT relay Screw term
PL20F	REFLECTOR FOR D SERIES RETRO 60X19.4MM
<u>RLS-3060L</u>	
<u>ZR-350N</u>	Photocell
OM-106C BL	
<u>Z2R-400P</u>	Sensor
<u>Z2r-400cp</u>	Sensor
<u>J3M-GH01P</u>	
C2DP-80P	Plastic Diffuse 800mm PNP 2M cable
<u>OS-12 C</u>	
SH-10 MCB	
SH-10 MCG	
<u>VR-1000T</u>	
BGS-Z10N	
<u>Z2T-2000N</u>	
<u>Z2T-2000CN4</u>	Red LED Thrubeam

Optex Page 3 / 6





Product	Description
Z2T-2000P	Photo Electric Sensor
C2TP-2000P	Plastic Thrubeam 20M PNP 2M cable
OP-08CS	
OP-08CW	
OA-FLEXT	optex oa flex t sensor
SD-20CP	·
CD33-250PA	Laser Displacement Senso
Z2R-400CP4	·
P/N: 27510982, Type: RLS-3060SH	OPTEX infrared laser scan detector
<u>VD-130</u>	
OVS-01GT	sensor
JR-H300CN	Retro reflection 3 m connector NPN
<u>Z2T-2000NJ</u>	
CD22-100-485M122	Compact laser displacement sensor
<u>DR-500CN(E)</u>	
RCM-1	
BGS-2V30	Photoelectric sensor
BGS-Z30P	Sensor
SL-350QDP	
SL-200QDP	
<u>YR-140P-M12</u>	
CD22-15AM12	
CD22-15-485M12	
CD22-15VM12	
<u>CS-30TAC</u>	
<u>CS-AP1</u>	
CS-FB12	
<u>Z3R-400N</u>	
ZD-L40N	sensor
BGS-DL10TN	laser sensor
<u>SIP-4010</u>	Outdoor long range motion sensor for CCTV
<u>41020320</u>	
DM-18TN	Optical Sensor
27310025 / SL-200QDM	infrared photocell
BGS-30P 16435 0544980	
<u>ZR-L1000P</u>	10 meter retro laser PNP 2 meter cable
<u>C2DM-11N</u>	Metal Diffuse
ZD-L40CP	Compact Diffuse Laser Sensor
ABC-4	bird protection cap
<u>BC-4</u>	
<u>V2R-1200CDP</u>	Photoelectric sensor
<u>C2DP-80N</u>	Photoelectric Sensor
<u>OA-203 CBL</u>	presence sensor

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk

Optex Page 4 / 6





Product	Description
KR-Q50NW	Pol Retro-reflective for Clear Targets
OA-203C	Motion and safety sensor
27510144 / FMX-DT X5	Dual indoor motion detector
KR-250N	Sensor
27510198 / CDX-DAM	Dual motion detector
27510310 / FA-3	mounting bracket
Z4D-100CN4	<u> </u>
M84CN-10S	PVC Cordset
BGS-ZL30P	laser sensor
<u>V-42</u>	Standard reflector
OA-PRESENCE T	
OA-Presence T BL	
OA-AXIS I CBL	
AX-100TFR	
BX-80NRi	
<u>OT-3 1620Z0186</u>	
BXS-ST	
<u>FX-360</u>	
BXS-RAM	
BXS-AM	
<u>BGS-2V100N</u>	
CD33-250P-422	
BGS-DL70CN(E)	Sensor
30135 / OS-12C	infrared light barrier
<u>BGS-2S30CN</u>	
<u>FLX-P-DT-X5</u>	
<u>CW-G2</u>	
<u>SL-200QDM</u>	
<u>Z2D-80N</u>	Sensor
<u>FLX-A-AM</u>	
Optex OS-12C #30135	Optex OS-12C light barrier evaluator for 1 or 2 light barriers
Optex SH-10MC #30315	Optex safety light barrier set for OS-12C
<u>MİRAGE 41020410</u>	
OVS-02GT	vehicle sensor
<u>CD33-30N</u>	Sensor
CD22-35A	Displacement Laser Sensor
<u>Z4D-L09CP4</u>	photoelectric sensor
<u>27510392</u>	
27510393	
D3RF-TCP4	DUOTOTI TOTDIO OTIVOTI
BGS-ZM30CP3	PHOTOELECTRIC SENSOR
CD33-30NA	DO0 5 400 DND 0
BGS-Z10P	BGS, 5~100mm, PNP, 2m cable

Enapart Group ! 3 Austin Mews, High Street, Hemel Hempstead, HP1 3AF , United Kingdom ! RADWARD LTD United Kingdom

! + 44 20 81571300 ! sales@enapart.co.uk ! www.enapart.co.uk





Product	Description
BRF-P	Fiber amplifier, Potentiometer, PNP x 1, 2m cable
BGS-2V100	
BGS-2V100H	
BX-100 PLUS	
FLX-A-DAM X5	
BGS-Z30N	Sensor
<u>FLX-P-DT</u>	FlipX Series Professional Indoor Dual-Tech PIR Detector
<u>SA-80T-4IO</u>	High Speed IO-LINK Compatible, Temperature Sensor
<u>VXS-AM-W</u>	Hardwired PIR Model with Anti-Masking