



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Precitec

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

Product	Description
<a href="#">P0360-240-15000</a>	Sensor cable
<a href="#">P0571-260-00001</a>	Keramikteil
<a href="#">P0589-360-00001</a>	OG Y D22.35 d4
<a href="#">P0591-510-00001</a>	sensor insert
<a href="#">P0591-573-00015</a>	nozzle electrode
<a href="#">P8110-100-00001 (EG 8110 A)</a>	Adjusting device
<a href="#">OG Y D22.35 d4 (P0589-360-00001)</a>	AND Y D22.35.d4 Schutzglas
<a href="#">PBMO0-001-383KF</a>	O-Ring Viton 22,00x2,00
<a href="#">P0591-562-00012</a>	nozzle electrode
<a href="#">P0591-564-00018</a>	DE HP1.5" 1.8
<a href="#">P0591-563-00015</a>	Torch Tip
<a href="#">P0591-565-00020</a>	DE HP1.5" 2.0
<a href="#">P0591-561-00010</a>	DE HP1.5" 1.0
<a href="#">P0587-010-00001</a>	KA 2m gw KLS
<a href="#">P0591-1051-00001</a>	sensor attachment
<a href="#">P0589-360-00002</a>	protective glass
<a href="#">P0130-220-00002</a>	Sensor
<a href="#">P0492-001-00250</a>	electrode cable
<a href="#">P0571-1051-00001 (KT B2" CON)</a>	Ceramic part
<a href="#">P0354-110-00002</a>	Sensor insert
<a href="#">P0251-1338-00001</a>	
<a href="#">P0251-1437-00001</a>	
<a href="#">P0496-700-00001</a>	
<a href="#">P0591-002-00020</a>	nozzle electrode
<a href="#">P0591-002-00025</a>	nozzle electrode
<a href="#">DE HP1.5" 1.2 CON (P0591-572-00012)</a>	Nozzle electrode
<a href="#">Collimator Lens for ZM HP SSL WK D30 M</a>	
<a href="#">P0380-110-00003</a>	Sensoreinsatz
<a href="#">P/N: P0591-573-00015, Type: DE HP1.5" 1.5 CON</a>	
<a href="#">P0591-576-00025</a>	nozzle electrode
<a href="#">P0591-577-00030</a>	Nozzle electrode
<a href="#">DE HP1.5" 1.2 CON DD (P0591-002-00012)</a>	Nozzle electrode
<a href="#">P0591-002-00015</a>	Conical double nozzle
<a href="#">P0591-002-00018</a>	nozzle electrode
<a href="#">P0591-002-00030</a>	

Product	Description
<a href="#">P0571-1051-0001</a>	
<a href="#">P0595-58616</a>	Protective window cartridge
<a href="#">P0591-000-Q0020</a>	
<a href="#">OG Y D37 d7</a>	
<a href="#">P0792-425-00001</a>	
<a href="#">P0575-1055-00001</a>	sensor attachment
<a href="#">PQ0595-1052007</a>	ProCutter 100/150 Q_C2
<a href="#">P0360-240-10000</a>	sensor cable
<a href="#">P0464-200-00001</a>	sensor attachment
<a href="#">P0464-810-00220</a>	electrode cable
<a href="#">P0464-140-00001</a>	Media Adapters
<a href="#">P0591-1095-00001</a>	Sewing nut
<a href="#">P0591-1287-00001</a>	interchangeable cassette
<a href="#">ZM YH27 F70 BNC DR</a>	Protecting cap
<a href="#">P0589-250-00001</a>	CONNECTOR HEAD AK YH 27
<a href="#">P0360-185-00265</a>	electrode cable
<a href="#">P05595-58616</a>	
<a href="#">P0588-1022-00002</a>	Protective glass
<a href="#">P0591-002-00010 Type: DE HP1.5" 1.0 CON DD</a>	Nozzle
<a href="#">P0591-002-00035</a>	Precitec Double 3.5mm P0591-002-00035 Nozzle
<a href="#">P0591-002-00040</a>	nozzle electrode
<a href="#">P0591-571-00010</a>	
<a href="#">P0591-578-00040</a>	Precitec Single 4.0mm P0591-578-00040 Nozzle
<a href="#">P0591-579-00050</a>	Laser nozzles
<a href="#">P0571-1051-00001 Type: KT B2" CON</a>	Ceramic part
<a href="#">P0591-1208-00001</a>	lens
<a href="#">P0589-020-00130 Type KA 130 gg PU KLS</a>	COLLISION PROTECTION CABLE
<a href="#">P0588-1048-00001</a>	Lens with lens holder
<a href="#">P0589-426-00010/ DE YH27 1.0 F70 us</a>	Nozzlez
<a href="#">P0360-125-00265 KE 265 ww Z PU</a>	
<a href="#">P0251-0008-00001 DE YW50 GAS COAX 30 III</a>	
<a href="#">P0251-1047-00001 ZM YW50 GAS COAX 200 III</a>	
<a href="#">P0321-250-00003</a>	Sensor-Box
<a href="#">P0321-250-00003 / EG 321</a>	Sensor-Box
<a href="#">P0591-1137-00002</a>	connecting head
<a href="#">P0591-57557-</a>	Motorized swap cassette
<a href="#">P0464-140-00001 ZM MA HA</a>	media adapter
<a href="#">P0464-200-00001 (SE HC)</a>	sensor application
<a href="#">P0130-100-00002</a>	
<a href="#">P0589-020-00130</a>	COLLISION PROTECTION CABLE
<a href="#">P0360-240-20000</a>	BNC cable - Length 20m
<a href="#">P0360-240-02000</a>	BNC cable - Length 2 m
<a href="#">P0791-510-00001</a>	axis

Product	Description
<a href="#">P0595-60123</a>	sensor insert
<a href="#">P0591-002-00015</a>	Nozzle electrode
<a href="#">P0591-002-00012</a>	Nozzle electrode
<a href="#">P0571-1051-00001</a>	ceramic holder
<a href="#">P0595-58601</a>	Protective glass
<a href="#">P0591-002-00020</a>	Nozzle electrode
<a href="#">P0571-293-00015</a>	Nozzle electrode
<a href="#">P0591-002-00035</a>	Nozzle electrode
<a href="#">PQ0580-1054319</a>	LightCutter+ 100/125 OGQIII
<a href="#">P0591-1208-00001, Type: OL HP SSL F125M</a>	Lens holder
<a href="#">P0591-572-00012 (R26RT0O6270)</a>	Nozzle electrode
<a href="#">P0591-571-00010 (R26RT0O6330)</a>	Nozzle electrode
<a href="#">P0589-360-00002 (R26RT0O6410)</a>	Protective glass
<a href="#">P0255-1713-0001</a>	Protective glass case
<a href="#">P0251-1070-00001</a>	Protective window
<a href="#">PBMO0-035-084KF</a>	Sealing ring
<a href="#">P0795-1201-00002</a>	Protective glass
<a href="#">P0787-1001-00020</a>	nozzle electrode
<a href="#">P0591-002-00012</a>	Nozzle electrode
<a href="#">P0464-1002-00001 SE HD</a>	sensor attachment
<a href="#">P0591-1262-00001</a>	Focus lens
<a href="#">P0591-1186-00001</a>	Collimation module
<a href="#">P0591-1209-00001 / OL HP SSL F200 M</a>	lens holder
<a href="#">ZM HP SSL WK D30 M</a>	Removable cassette
<a href="#">P0660-185-15000</a>	
<a href="#">P0360-150-00300</a>	electrode cable
<a href="#">P0573-566-00025</a>	Cutting Nozzle
<a href="#">P0591-575-00020</a>	.
<a href="#">P0591-572-00012</a>	
<a href="#">P0591-574-00018</a>	DE HP1.5" 1.8 CON Düsenelektrode
<a href="#">KT B2" CON</a>	
<a href="#">P0492-003-20000</a>	.
<a href="#">P0575-510-00001</a>	sensor insert
<a href="#">P0595-58601 OG Y D37 d7</a>	protective glass
<a href="#">PR68621, AR D22.35 T3.6</a>	
<a href="#">P0575-520-00001</a>	insulation plate
<a href="#">P0575-920-00001</a>	.
<a href="#">P0575-1078-00001</a>	terminal head
<a href="#">P0575-340-00001</a>	replaceable cartridge
<a href="#">P8030-100-00001</a>	setter
<a href="#">PR20184</a>	insulation bushings
<a href="#">P0595-92036</a>	
<a href="#">P0595-62407</a>	CONNECTION ADAPTER

Product	Description
<a href="#">P0660-185-20000</a>	.
<a href="#">ZM HP SSL WK D30 M (P0591-1287-00001)</a>	
<a href="#">P8050-100-00001</a>	Setting up the device
<a href="#">P0140-200-00001</a>	
<a href="#">P0589-360-00002, OG Y D22.35 d4 II</a>	Protective glass
<a href="#">PQ0595-1053095</a>	ProCutter
<a href="#">P/N: PQ0595-1053095, Type: ProCutter 100/150 D-C2</a>	
<a href="#">P0589-600-00001</a>	Adaptor
<a href="#">OG Y D22.35 d4 II (W1030-1090) P0589-360-00002</a>	
<a href="#">P7007-577-00001</a>	
<a href="#">P0352-334-00012</a>	nozzle electrode
<a href="#">P0571-1051-00001</a>	KT B2" CON ceramic part
<a href="#">P0253-1034-00001</a>	
<a href="#">PQ0795-89440</a>	cutting head
<a href="#">P0795-1204-00001</a>	sensor use
<a href="#">P0591-590-00001</a>	preamps
<a href="#">P0251-1419-00001</a>	Protective Glass
<a href="#">P0589-425-00012</a>	Laser nozzle
<a href="#">KT M1.5 DXN II P0497-68871</a>	Ceramic part
<a href="#">P0491-130-00001 (KT M1.5" KS)</a>	
<a href="#">CT-KS2.0</a>	
<a href="#">P0491-110-00001 (SE M1.5" KS)</a>	
<a href="#">PM0253-2251-10001</a>	
<a href="#">P0588-1022-00001</a>	
<a href="#">P0494-752-00001</a>	
<a href="#">Type P0591-1095-00001</a>	Mechanical nut
<a href="#">Type P0571-1051-00001</a>	
<a href="#">P0595-59120</a>	Sensor Insert
<a href="#">KS20MGWZPU</a>	LASER SENSOR CABLE
<a href="#">P0589-800-00003</a>	nozzle
<a href="#">P591-573-00015</a>	nozzle electrode
<a href="#">P591-575-00020</a>	nozzle electrode
<a href="#">PQ0595-1052009</a>	ProCutter 100/200 Q_C4
<a href="#">226690</a>	sensor insert
<a href="#">154753</a>	cutting nozzle
<a href="#">235106</a>	protective glass
<a href="#">P0591-1287-00001 / ZM HP SSL D30M</a>	
<a href="#">P0660-235-05000</a>	control cable
<a href="#">P0795-1202-00001</a>	lens with lens holder
<a href="#">P0795-1106-00001</a>	lens with lens holder
<a href="#">P0787-483-00015</a>	nozzle electrode
<a href="#">P0360-545-05000</a>	sensor cable
<a href="#">P0660-705-15000</a>	control cable

Product	Description
<a href="#">P0660-230-05000</a>	motor cable
<a href="#">P0660-185-05000</a>	FIBER-OPTIC CABLE
<a href="#">P0595-92737</a>	
<a href="#">PQ0580-97318</a>	LightCutter 2.0 100/150 Q
<a href="#">P0497-805-00450</a>	electrode cable
<a href="#">P0494-788-00012</a>	nozzle electrode
<a href="#">P0001-1030-00001</a>	crosshairs
<a href="#">PBM00-000-882KF - PR29090</a>	
<a href="#">Po591-1051-00001 / SE HP1.5"</a>	Sensor Insert
<a href="#">P0591-57132</a>	Height Sensor
<a href="#">P0595-59120 GP15644</a>	
<a href="#">P0587-772-00025</a>	
<a href="#">P0253-1024-00001</a>	
<a href="#">P0795-1193-00001</a>	
<a href="#">P0787-467-00001</a>	GASKET
<a href="#">P 0595-59131</a>	Seal
<a href="#">P0380-105-Q0001</a>	Sensor top part
<a href="#">P0785-1201-00002</a>	
<a href="#">P0106-99357 / ZE LWM 19" 4HE W10</a>	
<a href="#">P0571-610-00001</a>	
<a href="#">P0660-700-15000</a>	MOTOR CABLE
<a href="#">P0795-23228</a>	NUT
<a href="#">P0253-1030-00001</a>	
<a href="#">P0795-1201-00002 OG Y D30 d5 II</a>	
<a href="#">PO494789-00015 FE m1.5 1.5 KN TAK</a>	