



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

# Raytek

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

## BRAND'S PRODUCTS

Product	Description
<a href="#">DR6TXSMTSFW</a>	SENSOR
<a href="#">RAYMI310LTS</a>	sensor system
<a href="#">RAYCMLTJ</a>	Infrared Temperature Sensor
<a href="#">RAYCMLTJM</a>	Infrared Temperature Sensor
<a href="#">RAYCMLTK3M</a>	Infrared Temperature Sensor
<a href="#">RAYCMLTKM</a>	Infrared Temperature Sensor
<a href="#">RAYCMLTV</a>	you ask
<a href="#">RAYCMLTV3</a>	Infrared Temperature Sensor
<a href="#">RAYCMLTVM</a>	CM sensor
<a href="#">RAYMI310LTHCB3</a>	nfrared Temperature Sensor
<a href="#">RAYMI310LTHCB8</a>	Temperature Sensor
<a href="#">RAYMM1MLVF1L</a>	PYROMETER
<a href="#">RAYMR1SBSF</a>	RADIATION PYROMETER
<a href="#">RAYR3IPLUS1ML</a>	
<a href="#">RAYTXCHTSFW</a>	Standard 2-Draht-Sensor (°C, nur mit Emissionsgradschaltern)
<a href="#">RAYTXCLTPSF</a>	
<a href="#">RAYTXCLTSF</a>	Smart Infrared Temperature Sensor
<a href="#">RAYTXSLTSFW</a>	Smart Infrared Temperature Sensor
<a href="#">RAYTXSMTSF</a>	Non-Contact IR Sensor Smart
<a href="#">XXX2CCB8</a>	Cable with Connector
<a href="#">XXXMIACCJ1</a>	sensor
<a href="#">XXXSYSECP1</a>	CS200 POSITION SENSOR
<a href="#">RAYMR1SBSF S/N: 19790008 Power: 24VDC - 32035</a>	Rayted Everelt WA Made in USA Model :
<a href="#">RAYGPC</a>	1/8 DIN Panel Meter with 5VDC Alarm Outputs
<a href="#">SPEC/RAYTXSLTSFS</a>	Sensor
<a href="#">RAYGPRSF</a>	Standard Focus Infrared Temperature Sensor
<a href="#">RAYGPM2</a>	THERMALERT GP MINIATURMESSKOPF
<a href="#">RAYGPM10CB3</a>	GP Miniatursensor
<a href="#">XXXCS210CONBOX</a>	
<a href="#">RAYTMP150LT</a>	Linescanner
<a href="#">RAYTES150 P30</a>	Linescanner
<a href="#">RAYTES150 P31</a>	line scanner
<a href="#">RAYTES150 LT</a>	
<a href="#">RAYTXSLTSF</a>	Temperature Sensor
<a href="#">RAYXSHTSF</a>	Intelligent contactless IR sensor

Product	Description
<a href="#">XXXTXACTWM</a>	
<a href="#">XXXTXACTWH</a>	VORSATZSCHUTZFENSTER für HT-Modelle, Glasfenster BK7
<a href="#">RAYMR1SASF</a>	
<a href="#">SPEC/XXXMI3ACPWP</a>	
<a href="#">RAYMI3MCOMMM</a>	
<a href="#">Originating product for RAYMR1SASF</a>	quotient pyrometer
<a href="#">XXXHSFIC2</a>	High Speed Fiber-Optic
<a href="#">RAYMR1SBSFW</a>	Ratio infrared temperature sensor
<a href="#">XXX2CLTCB4</a>	cable
<a href="#">XXXXRACWCS</a>	
<a href="#">RAYXRCLTSFS</a>	sensor
<a href="#">RAYCMLTJ3M</a>	Infrared Temperature Sensor
<a href="#">XXXCMACRAM</a>	Metric Threaded Right Angle Mirror for the Raytek CM Series
<a href="#">XXXCIADJB</a>	Adjustable Mounting Bracket
<a href="#">XXXCMACPWM</a>	Protective Silicon Window for Metric CM and CI Sensors
<a href="#">XXXCMAPM</a>	Metric Air Purge Collar Metric
<a href="#">RYMI302LTSCB8</a>	pyrometer
<a href="#">RAYMI310LTSCB3 1.00 0.00 341.00 0.00 341.00 341.00</a>	
<a href="#">RAYST61</a>	INFRARED THERMOMETER
<a href="#">RAYMI310LTSCB15</a>	Infrared Temperature Sensor
<a href="#">RAYMT6U</a>	
<a href="#">E1RL-F2-L-0-0</a>	Pyrometer
<a href="#">RAYXRTLTCF1</a>	Infrared Temperature Measurement Sensor
<a href="#">RAYMI3</a>	Miniature Infrared Sensing Head with 3.3' cable
<a href="#">RAYMI3MCOMM</a>	Communication box
<a href="#">RAYMI302LTSCB3</a>	Infrared temperature sensor
<a href="#">XXXMIACAB</a>	adjustable mounting bracket
<a href="#">RAYMI310LTSCB1</a>	Infrared Temperature Sensor
<a href="#">D6XTXCLTSF</a>	Temperature sensor
<a href="#">XXXTXACTWX</a>	
<a href="#">XXXTXACTWL</a>	Lens
<a href="#">RAYR3IPLUS2ML</a>	High temperature infrared thermometere with dual laser
<a href="#">RAYMI320LTHCB8</a>	
<a href="#">FJMMI330G5LCB3W</a>	Pyrometer
<a href="#">RAYMI3COMM4</a>	communication box
<a href="#">RAYMI310LTSCB30</a>	Infrared Temperature Sensor with 30 m Cable
<a href="#">A-T40-PW-LT</a>	
<a href="#">XXXMIACAJ</a>	Air Purging Jacket
<a href="#">XXXMiACPW</a>	Zinc Sulfide Protective Window for MI Sensors
<a href="#">RAYMI3MCOMMA</a>	Communication Box
<a href="#">MI320LTS</a>	Temperature sensor
<a href="#">RAYMI3MCOMMP</a>	
<a href="#">RAYE-ETHLTCB</a>	Ethernet cable 7.5m

Product	Description
<a href="#">RAYCI3A</a>	sensor laser
<a href="#">IR267</a>	MINI IR THERMOMETER
<a href="#">RAYTXSLTSFIS5</a>	Programmable 2-wire sensor
<a href="#">RAYMI320LTSCB3</a>	Miniature sensing heads
<a href="#">RAYGPCM</a>	Panel Meter
<a href="#">RAYT40-LT-30-SF0-2</a>	Thermalert 4.0 LT30 12-Wire Pyrometer
<a href="#">A-CB-LT-M16- W12-04</a>	4 m low temperature cable
<a href="#">RAYA-T40-TB</a>	Terminal Block
<a href="#">RAYTMP150HRR1</a>	Scanner
<a href="#">ST80XBPro plus</a>	Infrared Handpyrometers
<a href="#">RAYMI310LTSB3</a>	
<a href="#">RAYCI2AM</a>	Infrared Temperature Sensor with 1m Cable,32 to 662 F
<a href="#">RAYCMLTK</a>	Infrared Temperature Sensor
<a href="#">RAYMI310LTSB8</a>	Sensor
<a href="#">CS210</a>	Oven head pyrometer
<a href="#">RAYST81</a>	Pro Plus Infrared Thermometer
<a href="#">E1RH-F2-L-0-0</a>	Pyrometer
<a href="#">RAYMT4U</a>	MiniTemp Infrared (IR) Thermometer, 0 to 750°F
<a href="#">XXXCB25W</a>	Conductor Cable
<a href="#">RAYGPRCF</a>	Infrared Temperature Sensor
<a href="#">XXXSYSPHSS</a>	Stainless Steel Protective Housing
<a href="#">XXXMIACFB</a>	Fixed Sensing Head Mounting Bracket
<a href="#">MI3-10LTS-CB8</a>	Infrared Temperature Sensor with 8m Cable
<a href="#">A-BR-F</a>	Fixed mounting bracket (spare part)
<a href="#">A-PA</a>	Protective pipe adapter
<a href="#">A-MN</a>	Mounting nut (spare part)
<a href="#">RAYMI320LTS</a>	pyrometer
<a href="#">T40-LT-30-CF2-0</a>	temperature sensor
<a href="#">SM30</a>	
<a href="#">RAYMI3COMMPN</a>	communication box
<a href="#">RAYTXSLTSFIS2</a>	
<a href="#">RAYMI310LTSCB8</a>	Infrared Temperature Sensor
<a href="#">RAYMI31002MSF1</a>	Infrared Temperature Sensor
<a href="#">RAYMI310LTSCB3</a>	Infrared Temperature Sensor
<a href="#">E1ML-F2-D-0-0</a>	
<a href="#">RAYMI3COMM</a>	Infrared (IR) Thermometer Communication Box
<a href="#">RAYST20XBUSVB</a>	
<a href="#">Raymi320LTSCB8</a>	
<a href="#">RAYMI3COMMP2</a>	
<a href="#">RAYTXSLTPSFA</a>	Infrared Pyrometer
<a href="#">RAYCMLTV3M</a>	Infrared Temperature Sensor
<a href="#">RAYMI302LTS</a>	Infrared Temperature Sensor
<a href="#">RAYMI310LTFCB3</a>	Infrared Temperature Sensor with 3m Cable

Product	Description
<a href="#">RAYMI302LTSCB30</a>	
<a href="#">XXX2CCB4</a>	Cable with Connector
<a href="#">RAYMI31002MSF3</a>	
<a href="#">XXXMIACAJI</a>	
<a href="#">RAYMI302LTSCB8</a>	Infrared Temperature Sensor
<a href="#">RAYMI3COMMI</a>	Electronics Module
<a href="#">R2310</a>	Infrared (IR) Thermometer
<a href="#">RAYMI320LTSCB15</a>	Standard Low Temperature IR Sensor
<a href="#">DSUTXCLTSF / 364004</a>	TEMPERATURE METER
<a href="#">RAYE1ML-F2-L-0-0</a>	
<a href="#">RAYTXXTJ4</a>	
<a href="#">425435 E-TJ1</a>	sensors, metric version
<a href="#">XXXCIACFB</a>	Fixed Mounting Bracket
<a href="#">RAYMI320LTSCB30</a>	
<a href="#">RAYCI3B</a>	Infrared (IR) Temperature Sensor
<a href="#">T40-LT-30-SF0-0</a>	Fluke Process Thermalert 4.0 Pyrometer Infrared Temperature Sensor
<a href="#">S-CS-PI</a>	Position Indicator (Inductive)
<a href="#">XXXCIAP</a>	
<a href="#">XXXCMAP</a>	
<a href="#">MI310LTSCB03</a>	
<a href="#">RAYMI320LTHCB3</a>	
<a href="#">RAYMMLTSVF1L</a>	Sensor
<a href="#">RAYTMP150G5R0</a>	
<a href="#">RAYM1320LT5</a>	
<a href="#">OPTCTLG5HFSE</a>	
<a href="#">ACCTLW</a>	WATER COOLED JACKET
<a href="#">RAYMI310LTS-IS</a>	Series Infrared Temperature Sensors
<a href="#">XXXMIACCJ</a>	Air Cooling and Purging System
<a href="#">RAYMI320LTH</a>	Compact pyrometer
<a href="#">RAYMI31001MSF1CB8</a>	
<a href="#">T40-LT-70-SF2-2</a>	Pyrometer
<a href="#">MI3100</a>	Sensor for RAYMI3COMM
<a href="#">RAYCI3A10L</a>	
<a href="#">MI3COMM4</a>	Communication Box
<a href="#">RAYMI310LTE</a>	Temperature IR Sensor
<a href="#">RAYCMLT3M</a>	
<a href="#">WI320LTI / 20411571</a>	sensor
<a href="#">Type RAYMI3COMMPN</a>	
<a href="#">XXXTCSLRM210</a>	Live Ring Migration
<a href="#">S-MP-WK-G5</a>	replacement window
<a href="#">RAYR3IPLUS2MSCL</a>	High-Temperature Infrared Thermometer with scope
<a href="#">RAYCI1BM</a>	Infrared Temperature Sensor
<a href="#">P/N: RAYR3IPLUS1ML, Type: Raynger® 3i Plus M1</a>	High Temperature Infrared Thermometer with Dual Laser

Product	Description
<a href="#">T40-LT-70-SF0-0</a>	
<a href="#">RAYXXXMIACJI</a>	air cooling housing
<a href="#">RAYXXXMIACAJI</a>	air blower housing
<a href="#">T40-LT-30-CF1-6-IS</a>	
<a href="#">V09-LTB-30-SF0-0</a>	sensor
<a href="#">RAYMI31002MSF1CB3</a>	MI3 Series High Temperature IR Sensor