



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Scaime

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

| Product | Description |
|---|---|
| 400756 (LOAD CELL AG15 C3 SH 10E F) | Single point load cell |
| 400757 | |
| 402395 | Load cell F60X200 C3 5e TR PRO |
| 402472 | load cell |
| F60X 2t C3 CH 10e | Load cell |
| PN: 803040 / Type: ALCJB-A4 | Junction box |
| P/N: 400964, AQ15 C3 SH 10e | LOAD CELL |
| P/N: 530112 | CPJ DIN RAIL |
| F60X200-C3 5e PRO | Load Cell |
| F60X50 C3 10E | Load Cell |
| ZFA 200kg / 799303 | Load cell |
| 109680 housing version | Analog converter for load cell |
| 720120 K13B-5KN | FORCE SENSOR |
| 720104 K13B-1KN | FORCE SENSOR |
| 642020 | INDICATOR PAXS STRAIN GAUGE INPUT INDICATOR |
| 402482 / F60X100 C3 CH 10e TR | Load Cell |
| 403023 AK120 C3 CH 12e | LOAD CELL |
| F60X20 C3 10e TR 20kg | LOADCELL |
| Art.No. 400757 / AG20 C3 SH 10 | Load cell |
| P/N: 799302, Type ZFA 100 KG | LOAD CELL |
| Part Nr. 530135, type ENOD3-C ALUBOX (cert. OIML R76 6000D) | controller |
| P/N: 400376, Type:EP2 | Load cell |
| M150-4-H2-E-5K-C1 | Displacement sensor |
| K-K13B/N350-G25 100105 | Small-sized force sensor |
| P/N: 400758, Type: AG30 C3 SH 10e F TR | load cell |
| P/N: 400661, Type: AG30 C3 SH 5e U | load cell |
| P/N: 403032 Type: AXL20 C3 SH 10e | |
| K-K13B/N350-G25 | |
| Option 100% Kontrollsignal | |
| P/N: 440113, Type: BEF-F 3 | LOAD CELL |
| P/N: 440114, Type: BEF-F 5 | LOAD CELL |
| P/N: 400977, Type: AR0.2 | LOAD CELL |
| P/N: 400978, Type: AR0.6 | LOAD CELL |
| P/N: 400979, Type: AR1.2 | LOAD CELL |

| Product | Description |
|---|--|
| 400962, Type: AQ5 C3 SH 10e | LOAD CELL |
| P/N: 400963, Type: AQ10 C3 SH 10e | LOAD CELL |
| P/N: 400964, Type: AQ15 C3 SH 10e | Load cell |
| P/N: 400965, Type: AQ20 C3 SH 10e | LOAD CELL |
| 401008 Type AQ35 C3 SH 10e 1m | CAPTEUR |
| P/N: 400778, Type: AL3 C3 SH 10e | LOAD CELL |
| P/N: 400779, Type: AL5 C3 SH 10e | Load cell |
| P/N: 400780, Type: AL7 C3 SH 10e | LOAD CELL |
| P/N: 400781, Type: AL10 C3 SH 10e | LOAD CELL |
| P/N: 400782, Type: AL15 C3 SH 10e | LOAD CELL |
| P/N: 400784, Type: AL30 C3 SH 10e | LOAD CELL |
| P/N: 400701, Type: AG1 C1.5 NH 3e F | LOAD CELL |
| P/N: 400703, Type: AG2.5 C2 NH 3e F 3m TR | LOAD CELL |
| 400716 Type AG5 C3 SH 5e F | LOAD CELL |
| 400756 | Load cell |
| P/N: 400981 / AG50 C3 SH 10e F TR | load cell |
| P/N: 400982, Type: AG75 C3 SH 10e F | LOAD CELL |
| P/N: 400983, AG100 C3 SH 10e F TR | Load cell |
| P/N: 400648, Type: AG18 C6 SH 18e TR | LOAD CELL |
| P/N: 400649, Type: AG36 C6 SH 18e F 1m | LOAD CELL |
| P/N: 400984, Type: AG50 C6 SH 10e F | LOAD CELL |
| P/N: 400985, Type: AG75 C6 SH 15e F | LOAD CELL |
| P/N: 400986, Type: AG100 C6 SH 10e F | LOAD CELL |
| P/N: 403106, Type: AH100 C3 SH 10e | LOAD CELL |
| 403107 | LOAD CELL |
| P/N: 400990, Type: AH50 C6 SH 10e F | LOAD CELL |
| P/N: 400991, Type: AH100 C6 SH 10e F | LOAD CELL |
| P/N: 400992, Type: AH200 C6 SH 10e F | LOAD CELL |
| P/N: 430500, Type: AHN250 C4 SH 10e F | LOAD CELL |
| P/N: 106044, Type: W-AP75 C3 SH 10e F | loadcell |
| 400905, Type: AP100 C3 SH 10e F | LOAD CELL |
| W-AP150 C3 SH 10e F | |
| P/N: 400907, Type: AP200 C3 SH 10e F | LOAD CELL |
| P/N: 400909, Type: AP300 C3 SH 10e F | LOAD CELL |
| P/N: 400910, Type: AP500 C3 SH 10e F | LOAD CELL |
| AP635 C3 SH 10e F | LOAD CELL |
| P/N: 400912, Type: AP1500 C3 SH 5e F | LOAD CELL |
| P/N: 400511, Type: PM150 HSP | LOAD CELL |
| P/N: 799320, Type: PE 2000 | LOAD CELL |
| P/N: 403003, Type: AK6 C3 CH 12e | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |
| W-AK12 C3 CH 12e | Load cell |
| 403013 | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |

| Product | Description |
|--|--|
| AK60 C3 CH 12e / 403018 | load cell |
| P/N: 403023 Type: AK120 C3 CH 12e | |
| P/N: 403028, Type: AK300 C3 CH 12e | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |
| P/N: 403030, Type: AXL10 C3 CH 5e | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |
| P/N: 403035, Type: AXL75 C3 SH 15e | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |
| P/N: 403037, Type: AXH100 C3 CH 10e | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |
| P/N: 403038, Type: AXH250 C3 CH 12e5 | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |
| W-AXH500 C3 CH 10e (112599) | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |
| P/N: 403064, Type: AAD-C 5 CO55 HML | T LOAD CELLS |
| P/N: 403065, Type: AAD-C 15 CO55 OIML | LOAD CELLS |
| P/N: 403066, Type: AAD-C 30 CO55 OIML | LOAD CELLS |
| P/N: 403067, Type: AAD-C 75 CO55 OIML | LOAD CELLS |
| P/N: 403072, Type: AAD-C 5 CO88 HML | LOAD CELLS W |
| P/N: 403073, Type: AAD-C 15 CO88 OIML | LOAD CELLS |
| P/N: 403074, Type: AAD-C 30 CO88 OIML | LOAD CELLS |
| P/N: 403075, Type: AAD-C 75 CO88 OIML | LOAD CELLS |
| P/N: 403068, Type: AAD-D 5 CO55 HML | LOAD CELLS |
| P/N: 403069, Type: AAD-D 15 CO55 OIML | LOAD CELLS |
| P/N: 403070, Type: AAD-D 30 CO55 OIML | LOAD CELLS |
| P/N: 403071, Type: AAD-D 75 CO55 OIML | LOAD CELLS |
| P/N: 403076, Type: AAD-D 5 CO88 HML | LOAD CELLS |
| P/N: 403077, Type: AAD-D 15 CO88 OIML | LOAD CELLS |
| P/N: 403078, Type: AAD-D 30 CO88 OIML | LOAD CELLS |
| P/N: 403079, Type: AAD-D 75 CO88 OIML | LOAD CELLS |
| P/N: 403050, Type: AXD-C 15 CO55 OIML | LOAD CELLS |
| P/N: 403051, Type: AXD-C 30 CO55 OIML | LOAD CELLS |
| P/N: 403052, Type: AXD-C 75 CO55 OIML | LOAD CELLS |
| P/N: 403053, Type: AXD-C 15 CO88 OIML | LOAD CELLS |
| P/N: 403054, Type: AXD-C 30 CO88 OIML | LOAD CELLS |
| P/N: 403055, Type: AXD-C 75 CO88 OIML | LOAD CELLS |
| P/N: 403056, Type: AXD-D 15 CO55 OIML | LOAD CELLS |
| P/N: 403057, Type: AXD-D 30 CO55 OIML | LOAD CELLS |
| P/N: 403058, Type: AXD-D 75 CO55 OIML | LOAD CELLS |
| P/N: 403059, Type: AXD-D 15 CO88 OIML | LOAD CELLS |
| P/N: 403060, Type: AXD-D 30 CO88 OIML | LOAD CELLS |
| P/N: 403061, Type: AXD-D 75 CO88 OIML | LOAD CELLS |
| P/N: 640096, Type: RS485/USB CONVERTER | Load cells |
| P/N: 640100 | 5M CABLE WITH M12 5 PINS CONNECTOR FOR AAD/AXD |

| Product | Description |
|--|--|
| P/N: 640101 | 5M CABLE WITH M12 8 PINS CONNECTOR FOR AAD/AXD |
| P/N: 402507, Type: F60X5 C1.5 CH 3e3 TR | load cell |
| P/N: 402450, Type: F60X10 C6 CH 10e TR | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 402460, Type: F60X20 C6 CH 10e TR | |
| P/N: 402472, Type: F60X50 C3 CH 10e TR | Load cell |
| P/N: 402470, Type: F60X50 C6 CH 10e TR | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| 402482 | Bending beam load cell |
| P/N: 402480, Type: F60X100 C6 CH 10e TR | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| 402492 | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 402490, Type: F60X200 C6 CH 10e TR | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 402526, Type: F60X300 C6 CH 10e TR | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 402527, Type: F60X500 C6 CH 10e TR | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 850320 | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 803300 | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 803434 | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 632302 | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 632300 | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 803782 | |
| P/N: 803783 | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 803750 | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 799340, Type: S10A 500kg | SHEAR BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 799341, Type: S10A 1000kg | SHEAR BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 799342, Type: S10A 2000kg | SHEAR BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 799343, Type: S10A 5000kg | SHEAR BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 803437, Type: LFC 2t (for 0.5t...2t) | LOAD FOOT |
| P/N: 803438, Type: LFC 5t (for 3-5t) | LOAD FOOT |
| P/N: 430544, Type: SK30A 500 C3 SH 10e TR | |
| P/N: 430545, Type: SK30A 1000 C3 SH 10e TR | |
| P/N: 430546, Type: SK30A 2000 C3 SH 10e TR | |
| P/N: 803800, Type: LFA 2t (for 0.3t...2t) | LOAD FOOT |
| W-ISOFLEX-S 2t | |
| P/N: 803803, Type: BASE PLATE ISOFLEX-S 2t | |

| Product | Description |
|---|--|
| P/N: 803788 | |
| P/N: 430461, Type: SK30X 300 C3 CH 12e TR | LOAD CELL |
| SK30X 500 C3 CH 10e TR (430462) | Load cell |
| p/n: 107834 type: W-SK30X2000 C3 CH 10e | load cell |
| P/N: 430472, Type: SK30X 500 C6 CH 15e TR | LOAD CELL |
| P/N: 430473, Type: SK30X 1000 C6 CH 15e TR | LOAD CELL |
| P/N: 430474, Type: SK30X 2000 C6 CH 15e TR | LOAD CELL |
| P/N: 850397 | OPTIONAL HIGH RESISTANCE PAINTING (GREEN COLOR) |
| P/N: 803803, Type: ISOFLEX-S 2t | BASE PLATE |
| P/N: 803788, Type: STABIFLEX-SK 2t | |
| Type: STABIFLEX-SK 2t X EVO | mounting kit |
| 430534 | Load cell |
| P/N: 430535, Type: SK30X 5000 C3 CH 10e TR | LOAD CELL |
| P/N: 803438, Type: LFC 5t | Load Foot |
| P/N: 632305, Type: LFD 5t | LOAD FOOT |
| P/N: 803808, Type: ISOFLEX-S 5t | DAMPER |
| P/N: 803809, Type: ISOFLEX-S 5t | BASE PLATE |
| P/N: 803791, Type: STABIFLEX-SK 5t | |
| P/N: 803792, Type: STABIFLEX-SK 5t X | |
| P/N: 799330, Type: DS5A 10t (5t dynamic load) | DOUBLE BEAM LOAD CELL FOR ON-BOARD WEIGHING |
| P/N: 799300, Type: ZFA 25 KG | TENSION/COMPRESSION LOAD CELLS AND ACCESSORIES |
| P/N: 799301, Type: ZFA 50 KG | TENSION/COMPRESSION LOAD CELL AND ACCESSORIES |
| P/N: 799303, Type: ZFA 200 KG | TENSION/COMPRESSION LOAD CELLS AND ACCESSORIES |
| P/N: 799304 | |
| P/N: 799305, Type: ZFA 1T | LOAD CELL |
| P/N: 799306, Type: ZFA 2,5T | load cell |
| P/N: 799307, Type: ZFA 5T | Load cell |
| P/N: 803002 | 1 EACH ROD END BALL JOINT M8 x 1,25 (25...50 kg) |
| P/N: 803005 | EACH ROD END BALL JOINT |
| P/N: 803010 | BALL JOINT |
| ZA30X 0.5t C3 CH 10e / 430612 | LOAD CELL |
| 430613, ZA30X 1t C3 CH 10e | LOAD CELL |
| P/N: 430617, Load cell ZA30X 5t C3 CH 10e | LOAD CELL |
| P/N: 430616, Type: ZA30X 7.5t C3 CH 10e | LOAD CELL |
| P/N: 803006 | BALL JOINT |
| P/N: 803007 | 1 EACH ROD END BALL JOINT M24 x 2 (5000 kg) |
| P/N: 803008 | 1 EACH ROD END BALL JOINT M30 x 2 (7500 kg) |
| P/N: 720542, Type: MTRD-50 KN | LOAD CELL |
| P/N: 720575, Type: MTRD-100 KN | LOAD CELL |

| Product | Description |
|--|---------------------------------|
| P/N: 720601, Type: MTRD-200 KN | LOAD CELL |
| P/N: 720602, Type: MTRD-300 KN | LOAD CELL |
| P/N: 720539, Type: MTRD-500 KN | LOAD CELL |
| P/N: 720582, Type: M16-5KN | LOAD CELL |
| P/N: 720562, Type: M16-10KN | LOAD CELL |
| P/N: 720568, Type: M16-20KN | LOAD CELL |
| 720563 | |
| P/N: 720537, Type: M16-50KN | LOAD CELL |
| P/N: 720561, Type: M16-100KN | LOAD CELL |
| P/N: 720536, Type: M16-200KN | LOAD CELL |
| P/N: 720645, Type: M16-400KN | LOAD CELL |
| P/N: 720669, Type: M16-600KN | LOAD CELL |
| P/N: 720599, Type: M16-800KN | LOAD CELL |
| P/N: 720600, Type: M16-1000KN | LOAD CELL |
| P/N: 430513, Type: RF10X 5t | LOAD CELL |
| P/N: 430514, Type: RF10X 7.5t | LOAD CELL |
| P/N: 430515, Type: RF10X 10t | LOAD CELL |
| P/N: 430595, Type: R10X 1t | LOAD CELL |
| R10X 2t5 TR | LOAD CELL |
| P/N: 430597, Type: R10X 5t | LOAD CELL |
| P/N: 430598, Type: R10X 10t | LOAD CELL |
| P/N: 430584, Type: R10X 15t | LOAD CELL |
| P/N: 430585, Type: R10X 30t | LOAD CELL |
| P/N: 430594, Type: R10X 50t S-SIZE | LOAD CELL |
| P/N: 632228, Type: R10X 50t | LOAD CELL |
| P/N: 632229, Type: R10X 100t | LOAD CELL |
| P/N: 632272 | BASE PLATE FOR R10X 1-15t |
| P/N: 632263 | UPPER PLATE R10X 1-15t |
| P/N: 632271 | UPPER PLATE R10X 1-15t TYPE CAP |
| P/N: 632264 | UPPER PLATE R10X 30t |
| P/N: 720679 | UPPER PLATE R10X 50t S-size |
| P/N: 632265 | UPPER PLATE R10X 50-100t |
| SILOKIT-RX 250 kg-15t | Compression kit |
| P/N: 803826 | SILOSAFE-R 15t |
| P/N: 803827 | SILOSAFE-R 50t S-SIZE |
| P/N: 803828 | SILOSAFE-R 100t |
| P/N: 803829 | SILOSAFE-RX 15t |
| P/N: 803830 | SILOSAFE-RX 50t S-SIZE |
| P/N: 632250 Type: RH10X 100t | LOAD CELL |
| P/N: 632251, Type: RH10X 200t | Load cell |
| P/N: 632252, Type: RH10X 300t | LOAD CELL |
| P/N: 632253 Type: RH10X 500t | LOAD CELL |
| P/N: 632524, Type: RH10X 750t | LOAD CELL |

| Product | Description |
|--|---|
| P/N: 632266, Type: RH10X 1000t | LOAD CELL |
| P/N: 632260 | UPPER PLATE RH10X 100-200t |
| P/N: 632261 | UPPER PLATE RH10X 300t |
| P/N: 632262 | UPPER PLATE RH10X 500-750t |
| P/N: 421523, Type: CB50X5t C4 CH 10e | LOAD CELL |
| P/N: 421527, Type: CB50X10t C4 CH 10e | Weight sensor |
| P/N: 421535, Type: CB50X30t C4 CH 10e | Load cell |
| Load cell CB50X40t C4 CH 10e | |
| P/N: 421543, Type: CB50X60t C4 CH 10e | LOAD CELL |
| P/N: 421570, Type: CB50X5t C4 CH 10e GDT AR | LOAD CELL |
| P/N: 421572, Type: CB50X10t C4 CH 10e GDT AR | LOAD CELL |
| P/N: 421574, Type: CB50X20t C4 CH 10e GDT AR | LOAD CELL |
| 421576 | LOAD CELL |
| P/N: 421578, Type: CB50X40t C4 CH 10e GDT AR | LOAD CELL |
| P/N: 421580, Type: CB50X60t C4 CH 10e GDT AR | LOAD CELL |
| P/N: 421557, Type: CB50X-DL 20t C4 CH 10e AR | LOAD CELL |
| P/N: 421559, Type: CB50X-DL 30t C4 CH 10e AR | LOAD CELL |
| P/N: 421561, Type: CB50X-DL 40t C4 CH 10e AR | LOAD CELL |
| P/N: 421563, Type: CB50X-DL 60t C4 CH 10e AR | LOAD CELL |
| P/N: 803811 | KIT LPC FOR CB50X (2 cups only, zinc plated) |
| P/N: 803816 | KIT LPM |
| P/N: 803817 | KIT LPM-X |
| P/N: 803813 | KIT LPS |
| P/N: 803819 | KIT LPSH |
| P/N: 803799 | DUMMY LOAD CELL |
| P/N: 803810 | SPIRIT LEVEL FOR CB50X BEST VERTICAL ALIGNEMENT |
| P/N: 803770, Type: STABICAN 30t | |
| P/N: 803771, Type: STABICAN 30t X | |
| P/N: 803772, Type: STABICAN 60t | |
| W-CA40X100t P3 CH 5e V2 | LOAD CELL |
| W-CA40X200t P3 CH 5e V2 | LOAD CELL |
| P/N: 803831 | |
| P/N: 803795, Type: STABICAN 200t | |
| P/N: 803796 | LOAD CELL |
| P/N: 825806, Type: LG150 10 MM2 | EARTHING BRAID |
| P/N: 825805, Type: LG300 25 MM2 | EARTHING BRAID |
| P/N: 825802, Type: LG440 35 MM2 | EARTHING BRAID |
| 850272 | |
| P/N: 850273 | ATEX 94/9/CE OPTIONS FOR SCAIME LOAD CELLS |
| P/N: 850274 | ATEX 94/9/CE OPTIONS FOR SCAIME LOAD CELLS |
| P/N: 803046, Type: ALCJB-D4 RAIL DIN | BOARD |

| Product | Description |
|--|---|
| P/N: 803038, Type: ALCJB1 | JUNCTION BOX |
| 803040 / ALCJB-A4 | Junction box |
| P/N: 803042, Type: ALCJB-A6 | JUNCTION BOX |
| P/N: 803043, Type: ALCJB-A8 | JUNCTION BOX |
| P/N: 803044, Type: ALCJB-A8 GDT | JUNCTION BOX |
| P/N: 803041, Type: ALCJB-X4 (stainless steel version) | JUNCTION BOX |
| P/N: 803049, Type: ALCJB1 | JUNCTION BOX |
| ALCJB A4 (803050) | JUNCTION BOX |
| P/N: 803052, Type: ALCJB-A6 | JUNCTION BOX |
| P/N: 803053, Type: ALCJB-A8 | JUNCTION BOX |
| P/N: 803051, Type: ALCJB-X4 (stainless steel version) | JUNCTION BOX |
| 850262 | ALCJB ATEX 2014/34/EU AND IECEx IS TEST |
| P/N: 850275 | ATEX OPTIONS FOR ALCJB JUNCTION BOXES |
| P/N: 850277 | ATEX OPTIONS FOR ALCJB JUNCTION BOXES |
| 803045 - Junction box DLCJB A8 | JUNCTION BOX |
| P/N: 530501 | ZENER BARRIERS KIT |
| P/N: 530503 | ZENER BARRIERS KIT |
| P/N: 530504 | ZENER BARRIERS KIT |
| P/N: 530500 | DIN RAIL MOUNTING KIT FOR SYSTEX |
| P/N: 850271 | SYSTEX ATEX SYSTEM CERTIFICATE |
| P/N: 530111, Type: CPJ BOARD | ANALOG CONVERTERS FOR LOAD CELLS |
| P/N: 530115 Type: CPJ-2S RAIL DIN | Analog signal conditioner |
| P/N: 850310, Type: OPT. POTENTIOMETRIC INPUT FOR CPJ | ANALOG CONVERTERS FOR LOAD CELLS |
| P/N: 850311, Type: OPT. SPECIFIC ANALOG FILTER FOR CPJ | ANALOG CONVERTERS FOR LOAD CELLS |
| P/N: 850312, Type: OPT. 12VDC POWER SUPPLY FOR CPJ | ANALOG CONVERTERS FOR LOAD CELLS |
| P/N: 530114, Type: OPT. 2 SET POINTS FOR CPJ BOARD/RAIL DIN | ANALOG CONVERTERS FOR LOAD CELLS |
| P/N: 640151, Type: DSP10-24 RAIL DIN POWER SUPPLY (110/220VAC, 24VCC, 10W) | ANALOG CONVERTERS FOR LOAD CELLS |
| P/N: 530141, Type: ENOD1-T | EVALUATION KIT |
| P/N: 530140, Type: ENOD3-T ALUBOX | DIGITAL TRANSMITTER |
| P/N: 530142, Type: ENOD3-T JB4 | DIGITAL TRANSMITTER |
| P/N: 530143, Type: ENOD3-T | EVALUATION KIT |
| P/N: 530120, Type: ENOD3-C CARD | DIGITAL TRANSMITTERS |
| 530124 / ENOD3-C DIN | DIGITAL TRANSMITTER |
| P/N: 530135, Type: ENOD3-C ALUBOX (cert. OIML R76 6000d) | DIGITAL TRANSMITTERS |
| P/N: 530122, Type: ENOD3-C JB4 | DIGITAL TRANSMITTERS |
| P/N: 530129, Type: ENOD3-C | EVALUATION KIT |
| P/N: 530130, Type: ENOD3-D CARD | DIGITAL TRANSMITTERS |
| P/N: 530131, Type: ENOD3-D DIN | Digital signal conditioner |
| P/N: 530132, Type: ENOD3-D ALUBOX (cert. OIML R76 6000d) | DIGITAL TRANSMITTERS |
| P/N: 530133, Type: ENOD3-D JB4 | DIGITAL TRANSMITTERS |
| P/N: 530134, Type: ENOD3-D | EVALUATION KIT |
| P/N: 530128 | ENODVIEW SOFTWARE AND USER MANUAL ON CD-ROM |

| Product | Description |
|--|---|
| P/N: 640095, Type: RS232/USB CONVERTER | |
| P/N: 530144, Type: ENOD4-T DIN | DIGITAL TRANSMITTER |
| P/N: 530145, Type: eNod4-T PRO DIN PROFIBUS-DP | DIGITAL TRANSMITTER |
| P/N: 530160, Type: ENOD4-T ETH DIN ETHERNET/IP | DIGITAL TRANSMITTER |
| P/N: 530161, Type: ENOD4-T ETH DIN MODBUS-TCP | DIGITAL TRANSMITTER |
| P/N: 530162, Type: ENOD4-T ETH DIN PROFINET | DIGITAL TRANSMITTER |
| P/N: 530147, Type: ENOD4-C DIN | DIGITAL CONTROLLER |
| P/N: 530148, Type: ENOD4-C PRO DIN PROFIBUS-DP | DIGITAL CONTROLLER |
| P/N: 530152, Type: ENOD4-D DIN | DIGITAL CONTROLLER |
| P/N: 530153, Type: ENOD4-D PRO DIN PROFIBUS-DP | DIGITAL CONTROLLER |
| P/N: 850314 | OPTIONAL 0-10V INPUT FOR ENOD4 |
| P/N: 850315 | OPTIONAL 4-20MA INPUT FOR ENOD4 |
| P/N: 530146 | ACCESSORIES KIT |
| P/N: 632150 | 3"4 ENODTOUCH HMI FOR ENOD4 |
| P/N: 530170 Type: PME SWT 0100 | |
| P/N: 632160 | 3"4 ENODTOUCH HMI FOR PMESWT |
| P/N: 632071 | SCALE INDICATOR IPC20 STD |
| P/N: 632072 | SCALE INDICATOR IPC20 IND |
| P/N: 632103 | TIME/DATE OPTION FOR IPC50/IPE50 |
| P/N: 632104 | DSD+TIME/DATE OPTION FOR IPC50/IPE50 |
| P/N: 632020 | INDICATOR |
| P/N: 632021 | DSD+TIME/DATE OPTION FOR IPC50/IPE50 |
| P/N: 632022 | INDICATOR IPE 50 PANEL 2S PROFIBUS |
| P/N: 632024 | INDICATOR IPE 50 PANEL 2S ANA |
| P/N: 632100 | INTERNAL POWER SUPPLY FOR IPE 50 (220VAC/12VCC) |
| P/N: 632113 | PANEL PRINTER TP200 |
| P/N: 632115 | SET OF 50 PAPER ROLLS FOR TP200 |
| P/N: 632010 | DSD+TIME/DATE OPTION FOR IPC50/IPE50 |
| P/N: 632011 | TIME/DATE OPTION FOR IPC50/IPE50 |
| P/N: 632012 | INDICATOR IPE 50 DIN 2S ANA |
| P/N: 632060 | INDICATOR IPC 50 V2 PLBOX |
| P/N: 632061 | INDICATOR IPC 50 V2 SSBOX |
| P/N: 632105 | 2I/2O OPTION BOARD FOR IPC 50 |
| P/N: 632062 | ANALOG OUTPUT FOR IPC50 (0-10V or 4-20mA) |
| P/N: 632109 | RS485 OPTION BOARD FOR IPC 50 |
| P/N: 632063 | IR REMOTE CONTROL FOR IPC50/IPE50XLR |
| P/N: 632102 | FIXED WALL MOUNT FOR IPC50/IPE50XLR |
| P/N: 632121 | ADJUSTABLE WALL MOUNT FOR IPC50/IPE50XLR |
| P/N: 632065, Type: IPE100 | DIGITAL & ANALOG INDICATOR FOR WEIGHBRIDGES |
| P/N: 632120, Type: IPE50 XLR 2S | REPEATER |
| P/N: 632122, Type: IPE50 XLI 2S | INDICATOR |

| Product | Description |
|--|--|
| P/N: 640200, Type: IPM25 | WEIGHT INDICATOR |
| P/N: 640210 | LEATHER PROTECTIVE COVER |
| P/N: 870009, Type: VPH-3Z 5t | HELICOPTER WEIGHING CASE |
| P/N: 850088 | CALIBRATION OF 3 MEASUREMENT CHAINS FOR VPH-3Z |
| P/N: 440512, Type: BE 3 SCP | LOAD CELL |
| P/N: 400493, Type: ACJ6/2-15/5 | LOAD CELL |
| P/N: 400747, Type: AG1 C1.5 NH 3e U 3m | LOAD CELL |
| W-AG2,5 C2 NH 3e U | LOAD CELL |
| P/N: 400726, Type: AG10 C3 SH 5e F | LOAD CELL |
| P/N: 400656, Type: AG15 C3 SH 5e F | LOAD CELL |
| P/N: 400736, Type: AG20 C3 SH 5e F | LOAD CELL |
| P/N: 400666, Type: AG30 C3 SH 5e F | LOAD CELL |
| P/N: 400676, Type: AG50 C3 SH 5e F | LOAD CELL |
| P/N: 400686, Type: AG75 C3 SH 5e F | LOAD CELL |
| P/N: 400696, Type: AG100 C3 SH 5e F | LOAD CELL |
| P/N: 400711, Type: AG5 C3 SH 5e U | LOAD CELL |
| P/N: 400721, Type: AG10 C3 SH 5e U | LOAD CELL |
| P/N: 400651, Type: AG15 C3 SH 5e U | Load cell |
| 400731 | LOAD CELL |
| P/N: 400671, Type: AG50 C3 SH 5e U | LOAD CELL |
| P/N: 400681, Type: AG75 C3 SH 5e U | LOAD CELL |
| P/N: 400691, Type: AG100 C3 SH 5e U | LOAD CELL |
| P/N: 804000 | SET OF 4 SCREWS CHC 1/4" 20 UNC |
| P/N: 403101, Type: AH50 C3 SH 5e | LOAD CELL |
| P/N: 403108, Type: AH75 C3 SH 5e | LOAD CELL |
| P/N: 403104, Type: AH200 C3 SH 5e | LOAD CELL |
| P/N: 400770, Type: AJ15 | LOAD CELL |
| P/N: 400836, Type: AB50 C3 SH 5e F | LOAD CELL |
| P/N: 400837, Type: AB75 C3 SH 5e F | LOAD CELL |
| P/N: 400838, Type: AB100 C3 SH 5e F | LOAD CELL |
| P/N: 400839, Type: AB150 C3 SH 5e F | LOAD CELL |
| P/N: 400840, Type: AB200 C3 SH 5e F | LOAD CELL |
| P/N: 400841, Type: AB250 C3 SH 5e F | LOAD CELL |
| P/N: 400842, Type: AB300 C3 SH 5e F | LOAD CELL |
| P/N: 400843, Type: AB500 C3 SH 5e F | LOAD CELL |
| P/N: 400844, Type: AB50 C3 SH 10e F | Load cell |
| P/N: 400845, Type: AB75 C3 SH 10e F | LOAD CELL |
| P/N: 400846, Type: AB100 C3 SH 10e F | Load cell |
| P/N: 400847, Type: AB150 C3 SH 10e F | LOAD CELL |
| P/N: 401014, Type: AB200 C3 SH 10e F | LOAD CELL |
| P/N: 400849, Type: AB250 C3 SH 10e F | LOAD CELL |
| P/N: 400850, Type: AB300 C3 SH 10e F | LOAD CELL |
| P/N: 400851, Type: AB500 C3 SH 10e F | LOAD CELL |

| Product | Description |
|--|---|
| P/N: 803745, Type: AL3 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803746, Type: AL5 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803747, Type: AL7 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803748, Type: AL10 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803749, Type: AL15 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803751, Type: AL30 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803759, Type: AG5 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803760, Type: AG10 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803761, Type: AG15 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803762, Type: AG20 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803763, Type: AG30 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803776, Type: AG50 C3 SH 5e SPCL | LOAD CELL |
| P/N: 803744 | 240" ADAPTOR FOR AG |
| P/N: 803769 | STAINLESS STEEL COVER FOR SPEEDCELL |
| P/N: 400430, Type: LFE50 | LOAD CELL |
| W-F15X5 C1,5 3e3/ 114475 | Load cell |
| P/N: 402400, Type: F30X10 C3 CH 5e | Load Cell |
| P/N: 402410, Type: F30X20 C3 CH 5e | LOAD CELL |
| P/N: 402420, Type: F30X50 C3 CH 5e | LOAD CELL |
| P/N: 402430, Type: F30X100 C3 CH 5e | LOAD CELL |
| P/N: 402440, Type: F30X200 C3 CH 5e | LOAD CELL |
| P/N: 402503, Type: F60X0,5t C3 CH 5e | LOAD CELL |
| P/N: 402516, Type: F60X0,5t C3 CH 10e | LOAD CELL |
| P/N: 402504, Type: F60X1t C3 CH 5e | LOAD CELL |
| P/N: 402517, Type: F60X1t C3 CH 10e | Load cell |
| P/N: 402505, Type: F60X2t C3 CH 5e | LOAD CELL |
| P/N: 402518, Type: F60X2t C3 CH 10e | Weight sensor |
| P/N: 803437, Type: LFC 2t | LOAD FOOT |
| P/N: 803784, Type: STABIFLEX-F 2t | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 803785, Type: STABIFLEX-F 2t X | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 402506, Type: F60X5t C3 5e | LOAD CELL |
| P/N: 803786, Type: STABIFLEX-F 5t | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 803787, Type: STABIFLEX-F 5t X | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 430290, Type: S30X300 C3 CH 6e | LOAD CEL |
| P/N: 430220, Type: S30X600 C3 CH 6e | LOAD CELL |
| P/N: 430230, Type: S30X1200 C3 CH 6e | load cell |
| P/N: 430240, Type: S30X2500 C3 CH 6e | LOAD CEL |
| P/N: 430401, Type: SB30X500 C3 CH 10e (tapped hole) | LOAD CELL |
| P/N: 430411, Type: SB30X750 C3 CH 10e (tapped hole) | LOAD CELL |
| P/N: 430421, Type: SB30X1200 C3 CH 10e (tapped hole) | |

| Product | Description |
|--|--------------------------------------|
| P/N: 430431, Type: SB30X2000 C3 CH 10e (tapped hole) | LOAD CELL |
| P/N: 803805, Type: ISOFLEX/SB30X ADAPTOR | ADAPTOR |
| P/N: 430300, Type: SD25X0.5t C2.5 SH 5e | LOAD CELL |
| P/N: 430310, Type: SD25X1t C2.5 SH 5e | LOAD CELL |
| P/N: 430320, Type: SD25X2t C2.5 SH 5e | LOAD CELL |
| P/N: 430330, Type: SD25X4t C2.5 SH 5e | LOAD CELL |
| P/N: 430340, Type: SD25X6t C2.5 SH 5e | LOAD CELL |
| P/N: 430305, Type: SD25X0.5t C2.5 SH 5e BT (with rod ends) | LOAD CELL |
| P/N: 430315, Type: SD25X1t C2.5 SH 5e BT (with rod ends) | LOAD CELL |
| P/N: 430325, Type: SD25X2t C2.5 SH 5e BT (with rod ends) | LOAD CELL |
| P/N: 430335, Type: SD25X4t C2.5 SH 5e BT (with rod ends) | LOAD CELL |
| P/N: 430345, Type: SD25X6t C2.5 SH 5e BT (with rod ends) | LOAD CELL |
| P/N: 421361, Type: C50ANX10t C3 CH 5e | LOAD CELL |
| 421371 / C50ANX25t C3 CH 5e | LOAD CELL |
| P/N: 421364, Type: C50X20t C3 CH 10e | LOAD CELL |
| P/N: 203317 | TOP PLATE FOR C50 10...25t |
| P/N: 805003 | CENTERING CLAMP FOR C50 |
| P/N: 100297, Type: C50ANX50t C3 CH 5e | loadcell |
| P/N: 203318 | TOP PLATE FOR C50 50t |
| P/N: 421453, Type: CA40X5t C3 CH 10e | LOAD CELL |
| P/N: 421458, Type: CA40X10t C3 CH 10e | LOAD CELL |
| P/N: 421463, Type: CA40X20t C3 CH 10e | LOAD CELL |
| P/N: 421473, Type: CA40X40t C3 CH 10e | LOAD CELL |
| P/N: 421478, Type: CA40X60t C3 CH 10e | LOAD CELL |
| P/N: 803790 | STEEL PLATES KIT FOR CA40X 5-60t |
| P/N: 803780 | STAINLESS STEEL PLATES KIT FOR CA40X |
| P/N: 803775 | DUMMY LOAD CELL CA40X 5...60t |
| P/N: 205255, Type: ALCJB-A4 | SPARE PARTS FOR JUNCTION BOXES |
| P/N: 205256, Type: ALCJB-A6 | SPARE PARTS FOR JUNCTION BOXES |
| P/N: 205257, Type: ALCJB-A8 | SPARE PARTS FOR JUNCTION BOXES |
| P/N: 205259, Type: DLCJB-A8 | SPARE PARTS FOR JUNCTION BOXES |
| W-F60X10 C3 CH 10e 6-W | |
| P/N: 402482 Type: F60X10 C3 CH 10e TR | LOAD CELL |
| P/N: 430463 Type: SK30X 1000 C3 CH 10e TR | Load Cell |
| P/N: 440500 Type: BE 1 | LOAD CELL |
| P/N: 803759 Type: AG5 C3 SH 5e F SPCL | |
| P/N: 803760 Type: AG10 C3 SH 5e F SPCL | |
| P/N: 803761 Type: AG15 C3 SH 5e F SPCL | |
| P/N: 803762 Type: AG20 C3 SH 5e F SPCL | |
| P/N: 803763 Type: AG30 C3 SH 5e F SPCL | |
| P/N: 803776 Type: AG50 C3 SH 5e F SPCL | |
| P/N: 803744 Type: 803744 | |
| P/N: 803769 Type: 803744 | |

| Product | Description |
|--|--|
| P/N: 799303 Type: ZFA | Load cell |
| D-DR2112/M320-G21 | SENSOR |
| P/N: 400755 Type: AG10 C3 SH 10e F | LOAD CELL |
| 966/Gr62 | Kupplung |
| F60X20 C6 CH 10e TR | |
| P/N: 403103 Type: AH100 C3 SH 5e | LOAD CELL |
| P/N: 403031 Type: AXL15 C3 SH 15e | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |
| 402507 / F60X5 C1.5 CH 3e3 TR | load cell |
| W-F60X1t C3 CH 10e | |
| PT5A-125-S47-UP-10K-M6 | Displacement/Position Cable Sensor |
| P/N: 400757 Type: AG20 C3 SH 10e F TR | Loadcell |
| P/N: 430597 | LOAD CELL |
| P/N: 430598 | LOAD CELL |
| P/N: 632212 | Compression kit |
| P/N: 403100 Type: AH30 C3 SH 6e | LOAD CELL |
| P/N: 403034 Type: AXL50 C3 SH 10e | STAINLESS STEEL IP68 SINGLE POINT LOAD CELLS |
| F60X20 C3 CH 10e TR | Load cell |
| 530145 | |
| P/N: 403105 Type: Load cell AH50 C3 SH 10e | LOAD CELL |
| P/N: 530152 | Digital signal conditioner eNod4-D DIN |
| F60X5t C3 CH 10e | Load cell |
| 799302 | |
| PT1MA-15-FR-420E-M6 (790383) | Displacement sensor |
| AQ35 C3 SH 10e | |
| E-eNod3-D | |
| Art. 402568, F60X 20 C3 10e 6-W TR | |
| 403032 AXL20 C3 CH 10e | Loadcell |
| P/N: 402519 Type: F60X5t C3 10e | LOAD CELL |
| W-ZFA 50kg | load cell |
| 402568 | Load cell |
| 530113 | Analog signal conditioner CPJ BOITIER |
| SK30X 500 C3 CH 10e TR | |
| CPJ | |
| 530112 | |
| SK30X 5t C3 CH 10e TR | |
| W-F60X5t C3 CH 10e | load cell |
| W-AG30 C3 SH 10e F (101077) | LOAD CELL |
| W-AG50 C3 SH 10e F | LOAD CELL |
| SK30 X | |
| AB75 C3 SH 10e F | |
| 540021 | |
| 403013 Type AK30 C3 CH 12e | CAPTEUR |

| Product | Description |
|---|---|
| 400923 Type AHN250 C4 SH 10e TR | LOAD CELL |
| W-F60X500 C3 CH 10e 6-W | Load cell |
| 402492 / F60X200 C3 CH 10e TR | LOAD CELL |
| W-AXL50 C3 SH 10e | Loadcell |
| D-DR2/M310-G21 | |
| 2mV/V | Option special nominal signal |
| CPJ RAIL DIN / 530112 | Analog measurement amplifier |
| W-AG20 C3 SH 10e F | Load Cell |
| P/N: 402482 Type: F60X100 C3 CH 10e | Load Cell |
| AH50 C3 SH 10e TR / 400920 | Load cell |
| 401019 | load cell |
| 803776 (ALCJB-A4) | |
| AQ15 C3 SH 10e TR | Load cell |
| 430628 | |
| 803868 | |
| p/n 540021, Typ eNod4-T-DI00-000-SP | Digital signal conditioner |
| F60X50 C3 CH 10e ; N°S 526602 | LOAD CELL |
| 400914 | Load cell |
| P/N: 401016, Type: AQ5 C3 SH 10e | LOAD CELL |
| P/N: 402515, Type: F60X500 C3 CH 10e TR | load cell |
| 402518 | |
| P/N: 421523 Type CB50X5T | |
| P/N: 421543 Type: CB50X60T | |
| P/N: 430464 Type: SK30X 2000 | |
| P/N: 402462 Type: F60X20 | |
| P/N: 402452 Type: F60X10 | |
| P/N: 402482 Type: F60X100 | |
| 402517 | |
| P/N: 402462 Type: F60X20 C3 CH 10e TR | BENDING BEAM LOAD CELLS AND ACCESSORIES |
| P/N: 530112, Type: CPJ RAIL DIN | Analog measurement amplifier |
| 402514 | Load cell F60X300 C3 CH 10e TR |
| 400922 / AH200 C3 SH 10e TR | Load cell |
| 402472 / F60X50 C3 CH 10e TR | LOAD CELL |
| 402480 / F60X100 C6 CH 10e TR | LOAD CELL |
| 803055 | circuit board |
| W-F60X100 C3 CH 10e | |
| 402570 | |
| 430627 | Load cell |
| 632210 | |
| PT8420-0020-121-1110 | Displacement sensor |
| PTSA1-50-I2-L15-M12 | Displacement sensor |
| P/N: 421531, Type: CB50X20t C4 CH 10e | load cell |
| P/N: 402514, Type: F60X300 C3 CH 10e TR | load cell |

| Product | Description |
|--|---------------------------------------|
| 632021 / IPE 50 DIN 2S ANA | WEIGHT TRANSMITTER FOR SACK LOAD CELL |
| PTSA1-381-I2-L25-M12-IP67 | Displacement sensor |
| RUBBERKIT-F 200 X COMPLETE KIT | |
| 401018 / AQ15 C3 SH 10e TR | load cell |
| eNod4-T-DI00-000-EI | |
| 400850 / AB300 C3 SH 10e F | load cell |
| 400711 | LOADCELL |
| P/N: 430629 Type: R10X 5t TR | load cell |
| 430461 / SK30X 300 C3 CH 12e TR | load cell |
| P/N: 803891 Type: KIT SET ROD END BALL JOINT M18x1,5 | |
| W-C50ANX25T C3 CH 5e | load cell |
| P/N: 403032, Type: AXL20 C3 CH 10e | Loadcell |
| PTSA3 2000 I2 L15 M12 BR IP67 | |
| 106715 W-ZFA 200 kg | load cell |
| AG5 C3 SH 5e F TR | Load cell |
| F60X2t C3 CH 10e (500kg) | |
| 430629 | Load cell |
| 430632 | load cell |
| 430630 | load cell |
| 402452 | Load cell |
| P/N:107810 Type:E-IPE 50 PANEL 2S ANA | indicator |
| eNod4-T- DI00-000-EP | digital signal conditioner |
| eNod4- T-DI00-000-EP / 540101 | Digital signal conditioner |
| ALCJB X4 | Junction box |
| RS232/USB | converters |
| PTSA1-127-L25-M12 | cable - sensor |
| E-CPJ | |
| 430421 / SB30X1200 C3 CH 10e | |
| E-ALCJB-1 ATEX/IECEX | |
| 400981 | Load cell |
| AK30 C3 CH 12e / 403013 | Loadcell |
| W-AK30 C3 CH 12e | |
| D-DR2212/M250-G21 | torque sensor |
| Nr. 1075 Type 969 | coupling |
| W-AB50 C3 SH 10e F | |
| F15X5 C1.5 3e3 TR | Load cell |
| Load cell AG18 C6 SH 18e TR | load cell |
| W-R10X2,5t | load cell |
| eNod4-B-DI00-AB0-EI | Digital signal conditioner |
| Art.-Nr. 112602 AXL20 C3 SH 10e (Scaime no. 403032) | load cell |
| SB30X2000 C3 CH 10e | load cell |
| 402526 | Weighing sensor |
| 402480 | Weighing sensor |

| Product | Description |
|---|---|
| 400915 | Weighing sensor |
| AH200 C3 SH 10e TR | Load cell |
| 400381 | |
| 421539 | |
| AXL50 C3 CH 10e / 403034 | Load cell |
| W-F60X100 C3 CH 10e 6-W | |
| E-eNod3-T DIN (530137) | Weighing and Measurement Transmitter |
| W-F60X20 C6 CH 10e | load cell |
| W-F60X300 C6 CH 10e 6-W | |
| W-F60X100 C6 CH 10e 6-W | |
| W-AK120 C3 CH 12e | |
| AG5 C4 SH 5e F | sensor |
| 400917 | |
| AG5 C3 SH 5e F | |
| 400918 | |
| 540003 | |
| 720562 | |
| 720561 | |
| 402591 | |
| W-F60X/SB30X/SK30X LFC 2t | |
| 720563 / M16-40kN | Weighing/Force Sensor |
| W-AVX75 C3 CH 15e | |
| E-eNod4-T-DI00-000-EI | |
| PTSA1-500-I2-L15-M12-IP67-IN | cable displacement sensor |
| PTSA1-1000-I2-L15-M12-IP67-IN | cable displacement sensor |
| K-K1563/N310-G215 | sensor |
| 100218 | control signal |
| 402519 | |
| AG50 C3 SH 10e SPCL | |
| SK30A 5T C3 SH 10e TR | |
| Load cell F60X50 C3 CH 10e TR | LOAD CELL |
| 430612 | Specific load cell |
| W-AG15 C3 SH 10e F | |
| 111500 - W-AG30 C3 SH 5e U | |
| ZA30X 2t C3 CH 10e | Load cell |
| W-ZFA 500kg | load cell |
| 530115 CPJ-2S RAIL DIN | Analog conditioner - Strain gages input |
| 540081 | |
| WP02000 | Loadcell |
| WP05000 | Loadcell |
| RH10X 100T-DP | Load cell, |
| DR2112-20NM | Sensor |
| Coupling type 966 size 62 | |

| Product | Description |
|--|--------------------------------|
| Option Marking | |
| Druckstück für Wägezelle RH10X | pressure piece |
| R10X 30t TR | load cell |
| SILOKIT-RX 30t | |
| W-R10X30t | |
| W-R10X Silokit-RX 30t | |
| eNod3 - D ALUBOX// 530132 | digital measurement transducer |
| W-SB30X2000 C3 CH 10e | |
| 540041 / eNod4-T-DI00-000-EI | |
| W-SB30X750 C3 CH 10e | |
| 540161 / eNod4-T-DI00-A00-EI | Digital measurement amplifier |
| W-ZA30X5t C3 CH 10e | |
| W-AAD-C-005-000-SC-11A-000 | |
| 430463 / SK30X 1000 C3 CH 10e TR | load cell |
| ZA30X1t C3 CH 10e | Load cell |
| AH200 C3 SH 10E | load cell |
| AR0.2 | load cell |