



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Aĝaoĝlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Serto

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

Product	Description
<a href="#">2X70955 / 018.2700.120 / SO 42721-12</a>	Brass M, angle bulkhead (5mm)
<a href="#">128.3000.060 / SO 23021-6</a>	PVDF, T-Verschraubung
<a href="#">168.2600.060 / SO 32621-6-A6</a>	Adjustable elbow fitting
<a href="#">P/N: 056.0031.140 Type: SO 50003-8-6</a>	056.0031.140, stainless steel (1.4404), support sleeve
<a href="#">SO 51121-10-1/4 NPT (058.1102.270)</a>	screw-in fitting
<a href="#">SO 53021-10 / 058.3000.100</a>	Ring compression fitting
<a href="#">431.0405.000</a>	PTFE tube, natural
<a href="#">128.1000.100</a>	PVDF, straight fitting
<a href="#">018.1101.400 / SO 41121-12-1/2</a>	
<a href="#">168.1101.110</a>	PA, Gerade Einschraubverschraubung
<a href="#">128.1102.100</a>	PVDF, Gerade Einschraubverschraubung
<a href="#">128.2402.100</a>	PVDF, Winkel-Einschraubverschraubung
<a href="#">128.3701.100</a>	PVDF, T-Einschraubverschraubung
<a href="#">126.0010.060 / SO 20001-6</a>	PVDF, clamp ring
<a href="#">126.0100.060</a>	PVDF, Raendelmutter
<a href="#">128.1101.110</a>	PVDF, Gerade Einschraubverschraubung
<a href="#">128.3000.060</a>	PVDF, T-Verschraubung
<a href="#">166.0100.060</a>	PA, Raendelmutter
<a href="#">126.0010.080 / SO 20001-8</a>	PVDF, clamping ring
<a href="#">126.0010.100 / SO 20001-10</a>	Compression ferrule
<a href="#">128.1500.060 / SO 21521-6</a>	PVDF, straight bulkhead fitting
<a href="#">P/N: 128.2401.110 Type: SO 22421-6-1/4</a>	Elbow screw-in fitting
<a href="#">128.1101.110 / SO 21121-6-1/4</a>	screw-in fitting
<a href="#">P/N: 128.1161.110 Type: SO 21124-6-1/4</a>	Straight screw-in fitting
<a href="#">p/n: 128.1101.100; Type: SO 21121-6-1/8</a>	Straight screw connection
<a href="#">SO 40001-12 (016.0010.120)</a>	Klemmring
<a href="#">016.0014.110 / SO 40001-6-4</a>	Klemmring
<a href="#">016.0030.140 / SO 40003-8-6</a>	Klemmring
<a href="#">SO 40003-10-8 (016.0030.190)</a>	Stiffener sleeve
<a href="#">016.0030.030 / SO 40003-4-2</a>	support sleeve
<a href="#">016.0030.110 / SO 40003-6-4</a>	Stiffener sleeve
<a href="#">SO 40003-8-6 (016.0030.140)</a>	Stützhülse
<a href="#">016.0030.190 / SO 40003-10-8</a>	support sleeve
<a href="#">SO 40003-12-10 (016.0030.240)</a>	Stützhülse
<a href="#">SO 40003-18-16 (016.0030.620)</a>	Stützhülse

Product	Description
<a href="#">SO 40001-4 (016.0010.040)</a>	Klemmring
<a href="#">SO 40001-6* (016.0010.060)</a>	ferrule
<a href="#">SO 40001-8* (016.0010.080)</a>	Compression ferrule
<a href="#">SO 40001-10* (016.0010.100)</a>	ferrule
<a href="#">SO 40001-12 * Art.-Nr.: 016.0010.120</a>	Klemmring
<a href="#">SO 40001-18 (016.0010.180)</a>	Klemmring
<a href="#">SO 81121-15-1/2 (038.1101.534)</a>	
<a href="#">016.0030.020 / SO 40003-3-2</a>	Stiffener sleeve
<a href="#">SO 40003-3-2.4 (016.0030.024)</a>	Stiffener sleeve
<a href="#">128.1102.100 / SO 21121-6-1/8 NPT</a>	NPT straight screw-in fitting
<a href="#">p/n: 126.0010.060; Type: SO 20001-6</a>	ferrule
<a href="#">P/N: 126.0100.060, Type: SO20020-6</a>	Knurled connection nut
<a href="#">148.1010.060</a>	control valve
<a href="#">42625-18-A18</a>	elbow fitting
<a href="#">SO 41221-15-3/4</a>	
<a href="#">SO 40005-15-3/4 (1x20)</a>	
<a href="#">SO 41124-15-1/2 OR</a>	
<a href="#">SO 40002-15</a>	
<a href="#">SO 40020-15</a>	
<a href="#">068.1010.060</a>	Nadelventil
<a href="#">496.5100.166</a>	
<a href="#">078.1141.280</a>	
<a href="#">068.3010.100</a>	
<a href="#">451.1006.350.15</a>	
<a href="#">018.1101.110</a>	
<a href="#">018.1101.170</a>	
<a href="#">018.1101.180</a>	
<a href="#">018.1101.280</a>	
<a href="#">018.1101.390</a>	
<a href="#">018.1101.400</a>	
<a href="#">016.0010.060</a>	
<a href="#">016.0010.080</a>	
<a href="#">016.0010.100</a>	
<a href="#">016.0010.120</a>	
<a href="#">016.0210.060</a>	
<a href="#">016.0210.080</a>	
<a href="#">016.0210.100</a>	
<a href="#">016.0210.120 / SO 40021-12</a>	Nut connection
<a href="#">016.0030.110</a>	
<a href="#">016.0030.140</a>	
<a href="#">016.0030.190</a>	
<a href="#">016.0030.240</a>	
<a href="#">P/N: 028.1600.110 Type: SO NV 41A21EB-6-1/4</a>	regulator angle valve

Product	Description
<a href="#">P/N: 028.0500.100 Type: SO NV 41C21-10</a>	
<a href="#">P/N: 028.0500.120 Type: SO NV 41C21-12</a>	
<a href="#">P/N: 028.0000.100 Type: SO NV 41A21-10</a>	valves
<a href="#">P/N: 028.0000.120 Type: SO NV 41A21-12</a>	
<a href="#">P/N: 068.0020.100 Type: SO NV 51A21E-10</a>	
<a href="#">421.1300.105</a>	Polyamide tube (PA)
<a href="#">421.1555.103</a>	
<a href="#">036.0010.080</a>	
<a href="#">036.0010.150</a>	
<a href="#">036.0030.140</a>	
<a href="#">036.0030.430</a>	
<a href="#">036.0200.080</a>	
<a href="#">036.0200.150</a>	
<a href="#">038.1101.170</a>	
<a href="#">038.1171.170</a>	
<a href="#">038.1020.080</a>	
<a href="#">246.0200.170</a>	Anschlussmutter
<a href="#">246.0010.080</a>	Klemmring
<a href="#">P/N: 128.1101.280, Type: SO 21121-10-3/8</a>	Straight screw-in fitting
<a href="#">P/N: 258.7200.060 Type: SO NV 01C21-6</a>	
<a href="#">P/N: 258.7100.060 Type: SO NV 01A21-6</a>	
<a href="#">P/N: 068.0023.084 Type: SO NV 51A40E-5-1/4</a>	
<a href="#">P/N: 053.0301.100 Type: SO 50030-6-1/8</a>	
<a href="#">P/N: 056.0301.170 Type: SO 50030-8-1/4</a>	
<a href="#">P/N: 248.2401.060 Type: SO 02421-4-1/8</a>	
<a href="#">P/N: 016.0030.030 Type: SO 40003-4-2</a>	
<a href="#">P/N: 016.0030.110 Type: SO 40003-6-4</a>	
<a href="#">P/N: 016.0030.140 Type: SO 40003-8-6</a>	
<a href="#">P/N: 016.0030.190 Type: SO 40003-10-8</a>	
<a href="#">P/N: 016.0030.240 Type: SO 40003-12-10</a>	
<a href="#">P/N: 016.0030.620 Type: SO 40003-18-16</a>	
<a href="#">016.0010.040 / SO 40001-4</a>	
<a href="#">016.0010.060 / SO 40001-6</a>	ferrule
<a href="#">P/N: 016.0010.080 Type: SO 40001-8</a>	
<a href="#">016.0010.100 / SO 40001-10</a>	
<a href="#">P/N: 016.0010.120 Type: SO 40001-12</a>	
<a href="#">P/N: 016.0010.180 Type: SO 40001-18</a>	
<a href="#">128.2401.100 / SO 22421-6-1/8</a>	Elbow screw-in fitting
<a href="#">P/N: 058.1101.400, Type: SO 51121-12-1/2</a>	Male adaptor union
<a href="#">P/N: 058.3201.380, Type: SO 53221-12-1/4-12</a>	Tee union with female adaptor
<a href="#">P/N: 058.1020.120, Type: SO 51021-12</a>	Straight union
<a href="#">P/N: 068.8000.120, Type: SO BV 58D21-12</a>	Ball valve
<a href="#">P/N: 058.2000.120, Type: SO 52021-12</a>	Elbow union

Product	Description
<a href="#">056.1601.390 / SO 51600-A12-3/8</a>	Adjustable male adaptor
<a href="#">P/N: 058.3201.390, Type: SO 53221-12-3/8-12</a>	Tee union with female adaptor
<a href="#">P/N: 058.2101.380, Type: SO 52121-12-1/4</a>	Elbow union with male adaptor
<a href="#">P/N: 058.3201.400, Type: SO 53221-12-1/2-12</a>	Tee union with female adaptor
<a href="#">P/N: 058.2600.120, Type: SO 52621-12-A12</a>	Adjustable elbow union
<a href="#">P/N: 058.2102.380, Type: SO 52121-12-1/4 NPT</a>	Elbow union with male adaptor NPT
<a href="#">P/N: 058.1101.380, Type: SO 51121-12-1/4</a>	Male adaptor union
<a href="#">SO 80002-6</a>	gudgeon
<a href="#">036.0210.060 / SO 80021-6</a>	Valve attachment
<a href="#">SO 81021-6</a>	Straight screw connection
<a href="#">SO 81121-6-1/8</a>	Straight screwed connection
<a href="#">SO 81121-6-1/4</a>	Straight screwed connection
<a href="#">SO 81221-6-1/8</a>	Straight screwed connection
<a href="#">SO 81221-6-1/4</a>	Straight screwed connection
<a href="#">SO 81600-A6-1/8</a>	adjustable nipple
<a href="#">SO 81600-A6-1/4</a>	adjustable nipple
<a href="#">SO 82021-6</a>	elbow
<a href="#">SO 82621-6-A6</a>	Setting angle
<a href="#">SO 83021-6</a>	T-fitting
<a href="#">SO 83621-6-A6-6</a>	Adjustable T-fitting
<a href="#">SO 83621-A6-6-6</a>	Adjustable L-fitting
<a href="#">SO 84021-6</a>	cross fitting
<a href="#">450.1006.200.15</a>	precision tubes
<a href="#">P/N: YBD.0H99.0040 Type: PDCP-4 (1/4)</a>	
<a href="#">P/N: YBD.0H53.2040 Type: S-PHN4-1/4 NPSi</a>	
<a href="#">P/N: S-PHN4-G1/4 i Type: YBD.0H53.1040</a>	
<a href="#">056.0031.240 / SO 50003-12-10</a>	Stiffener sleeve to reinforce tubes
<a href="#">P/N: 058.1024.755 Type: SO 51021-22-18</a>	Straight reduction union
<a href="#">P/N: 058.1800.580 Type: SO 51821-A18-12</a>	Reduced union
<a href="#">018.0520.154 / SO 40526-A8-8</a>	Hose nozzle pre-assembled
<a href="#">P/N: 018.0520.140 Type: SO 40526-A8-6</a>	Hose nozzle pre-assembled
<a href="#">P/N: 248.2101.160 Type: S002121-8-1/8</a>	
<a href="#">P/N: 038.2401.170 Type: S082421-8-1/4</a>	
<a href="#">P/N: 038.2401.160 Type: S082421-8-1/8</a>	
<a href="#">TAC.850.0000</a>	
<a href="#">SO 21124-8-3/8 OR (128.1171.180)</a>	Gerade Einschraubverschraubung
<a href="#">SO 21124-8-1/4 OR (128.1171.170)</a>	Gerade Einschraubverschraubung
<a href="#">148.1010.060 / SO NV 22A21-6</a>	Regulating valve
<a href="#">P/N: 028.0500.080 Type: SO NV 41C21-8</a>	
<a href="#">450.1006.300.15</a>	
<a href="#">P/N: 128.1161.120 Type: SO 21124-6-3/8</a>	
<a href="#">P/N: 128.1161.390 Type: SO 21124-12-3/8</a>	
<a href="#">P/N: 128.1161.125 Type: SO 21124-6-1/2</a>	

Product	Description
<a href="#">P/N: 128.1161.185 Type: SO 21124-8-1/2</a>	
<a href="#">P/N: 128.1161.400 Type: SO 21124-12-1/2</a>	
<a href="#">P/N: 168.3600.060 Type: SO 33621-6-A6-6</a>	
<a href="#">P/N: 056.0010.080 Type: SO 50001-8</a>	compression ferrule
<a href="#">P/N: 056.0014.190, Type: SO 50001-10-8</a>	reduction compression redulle
<a href="#">028.2100.270</a>	
<a href="#">126.0010.120 / SO 20001-12</a>	Compression ferrule
<a href="#">016.0010.080 / SO 40001-8</a>	
<a href="#">128.2401.270 / SO 22421-10-1/4</a>	
<a href="#">P/N: 128.1101.270, Type: SO 21121-10-1/4</a>	straight screw-in fitting
<a href="#">P/N: 016.0010.150 Type: SO 40001-15</a>	
<a href="#">016.0210.150 / SO 40021-15</a>	Valve connection
<a href="#">018.1101.270 / SO 41121-10-1/4</a>	Straight screw-in fitting
<a href="#">068.0014.400</a>	Valve
<a href="#">068.0014.110</a>	Valve
<a href="#">056.0031.230 / SO 50003-12-9</a>	Stiffener sleeve to reinforce tubes
<a href="#">SO 50021-12</a>	
<a href="#">P/N: 168.1000.060, Type: SO 31021-6</a>	Straight screw connection
<a href="#">P/N: 166.0010.060, Type: SO 30001-6</a>	ferrule
<a href="#">166.0010.080 / SO 30001-8</a>	ferrule
<a href="#">166.0010.100 / SO 30001-10</a>	ferrule
<a href="#">166.0020.060 / SO 30002-6</a>	
<a href="#">168.1101.110 / SO 31121-6-1/4</a>	Straight male stud fitting
<a href="#">168.1101.160 / SO 31121-8-1/8</a>	Straight screw-in fitting
<a href="#">168.1101.270 / SO 31121-10-1/4</a>	Straight screw-in fitting
<a href="#">168.2401.100 / SO 32421-6-1/8</a>	Angle screw-in fitting
<a href="#">P/N: 168.2401.110, Type: SO 32421-6-1/4</a>	Elbow screw-in fitting
<a href="#">168.3000.060 / SO 33021-6</a>	
<a href="#">168.3000.080 / SO 33021-8</a>	
<a href="#">168.3000.100 / SO 33021-10</a>	
<a href="#">168.3000.120 / SO 33021-12</a>	
<a href="#">SO 21021-8</a>	bulkhead
<a href="#">SO 21121-8-1/8</a>	
<a href="#">SO 21121-8-1/4</a>	
<a href="#">P/N: 128.2401.170, Type: SO 22421-8-1/4</a>	Elbow screw-in fitting
<a href="#">128.3000.080 / SO 23021-8</a>	
<a href="#">018.1020.060 / SO 41021-6</a>	Straight screw connection
<a href="#">018.1020.080 / SO 41021-8</a>	Straight screw connection
<a href="#">018.1020.100 / SO 41021-10</a>	
<a href="#">018.1020.040 / SO 41021-4</a>	
<a href="#">018.1101.100 / SO 41121-6-1/8</a>	
<a href="#">018.1101.110 / SO 41121-6-1/4</a>	Straight screw-in fitting
<a href="#">018.1101.160 / SO 41121-8-1/8</a>	Straight screw-in fitting

Product	Description
<a href="#">018.1101.170 / SO 41121-8-1/4</a>	Straight screw-in fitting
<a href="#">018.2000.060 / SO 42021-6</a>	elbow fitting
<a href="#">018.2000.080 / SO 42021-8</a>	Elbow screw connection
<a href="#">018.2000.100 / SO 42021-10</a>	
<a href="#">018.2000.040 / SO 42021-4</a>	
<a href="#">018.2401.100 / SO 42421-6-1/8</a>	
<a href="#">018.2401.110 / SO 42421-6-1/4</a>	
<a href="#">P/N: 018.2401.160, Type: SO 42421-8-1/8</a>	screw-in elbow
<a href="#">018.2401.170 / SO 42421-8-1/4</a>	
<a href="#">018.2401.270 / SO 42421-10-1/4</a>	Elbow screw-in fitting
<a href="#">018.2401.060 / SO 42421-4-1/8</a>	
<a href="#">138.1500.060 / SO NV 31A21E-6</a>	Control angle valve
<a href="#">028.0000.080 / SO NV 41A21-8</a>	ball valve
<a href="#">028.2100.390 / SO NV 41C21EB-12-3/8</a>	fine adjustment angle valve
<a href="#">058.1500.060 / SO 51521-6</a>	
<a href="#">056.0500.110 / SO 50503-A6-4</a>	
<a href="#">016.0020.120 / SO 40002-12</a>	Locking pin
<a href="#">2X40642 / SO 42421-12-1/4</a>	Elbow screw connection
<a href="#">018.1020.120 / SO 41021-12</a>	Straight screw connection
<a href="#">018.1320.120 / SO 41325-A12</a>	Adjustable screw connection
<a href="#">128.1201.125 / SO 21221-6-1/2</a>	female adaptor union
<a href="#">40002-12</a>	Plug
<a href="#">42421-12-1/4</a>	Male adaptor elbow union
<a href="#">41021-12</a>	Straight screw connection
<a href="#">41325-A12</a>	Adjustable screw connection
<a href="#">056.0015.190</a>	Compression ferrule with integrated stiffener sleeve
<a href="#">128.1102.110 \ SO 21121-6-1/4 NPT</a>	ferrule
<a href="#">018.1143.020 / SO 41124-2-M5</a>	
<a href="#">058.2401.110</a>	
<a href="#">056.1300.120</a>	
<a href="#">056.1310.120 / SO 51304-A12</a>	Tube stub
<a href="#">056.0014.420</a>	
<a href="#">058.3000.150</a>	
<a href="#">056.0201.400</a>	
<a href="#">056.0010.100</a>	
<a href="#">056.0031.180</a>	
<a href="#">p/n: 168.1800.175, Type: SO 31821-A10-6</a>	reduction-adjusting fitting
<a href="#">SO 40003-12-9 Art.-Nr.: 016.0030.230</a>	support sleeve
<a href="#">TAD.5134.044</a>	transition nipple
<a href="#">TAD.5124.104</a>	Male adaptor
<a href="#">TAD.5135.044</a>	Male adaptor
<a href="#">TAD.5125.104</a>	transition nipple
<a href="#">246.0200.534</a>	connecting nut



Product	Description
<a href="#">056.0012.140 / SO 50001-8-6 D</a>	ferrule
<a href="#">016.0014.140 / SO 40001-8-6*</a>	Reduced clamping ring
<a href="#">246.0010.080 / SO 00001-8</a>	Compression ferrule
<a href="#">016.0200.080 / SO 40020-8</a>	Union nut
<a href="#">SO 51300-A8 / 056.1300.080</a>	connecting nipple
<a href="#">SO 50001-15-12/ 056.0014.420</a>	Reduced clamping ring
<a href="#">SO 50001-12/ 056.0010.120</a>	ferrule
<a href="#">018.3000.150 / SO 43021-15</a>	Connector T
<a href="#">128.1101.100 / SO 21121-6-1/8</a>	Straight screw-in fitting
<a href="#">SO 21521-8</a>	bulkhead
<a href="#">SO 21221-8-1/2</a>	
<a href="#">SO 21221-8-1/4</a>	
<a href="#">128.1101.185 / SO 21121-8-1/2</a>	Straight screw-in fitting
<a href="#">258.7100.080 \ SO NV 01A21-8</a>	regulating valve
<a href="#">068.0011.100 / SO NV 51A21-10</a>	regulating valve
<a href="#">431.0300.010</a>	
<a href="#">P/N: 058.1141.160, Type: SO 51124-8-1/8</a>	
<a href="#">128.1000.080 / SO 21021-8</a>	Straight fitting
<a href="#">018.1171.646 / SO 41124-18-1/2 OR</a>	
<a href="#">016.0014.240 / SO 40001-12-10</a>	Reduced clamping ring
<a href="#">246.0210.110</a>	clutch
<a href="#">3.1 certificate</a>	
<a href="#">P/N: 128.1171.170, Type: SO 21124-8-1/4 OR</a>	Straight male stud fitting
<a href="#">128.1171.180 / SO 21124-8-3/8 OR</a>	Straight male stud fitting
<a href="#">P/N: 128.1171.380 Type: SO 21124-12-1/4 OR</a>	Straight male stud fitting
<a href="#">P/N: 128.1171.110 Type: SO 21124-6-1/4 OR</a>	Straight male stud fitting
<a href="#">P/N: 128.1171.120 Type: SO 21124-6-3/8 OR</a>	Straight male stud fitting
<a href="#">P/N: 128.3000.060 Type: SO 23021-6</a>	T-fitting
<a href="#">058.1151.125 / SO 51124-6-1/2 D</a>	thermocouple screw connection
<a href="#">058.1102.534 / SO 51121-15-1/2 NPT</a>	screw-in fitting
<a href="#">SO 42824-6-1/8</a>	swivel fitting
<a href="#">248.1201.185 / SO 01221-8-1/2</a>	straight screw-on fitting
<a href="#">248.1020.080 / SO 01021-8</a>	straight screw connection
<a href="#">248.1201.400 / SO 01221-12-1/2</a>	straight screw-on fitting
<a href="#">248.1020.120 / SO 01021-12</a>	straight screw connection
<a href="#">P/N: 248.2401.160, Type: SO 02421-1-1/8</a>	screw-in elbow
<a href="#">P/N: 018.1141.160, Type: SO 41124-8-1/8</a>	straight screw-in fitting
<a href="#">P/N: 248.1101.160, Type: SO 01121-8-1/8</a>	straight screw-in fitting
<a href="#">056.0210.060 / SO 50021-6</a>	faucet connection
<a href="#">028.0000.040 / SO NV 41A21-4</a>	regulating valve
<a href="#">P/N: 148.3010.100, Type: SO CV 23B21-10</a>	cone check valve
<a href="#">P/N: 126.0301.270, Type: SO 20030-10-1/4</a>	transition sleeve
<a href="#">P/N: 128.3201.270, Type: SO 23221-10-1/4-10</a>	T-fitting



Product	Description
<a href="#">018.2000.150 / SO 42021-15</a>	Elbow fitting
<a href="#">018.2000.220 / SO 42021-22</a>	Elbow fitting
<a href="#">018.3000.350 / SO 43021-35</a>	T-fitting
<a href="#">018.2600.150 / SO 42621-15-A15</a>	Adjustable elbow fitting
<a href="#">018.3000.220 / SO 43021-22</a>	T-fitting
<a href="#">016.0020.220 / SO 40002-22</a>	Terminals
<a href="#">018.2501.768 / SO 42521-22-3/4</a>	Angle screw-on fitting
<a href="#">018.1201.534 / SO 41221-15-1/2</a>	Straight screw connection
<a href="#">018.1101.768 / SO 41121-22-3/4</a>	Straight screw-in fitting
<a href="#">016.0500.430 / SO 40503-A15-13</a>	hose nozzle
<a href="#">016.0500.760 / SO 40503-A22-19</a>	hose nozzle
<a href="#">018.2600.350 / SO 42621-35-A35</a>	Adjustable elbow fitting
<a href="#">018.2600.220 / SO 42621-22-A22</a>	Adjustable elbow fitting
<a href="#">056.0020.100 / SO 50002-10</a>	End pin
<a href="#">058.1143.155 / SO 51124-6-M5</a>	screw-in fitting
<a href="#">058.1101.280 / SO 51121-10-3/8</a>	screw-in fitting
<a href="#">058.1500.100 / SO 51521-10</a>	Straight bulkhead fitting
<a href="#">058.1500.080 \ SO 51521-8</a>	
<a href="#">058.1504.175 / SO 51521-10-6</a>	bulkhead fitting
<a href="#">058.1400.080 / SO 51429-8</a>	welding fitting
<a href="#">058.2600.080 / SO 52621-8-A8</a>	Adjustable elbow fitting
<a href="#">128.3000.100 / SO 23021-10</a>	T-connector
<a href="#">058.1153.068</a>	Thermo sensor screw connection
<a href="#">016.0210.100 / SO 40021-10</a>	Valve connection
<a href="#">P/N: 126.1601.110, Type: SO 21600-A6-1/4</a>	adjustment nipple
<a href="#">246.0010.120 / SO 00001-12</a>	ferrule
<a href="#">246.0010.095 / SO 00001-9.52</a>	ferrule
<a href="#">016.0010.079 / SO 40001-7,94 *</a>	ferrule
<a href="#">016.0010.063 / SO 40001-6,35 *</a>	ferrule
<a href="#">P/N: TAD.5111.228, Type: AD HN 50-1/2 NPT-1/2 NPT</a>	double nipple
<a href="#">P/N: 128.2402.280, Type: SO 22421-10-3/8 NPT</a>	NPT angle screw-in fitting
<a href="#">P/N: TAD.5070.020, Type: AD HSP 50-1/8</a>	Screw plug G
<a href="#">P/N: 128.1171.060, Type: SO 21124-4-1/8 OR</a>	Straight screw-in screw
<a href="#">P/N: 128.1171.270, Type: SO 21124-10-1/4 OR</a>	Straight screw-in fitting
<a href="#">P/N: 126.0411.102, Type: SO 20041-1/4-1/8</a>	G-R transition nipple
<a href="#">P/N: 128.2600.100, Type: SO 22621-10-A10</a>	Adjustable elbow fitting
<a href="#">028.1500.150 / SO NV 41A21E-15</a>	Regulating angle valve
<a href="#">018.1320.220</a>	Adjustable screw connection
<a href="#">431.0300.000 / PTFE 8/6x1, 50m</a>	polytetrafluoroethylene tube (PTFE)
<a href="#">431.0350.000 / PTFE 10/8x1, 50m</a>	polytetrafluoroethylene tube (PTFE)
<a href="#">TFP.311.0612 / FP 31150-6-1/4</a>	screw-in connection
<a href="#">TFP.311.0613 / FP 31150-6-3/8</a>	screw-in connection
<a href="#">TFP.311.0812 / FP 31150-8-1/4</a>	screw-in connection

Product	Description
<a href="#">TFP.311.0813 / FP 31150-8-3/8</a>	screw-in connection
<a href="#">TFP.311.1012 / FP 31150-10-1/4</a>	screw-in connection
<a href="#">168.1101.100 / SO 31121-6-1/8</a>	Straight screw-in fitting
<a href="#">016.0214.140 / SO 40021-8-6</a>	Valve connection
<a href="#">016.0210.060 / SO 40021-6</a>	Valve connection
<a href="#">SO 31121-6-1/8 NPT</a>	male connector
<a href="#">SO 41821-18-12</a>	
<a href="#">SO BV 48A05 / TKH.478.5111</a>	mini ball valve
<a href="#">168.1102.270 / SO 31121-10-1/4 NPT</a>	Straight screw-in fitting
<a href="#">056.1601.285 / SO 51600-A10-1/2</a>	adjustable male adaptor
<a href="#">028.1500.080 / SO NV 41A21E-8</a>	elbow regulating valve
<a href="#">016.0210.080 / SO 40021-8</a>	Valve connection
<a href="#">148.3010.080 / SO CV 23B21-8</a>	cone check valve
<a href="#">148.8110.080 / SO BV 28A21-8</a>	shut-off valve
<a href="#">148.1010.080 / SO NV 22A21-8</a>	control valve
<a href="#">SO NV 41A21-6/ 028.0000.060</a>	control valve
<a href="#">148.1500.080</a>	
<a href="#">SO500015</a>	ferrule
<a href="#">018.2620.195</a>	Adjustable elbow fitting pre-assembled
<a href="#">016.0210.220</a>	valve connection
<a href="#">058.1101.270 / SO 51121-10-1/4</a>	Male adaptor union
<a href="#">058.1141.400</a>	
<a href="#">P/N: 018.2620.220, Type: SO 42421-17-1/2</a>	Adjustable elbow fitting pre-assembled
<a href="#">P/N: 018.2401.596, Type: SO 41221-17-1/2</a>	Straight screw-on fitting
<a href="#">SO 52621-8-A8 / 058.2600.080</a>	
<a href="#">SO 50021-8-6 / 056.0214.140</a>	
<a href="#">SO 50003-8-6 / 056.0031.140</a>	
<a href="#">SO 50001-8-6 FIX / 056.0015.140</a>	ferrule
<a href="#">SO 52021-12-6 / 058.2004.215</a>	
<a href="#">SO 50003-10-8 / 056.0031.190</a>	
<a href="#">P/N: 018.1201.596, Type: SO 41221-17-1/2</a>	Straight screw-on fitting
<a href="#">SO 52021-12-10 / 058.2004.240</a>	
<a href="#">SO 50021-8-6.35 / 056.0214.143</a>	
<a href="#">SO 30020-6 / 166.0100.060</a>	Knurled connection nut
<a href="#">SO 31300-6-A6 / 166.1300.060</a>	
<a href="#">SO 80503-A6-8 / 036.0500.121</a>	
<a href="#">SO 80503-A8-8 / 036.0500.154</a>	
<a href="#">SO 80503-A6-6 / 036.0500.122</a>	
<a href="#">SO 80503-A8-6 / 036.0500.140</a>	
<a href="#">SO 80021-8 036.0210.080</a>	
<a href="#">SO 80021-6 036.0210.106</a>	
<a href="#">SO 80021-10 036.0210.100</a>	
<a href="#">SO 80020-8 036.0200.080</a>	

Product	Description
<a href="#">SO 81121-8-1/8 038.1101.160</a>	
<a href="#">SO 80503-A10-8 0.360500.190</a>	
<a href="#">SO 80021-10-8 036.0214.190</a>	
<a href="#">SO 40020-6 (016.0200.060)</a>	Connection Nut
<a href="#">420.0350.405</a>	
<a href="#">420.0300.505</a>	
<a href="#">420.0200.505</a>	
<a href="#">018.2101.170 / SO 42121-8-1/4</a>	Elbow fitting
<a href="#">018.2101.270 / SO 42121-10-1/4</a>	Elbow fitting
<a href="#">016.0012.060 / SO 40001-6 D</a>	Compression ring
<a href="#">016.0012.080 / SO 40001-8 D</a>	Compression ring
<a href="#">420.0100.205 / LDPE 4/2x1 S, 100m</a>	Tubing
<a href="#">420.0200.205 / LDPE 6/4x1 S, 100m</a>	Tube
<a href="#">420.0300.205 / LDPE 8/6x1 S, 100m</a>	Tube
<a href="#">420.0350.205 / LDPE 10/8x1 S, 50m</a>	Tube
<a href="#">016.0711.020 / AD SP 40-1/8</a>	Screw plug R
<a href="#">SO 42424-3-M5 / 018.2443.050</a>	angle screw-in fitting
<a href="#">016.1001.060 / SO 41001-4-1/8</a>	Nipple connection
<a href="#">P/N: 016.0015.110, Type: SO 40001-6-4 FIX</a>	Clamping ring with integrated support sleeve
<a href="#">058.2841.170 / SO 52824-8-1/4</a>	Single banjo
<a href="#">018.0520.122 / SO 40526-A6-6</a>	Pre-assembled hose grommet
<a href="#">TAD.4000.020 / AD HCP 40-1/8</a>	Pipe cap G
<a href="#">TAD.4000.040 / AD HCP 40-1/4</a>	Pipe cap G
<a href="#">TAD.4020.020 / AD HP 40-1/8</a>	Locking screw R
<a href="#">TAD.4020.040 / AD HP 40-1/4</a>	Locking screw R
<a href="#">016.0711.040 / AD SP 40-1/4</a>	Locking screw R
<a href="#">TAD.5124.166</a>	G-NPT transition nipple
<a href="#">P/N: 058.2401.160, Type: SO 52421-8-1/8</a>	Elbow screw-in fitting
<a href="#">P/N: 248.2402.160, Type: SO 02421-8-1/8 NPT</a>	NPT angle screw-in fitting
<a href="#">P/N: 036.0411.042, Type: AD A 80-1/8-1/8</a>	G-R adapter
<a href="#">P/N: 148.1010.080, Type: SO NV 22A21-8</a>	Regulating valve
<a href="#">P/N: 148.3010.080, Type: SO CV 23B21-8</a>	cone check valve
<a href="#">SO CV 23B21 08</a>	
<a href="#">SO NV 22A21-8</a>	
<a href="#">126.0100.080 / SO 20020-8</a>	Union nut knurled
<a href="#">P/N: 056.0031.110, Type: SO 50003-6-4</a>	support sleeve
<a href="#">P/N: 128.2401.330, Type: SO 22421-10/7-3/8</a>	Elbow screw-in fitting
<a href="#">058.2600.063 / SO 52621-6-A8</a>	Adjustable elbow fitting
<a href="#">016.0210.220 / SO 40021-22</a>	faucet connection
<a href="#">016.0030.775 / SO 40003-22-20</a>	support sleeve
<a href="#">SO 31121-12-3/8/ 168.1101.390</a>	Straight screw-in fitting
<a href="#">SO 31121-10-3/8/ 168.1101.280</a>	Straight screw-in fitting
<a href="#">058.1101.390 / SO 51121-12-3/8</a>	Straight screw-in fitting

Product	Description
<a href="#">058.2700.120 / SO 52721-12</a>	Angled bulkhead fitting
<a href="#">058.3000.120 / SO 53021-12</a>	T-fitting
<a href="#">056.0063.345</a>	Hexagon nut METR
<a href="#">168.1102.170 / SO 31121-8-1/4NPT</a>	Male adaptor union NPT
<a href="#">128.1171.185 / SO 21124-8-1/2 OR</a>	Straight screw-in fitting
<a href="#">128.1500.080 / SO 21521-8</a>	Straight bulkhead fitting
<a href="#">128.1171.160 / SO 21124-8-1/8 OR</a>	Straight bulkhead fitting
<a href="#">TAD.5124.224</a>	Transitional nipple
<a href="#">TAD.5120.224</a>	
<a href="#">018.1141.170 / SO 41124-8-1/4</a>	Straight screw-in fitting
<a href="#">018.1141.270 / SO 41124-10-1/4</a>	Straight screw-in fitting
<a href="#">SO 42824-6.0-1/8</a>	Coupling
<a href="#">SO 42824-3.2-1/8</a>	Coupling
<a href="#">168.1000.102 / SO 31021-10/7</a>	Straight fitting
<a href="#">058.1020.030 (SO 51021-3)</a>	
<a href="#">018.1540.220 / 41524-22</a>	straight bulkhead fitting
<a href="#">018.3000.100 / SO 43021-10</a>	T-fitting
<a href="#">P/N: 126.0010.160, Type: SO 20001-16</a>	ferrule
<a href="#">P/N: 126.0100.100, Type: SO 20020-10</a>	Union Nut Knurled
<a href="#">P/N: 126.0100.120, Type: SO 20020-12</a>	Union Nut Knurled
<a href="#">P/N: 126.0100.160, Type: SO 20020-16</a>	Union Nut Knurled
<a href="#">P/N: 128.1101.390, Type: SO 21121-12-3/8</a>	Straight screw-in fitting
<a href="#">P/N: 128.1101.568, Type: SO 21121-16/13-3/4</a>	Straight screw-in fitting
<a href="#">YBD.0H54.1062 / S-VHN6-G3/8 i-FKM</a>	Nipple with female thread
<a href="#">P/N: 056.0200.080 Type: SO-50020-8</a>	connector nut
<a href="#">058.1201.270 / SO 51221-10-1/4</a>	Adapter
<a href="#">258.7420.060 / SO NV 01A21E-6</a>	Regulating angle valve
<a href="#">SO 50503-A8-6</a>	
<a href="#">056.0015.110 / SO 50001-6-4 FIX</a>	ferrule
<a href="#">P/N: 058.1141.100, Type: SO 51124-6-1/8</a>	Straight screw-in fitting
<a href="#">168.1101.170 / SO 31121-8-1/4</a>	Straight screw-in fitting
<a href="#">988.8350.000 / AC 835</a>	Tube-Cutty
<a href="#">166.0100.100 / SO 30020-10</a>	Knurled connector nut
<a href="#">166.0100.080 / SO 30020-8</a>	connector nut
<a href="#">P/N: 168.3701.110, Type: SO 33721-6-1/4-6</a>	T-screw-in fitting
<a href="#">430.0300.004 / PVDF 8/6x1, 50m</a>	Polyvinylide fluoride tube (PVDF)
<a href="#">430.0350.004 / PVDF 10/8x1, 50m</a>	Polyvinylide fluoride tube (PVDF)
<a href="#">SO 31124-6-1/4 OR/ 168.1171.110</a>	
<a href="#">12097400</a>	
<a href="#">P/N: 036.0030.110, Type: SO 80003-6-4</a>	Support sleeve for pipe reinforcement
<a href="#">P/N: 036.0010.060, Type: SO 80001-6</a>	ferrule
<a href="#">12072230</a>	
<a href="#">11016700</a>	

Product	Description
<a href="#">11003200</a>	
<a href="#">12013880</a>	
<a href="#">P/N: 128.1101.120, Type: SO 21121-6-3/8</a>	compression fittings
<a href="#">P/N: 128.1000.060, Type: SO 21021-6</a>	Straight fitting Union double straight union
<a href="#">431.0050.000 / PTFE 3/2x0.5, 50m</a>	Polytetrafluoroethylene tube (PTFE)
<a href="#">016.0210.030 / SO 40021-3</a>	NUT CONNECTION
<a href="#">016.0214.060 / SO 40021-5-3</a>	Reduction nut connection
<a href="#">P/N: 128.1101.285, Type: SO 21121-10-1/2</a>	Straight screw-in fitting
<a href="#">SO 51429-12</a>	
<a href="#">SO 21121-8-3/8</a>	male adapter union
<a href="#">056.0512.676 / SO 50511-19-1/2 NPT</a>	NPT screw-in grommet
<a href="#">056.0512.678 / SO 50511-19-3/4 NPT</a>	NPT screw-in grommet
<a href="#">246.0210.170 / SO 00021-8-1/4</a>	Nut Connection
<a href="#">TKH.478.5112</a>	mini ball valve
<a href="#">168.1102.280 / SO 31121-10-3/8 NPT</a>	NPT straight screw connection
<a href="#">016.1300.220</a>	
<a href="#">P/N: 058.2000.080, Type: SO 52021-8</a>	Elbow fitting
<a href="#">P/N: 058.2401.170, Type: SO 52421-8-1/4</a>	Elbow screw-in fitting
<a href="#">P/N: 058.1101.170, Type: SO 51121-8-1/4</a>	Straight screw-in fitting
<a href="#">P/N: 016.0412.224, Type: AD A 40-1/2-1/4 NPT</a>	G-NPT transition nipple
<a href="#">SO 31124-8-1/4 OR // 168.1171.170</a>	Male adaptor union
<a href="#">056.0020.060 / SO 50002-6</a>	Stainless Steel Plug
<a href="#">056.0020.080 / SO 50002-8</a>	Stainless Steel Plug
<a href="#">056.0020.120 / SO 50002-12</a>	Stainless Steel Plug
<a href="#">056.0020.150 / SO 50002-15</a>	Stainless Steel Plug
<a href="#">056.0020.180 / SO 50002-18</a>	Stainless Steel Plug
<a href="#">126.0641.106</a>	Male threaded adaptor R
<a href="#">358.1208.001</a>	Coupler with SERTO connection angled
<a href="#">358.6114.001</a>	Nipple with female thread
<a href="#">148.1410.080</a>	Elbow regulating valve